## CANADIAN JOURNAL OF EARTH SCIENCES

## JOURNAL CANADIEN DES SCIENCES DE LA TERRE

### **VOLUME 19, 1982**

### Author Index / Index des auteurs

Achab, A. Chitinozoaires de l'Arenig supérieur (Zone D) de la Formation de Lévis, Québec, Canada, 1295.

Adams, J. Stress-relief buckles in the McFarland quarry, Ottawa, 1883.

Aitken, J.D., see Morris, W.A., 2020.

Alabi, A.O., see Gough, D.I., 1680.

Allègre, C.J., see Schärer, U., 1910.

André, F., et Gagny, C. Structures d'écoulement dans une caisse filonienne: le mécanisme d'intrusion télescopique et le concept d'intra-épontes, 2382.

Armstrong, J.E., see Hicock, S.R., 899.

Armstrong, J.E., see Hicock, S.R., 2288.

Armstrong, R.L., Eisbacher, G.H., and Evans, P.D. Age and stratigraphic-tectonic significance of Proterozoic diabase sheets, Mackenzie Mountains, northwestern Canada, 316.

Arsenault, M. Eusthenopteron foordi, a predator on Homalacanthus concinnus from the Escuminac Formation, Miguasha, Quebec, 2214.

Asprey, K.W., see Schafer, C.T., 153.

Ayres, L.D., see Raudsepp, M., 837.

Baadsgaard, H., see Goff, S.P., 343.

Bard, J.-P., see Thompson, P.H., 129.

Barnes, C.R., see McCracken, A.D., 1474.

Barnes, D.J., and Dusseault, M.B. The influence of diagenetic microfabric on oil sands behaviour, 804.

Barnes, W.C., see Hickson, C.J., 829.

Barnett, R.L., see King, R.H., 2012.

Barnett, R.L., see Valliant, R.I., 993.

Barr, S.M., see Papezik, V.S., 1709. Beaumont, C., see Quinlan, G., 2232.

Beauvais, L. Étude de quelques coelentérés de la base du Mésozoïque du Canada occidental, 1963.

Bell, J.S., see Gough, D.I., 1358.

Bewers, J.M., see Yeats, P.A., 982.

Bingham, D.K., see Gough, D.I., 1680.

Biquand, D. Infidélité paléomagnétique observée dans une formation lacustre varvée quaternaire dite: "argiles d'Eybens" (Grenoble, France), 1196.

Blackburn, C.E., see Davis, D.W., 254.

Blodgett, R.B., see House, M.R., 1873.

Boucot, A.J., Gray, J., Fang, R., Yang, X., Li, Z., and Zhang, N. Devonian calcrete from China: its significance as the first Devonian calcrete from Asia, 1532.

Braun, W.K., and Lethiers, F. A new Late Devonian ostracode fauna and its bearing on the Frasnian-Famennian boundary in western Canada, 1953.

Brisbin, W.C., see Hall, D.H., 2049.

Brookes, I.A., McAndrews, J.H., and von Bitter, P.H. Quaternary interglacial and associated deposits in southwest Newfoundland, 410.

Brookfield, M.E., Gwyn, Q.H.J., and Martini, I.P. Quaternary sequences along the north shore of Lake Ontario: Oshawa - Port Hope, 1836.

Brooks, C., Ludden, J., Pigeon, Y., and Hubregtse, J.J.M.W. Volcanism of shoshonite to high-K andesite affinity in an Archean arc environment, Oxford Lake, Manitoba, 55.

Brown, A.C. Grenville iron-formations and associated stratiform zinc mineralization, Roddick Lake area, Mount Laurier Basin, Quebec, 1670.

Brown, R.L., and Murphy, D.C. Kinematic interpretation of mylonitic rocks in part of the Columbia River fault zone, Shuswap terrane, British Columbia, 456.

Brown, T.H., see Kwong, Y.T.J., 2378.

Buchan, K.L., and Hodych, J.P. Paleomagnetic reexamination of the Lower Ordovician Wabana and Bell Island Groups of the Avalon Peninsula of Newfoundland, 1055.

Buchbinder, G.G.R. On PP and SS reflection point anomalies, 434.

Burgess, M., see Hyndman, R.D., 1657.

Burns, J.A. Water vole Microtus richardsoni (Mammalia, Rodentia) from the Late Pleistocene of Alberta, 628.

Bustin, R.M., and Mathews, W.H. In situ gasification of coal, a natural example: history, petrology, and mechanics of combustion, 514.

Campbell, I.H., Coad, P., Franklin, J.M., Gorton, M.P., Scott, S.D., Sowa, J., and Thurston, P.C. Rare earth elements in volcanic rocks associated with Cu-Zn massive sulphide mineralization: a preliminary report, 619.

Carpenter, K. Skeletal and dermal armor reconstruction of Euoplocephalus tutus (Ornithischia: Ankylosauridae) from the Late Cretaceous Oldman Formation of Alberta, 689.

Catto, N.R., Patterson, R.J., and Gorman, W.A. The late Quaternary geology of the Chalk River region, Ontario and Quebec, 1218. Chapman, D.S., see Hyndman, R.D., 1657.

Chatterton, B.D.E., see Ludvigsen, R., 2179.

Cheel, R.J. The depositional history of an esker near Ottawa, Canada, 1417.

Christiansen, E.A., Gendzwill, D.J., and Meneley, W.A. Howe Lake: a hydrodynamic blowout structure, 1122.

Christopher, P.A., see Watson, P.H., 1264.

Clague, J., Harper, J.R., Hebda, R.J., and Howes, D.E. Late Quaternary sea levels and crustal movements, coastal British Columbia, 597.

Clague, J.J. Minimum age of deglaciation of upper Elk Valley, British Columbia: Discussion, 1099.

Clague, J.J., see Mathewes, R.W., 1185.

Clague, J.J., Mathewes, R.W., and Warner, B.G. Late Quaternary geology of eastern Graham Island, Queen Charlotte Islands, British Columbia, 1786.

Clague, J.J., and Rampton, V.N. Neoglacial Lake Alsek, 94.

Clague, J.J., and Souther, J.G. The Dusty Creek landslide on Mount Cayley, British Columbia, 524.

Clark, I.D., Fritz, P., Michel, F.A., and Souther, J.G. Isotope hydrogeology and geothermometry of the Mount Meager geothermal area. 1454.

Clark, K.R., see Schwarz, E.J., 1330.

Coad, P., see Campbell, I.H., 619.

Coles, R.L., and Haines, G.V. Regional patterns in magnetic anomalies over Hudson Bay, 1116.

Colville, V.R., and Johnson, M.E. Correlation of sea-level curves for the Lower Silurian of the Bruce Peninsula and Lake Timiskaming District (Ontario), 962.

Comtois, P. Histoire holocène du climat et de la végétation à Lanoraie (Québec), 1938.

Conway Morris, S., Pickerill, R.K., and Harland, T.L. A possible annelid from the Trenton Limestone (Ordovician) of Quebec, with a review of fossil oligochaetes and other annulate worms, 2150.

Cormie, A.B., Huntley, D.J., and Nelson, D.E. Identifying tephras by alpha counting, 662.

Couillard, D. Géologie et géochimie du fleuve, de l'estuaire et du golfe Saint-Laurent (Canada), 1492.

Cowan, D.S., see Fairchild, L.H., 1817.

Creer, K.M., and Tucholka, P. Construction of type curves of geomagnetic secular variation for dating lake sediments from east central North America, 1106.

Cruden, D.M. The Brazeau Lake slide, Jasper National Park, Alberta, 975.

Cumming, G.L., see Morrow, D.W., 1070.

Cumming, G.L., Eckstrand, O.R., and Peredery, W.V. Geochronologic interpretations of Pb isotope ratios in nickel sulfides of the Thompson Belt, Manitoba, 2306.

Currie, P.J., and Russell, D.A. A giant pterosaur (Reptilia: Archosauria) from the Judith River (Oldman) Formation of Alberta, 894.

Daley, P.F., and Hron, F. Computation of synthetic seismograms for a thin layered periodic structure, 1449.

Dallmeyer, R.D. <sup>40</sup>Ar/<sup>39</sup>Ar incremental-release age of biotite from a gabbro of the Shabogamo intrusive suite, southwestern Labrador, 1877.

Dankers, P. Implications of Early Devonian poles from the Canadian Arctic Archipelago for the North American apparent polar wander path, 1802.

D'Auria, J.M., see Mathewes, R.W., 2114.

Davies, J.F., see Dupuis, L., 1174.

Davis, D.W. Optimum linear regression and error estimation applied to U-Pb data, 2141.

Davis, D.W., Blackburn, C.E., and Krogh, T.E. Zircon U-Pb ages from the Wabigoon-Manitou Lakes region, Wabigoon Subprovince, northwest Ontario, 254.

Davis, D.W., and Edwards, G.R. Zircon U-Pb ages from the Kakagi Lake area, Wabigoon Subprovince, northwest Ontario, 1235.

Davis, D.W., and Trowell, N.F. U-Pb zircon ages from the eastern Savant Lake - Crow Lake metavolcanic-metasedimentary belt, northwest Ontario, 868.

Davis, E.E., and Riddihough, R.P. The Winona Basin: structure and tectonics, 767.

Davis, G.L., see Krogh, T.E., 723.

Dejou, J., De Kimpe, C.R., et Lasalle, P. Évolution géochimique superficielle naissante des anorthosites. Cas du profil de Château-Richer (Ouébec), Canada, 1697.

De Kimpe, C.R., see Dejou, J., 1697.

Delabio, R.N., see Mossman, D.J., 2126.

Deutsch, E.R., see Pätzold, R.R., 2210.

Dever, L., Laithier, M., et Hillaire-Marcel, C. Caractéristiques isotopiques (<sup>18</sup>O, <sup>13</sup>CO<sub>2</sub>, <sup>3</sup>H) des écoulements dans une tourbière sur pergélisol au Nouveau-Québec, 1255.

Dewey, C.P., and Fahraeus, L.E. Peracarids (Crustacea) from Mississippian strata of western Newfoundland, 666.

DiLabio, R.N.W., Rencz, A.N., and Egginton, P.A. Biogeochemical expression of a classic dispersal train of metalliferous till near Hopetown, Ontario, 2297.

Dimroth, E., Imreh, L., Rocheleau, M., and Goulet, N. Evolution of the south-central part of the Archean Abitibi Belt, Quebec. Part I: Stratigraphy and paleogeographic model, 1729.

Dixon, J., McNeil, D.H., and Michael, G.P. A brief description of calcite spheres from Pliocene strata in the Dome Gulf et al. C-50 well, Beaufort Sea, arctic Canada, 623.

Doe, B.R. The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman: Discussion, 1720.

Donaldson, J.A., see Ricketts, B.D., 1275.

Drake, J.J., and McCann, S.B. The movement of isolated boulders on tidal flats by ice floes, 748.

Dredge, L.A. Relict ice-scour marks and late phases of Lake Agassiz in northernmost Manitoba, 1079.

Dupuis, L., Whitehead, R.E.S., and Davies, J.F. Evidence for a genetic link between Sudbury breccias and fenite breccias, 1174.

Dupuy, C., see Strong, D.F., 308.

Dusseault, M.B., see Barnes, D.J., 804.

Eckstrand, O.R., see Cumming, G.L., 2306.

Edwards, G.R., see Davis, D.W., 1235.

Egginton, P.A., see DiLabio, R.N.W., 2297.

Eisbacher, G.H., see Armstrong, R.L., 316.

Elias, P.N., and Strong, D.F. Timing of arrival of the Avalon Zone in the northeastern Appalachians: a new look at the Straddling Granite, 1088.

Elias, R.J. Paleoecology and biostratinomy of solitary rugose corals in the Stony Mountain Formation (Upper Ordovician), Stony Mountain, Manitoba, 1582.

Essene, E.J., see Perkins III, D., 1759.

Evans, P.D., see Armstrong, R.L., 316.

Eyles, N., Sasseville, D.R., Slatt, R.M., and Rogerson, R.J. Geochemical denudation rates and solute transport mechanisms in a maritime temperate glacier basin, 1570.

Fåhræus, L.E., see Dewey, C.P., 666.

Fairchild, L.H., and Cowan, D.S. Structure, petrology, and tectonic history of the Leech River complex northwest of Victoria, Vancouver Island, 1817.

Falconer, R.K.H., see Reid, I., 1518.

Fang, R., see Boucot, A.J., 1532.

Farquhar, R.M., see Fletcher, I.R., 239.

Ferguson, A., and Osborn, G. Minimum age of deglaciation of upper Elk Valley, British Columbia: Reply, 1100.

Fillon, R.H., and Harmes, R.A. Northern Labrador Shelf glacial chronology and depositional environments, 162.

Fletcher, I.R., and Farquhar, R.M. The protocontinental nature and regional variability of the Central Metasedimentary Belt of the Grenville Province: lead isotope evidence, 239.

Ford, D.C., see Latham, A., 1985.

Fountain, J.C., see Lorenz, B.E., 490.

Fox, R.C., and Naylor, B.G. A reconsideration of the relationships of the fossil amphibian Albanerpeton, 118.

Franklin, J.M., see Campbell, I.H., 619.

Frape, S.K., and Fritz, P. The chemistry and isotopic composition of saline groundwaters from the Sudbury Basin, Ontario, 645.

Fritz, P., see Clark, I.D., 1454.

Fritz, P., see Frape, S.K., 645.

Fujiwara, Y., see Schwarz, E.J., 1330.

Fumerton, S.L. Redefinition of the Quetico Fault near Atikokan, Ontario, 222.

Fyson, W.K. Complex evolution of folds and cleavages in Archean rocks, Yellowknife, N.W.T., 878.

Gagny, C., see André, F., 2382.

Gale, G.H., and Pearce, J.A. Geochemical patterns in Norwegian greenstones, 385.

Gale, N.H., see Spooner, E.T.C., 1715.

Gale, N.H., and Spooner, E.T.C. The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman: Reply, 1724.

Garrett, D., see Kretz, R., 540.

Garrett, R.G., see Kretz, R., 540.

Gass, K.C., and Mikulic, D.G. Observations on the Attawapiskat Formation (Silurian) trilobites of Ontario, with description of a new encrinurine, 589.

Gaudette, H.E., see Olszewski, W.J., Jr., 2158.

Gaudette, H.E., Kovach, A., and Hussey, A.M., II Ages of some intrusive rocks of southwestern Maine, U.S.A., 1350.

Gauthier, N., see Tassé, N., 1337.

Geissman, J.W., see Tasillo-Hirt, A.M., 2100.

Geissman, J.W., Strangway, D.W., Tasillo-Hirt, A.M., and Jensen, L.S. Paleomagnetism and structural history of the Ghost Range intrusive complex, central Abitibi Belt, Ontario: further evidence for the Late Archean geomagnetic field of North America, 2085.

Gélinas, L., see Ludden, J., 2276.

Gélinas, L., see Tassé, N., 1337.

Gélinas, L., Mellinger, M., and Trudel, P. Archean mafic metavolcanics from the Rouyn-Noranda district, Abitibi Greenstone Belt, Quebec. 1. Mobility of the major elements, 2258.

Gendzwill, D.J., see Christiansen, E.A., 1122.

Gendzwill, D.J., Horner, R.B., and Hasegawa, H.S. Induced earthquakes at a potash mine near Saskatoon, Canada, 466.

Gilbert, R. The Broughton Trough on the continental shelf of eastern Baffin Island, Northwest Territories, 1599.

Girardeau, J. Tectonic structures related to thrusting of ophiolitic complexes: the White Hills Peridotite, Newfoundland, 709.

Godwin, C.I., see Watson, P.H., 1264.

Goff, S.P., Baadsgaard, H., Muehlenbachs, K., and Scarfe, C.M. Rb-Sr isochron ages, magmatic <sup>87</sup>Sr/<sup>86</sup>Sr initial ratios, and oxygen isotope geochemistry of the Proterozoic lava flows and intrusions of the East Arm of Great Slave Lake, Northwest Territories, Canada, 343.

Goodbody, O.H., see Jones, B., 671.

Goodwin, A.M. Archean volcanoes in southwestern Abitibi Belt, Ontario and Quebec: form, composition, and development, 1140.

Gorman, W.A., see Catto, N.R., 1218.

Gorton, M.P., see Campbell, I.H., 619.

Gough, D.I., and Bell, J.S. Stress orientations from borehole wall fractures with examples from Colorado, east Texas, and northern Canada. 1358.

Gough, D.I., Bingham, D.K., Ingham, M.R., and Alabi, A.O. Conductive structures in southwestern Canada: a regional magnetometer array study, 1680.

Goulet, N., see Dimroth, E., 1729.

Grav, J., see Boucot, A.J., 1532.

Greenwood, B., and Hale, P.B. Lagrangian sediment motion in a crescentic nearshore bar under storm-induced waves and currents, 424.

Greenwood, H.J., see Kwong, Y.T.J., 2378.

Gwyn, O.H.J., see Brookfield, M.E., 1836.

Haines, G.V., see Coles, R.L., 1116.

Hale, P.B., see Greenwood, B., 424.

Hall, B.V. Geochemistry of the alteration pipe at the Amulet Upper A deposit, Noranda, Quebec, 2060.

Hall, D.H., and Brisbin, W.C. Overview of regional geophysical studies in Manitoba and northwestern Ontario, 2049.

Harland, T.L., see Conway Morris, S., 2150.

Harmes, R.A., see Fillon, R.H., 162.

Harper, J.R., see Clague, J., 597.

Hasegawa, H.S., see Gendzwill, D.J., 466.

Heaman, L.M., Shieh, Y.-N., McNutt, R.H., and Shaw, D.M. Isotopic and trace element study of the Loon Lake pluton, Grenville Province, Ontario, 1045.

Heaton, M.J., see Reisz, R.R., 1232.

Hebda, R.J., see Clague, J., 597.

Hebda, R.J., see Hicock, S.R., 2288.

Hebda, R.J., see Karrow, P.F., 1857.

Hein, F.J. Depositional mechanisms of deep-sea coarse clastic sediments, Cap Enragé Formation, Quebec, 267.

Hein, F.J. Erratum: Depositional mechanisms of deep-sea coarse clastic sediments, Cap Enragé Formation, Quebec, 1726.

Helmstaedt, H., see Raeside, R.P., 1996.

Henderson, C.M., and Styan, W.B. Description and ecology of Recent endolithic biota from the Gulf Islands and banks in the Strait of Juan de Fuca, British Columbia, 1382.

Hickson, C.J., Hickson, P., and Barnes, W.C. Weighted vector analysis applied to surge deposits from the May 18, 1980 eruption of Mount St. Helens, Washington, 829.

Hickson, P., see Hickson, C.J., 829.

Hicock, S.R., Hebda, R.J., and Armstrong, J.E. Lag of the Fraser glacial maximum in the Pacific Northwest: pollen and macrofossil evidence from western Fraser Lowland, British Columbia, 2288.

Hicock, S.R., Hobson, K., and Armstrong, J.E. Late Pleistocene proboscideans and early Fraser glacial sedimentation in eastern Fraser Lowland, British Columbia, 899.

Higgins, N.C., and Kerrich, R. Progressive <sup>18</sup>O depletion during CO<sub>2</sub> separation from a carbon dioxide-rich hydrothermal fluid: evidence from the Grey River tungsten deposit, Newfoundland, 2247.

Hillaire-Marcel, C., see Dever, L., 1255.

Hiscott, R.N. Tidal deposits of the Lower Cambrian Random Formation, eastern Newfoundland: facies and paleoenvironments, 2028.

Hobson, K., see Hicock, S.R., 899.

Hodych, J.P. Magnetic hysteresis as a function of low temperature for deep-sea basalts containing large titanomagnetite grains — inference of domain state and controls on coercivity, 144.

Hodych, J.P., see Buchan, K.L., 1055.

Holst, T.B. Evidence for multiple deformation during the Penokean Orogeny in the Middle Precambrian Thomson Formation, Minnesota, 2043.

Horner, R.B., see Gendzwill, D.J., 466.

House, M.R., and Blodgett, R.B. The Devonian goniatite genera Pinacites and Foordites from Alaska, 1873.

Howes, D.E., see Clague, J., 597.

Hron, F., see Daley, P.F., 1449.

Huang, C.H., see Smith, T.E., 1707.

Hubert, C., see Walters, M., 571.

Hubregtse, J.J.M.W., see Brooks, C., 55.

Hudson, H.R. A field technique to directly measure river bank erosion, 381.

Hughes, O.L., see Naeser, N.D., 2167.

Huntley, D.J., see Cormie, A.B., 662.

Hussey, A.M., II, see Gaudette, H.E., 1350.

Hyndman, R.D., Lewis, T.J., Wright, J.A., Burgess, M., Chapman, D.S., and Yamano, M. Queen Charlotte fault zone: heat flow measurements, 1657.

Imreh, L., see Dimroth, E., 1729.

Ingham, M.R., see Gough, D.I., 1680.

Jackson, L.E., Jr., see Mott, R.J., 504.

Jackson, L.E., Jr., MacDonald, G.M., and Wilson, M.C. Paraglacial origin for terraced river sediments in Bow Valley, Alberta, 2219.

Jacobs, J.D., see Short, S.K., 398.

Jensen, L.S., see Geissman, J.W., 2085.

Jensen, L.S., see Tasillo-Hirt, A.M., 2100.

Johnson, M.E., see Colville, V.R., 962.

Jones, B., and Goodbody, Q.H. The geological significance of endolithic algae in glass, 671.

Jones, F.W., see Lam, H.L., 755.

Kamineni, D.C., see Stone, D., 789.

Kanasewich, E.R., see Rebollar, C.J., 907.

Karlstrom, K.E., van der Pluijm, B.A., and Williams, P.F. Structural interpretation of the eastern Notre Dame Bay area, Newfoundland: regional post-Middle Silurian thrusting and asymmetrical folding, 2325.

Karrow, P.F., Hebda, R.J., Presant, E.W., and Ross, G.J. Late Quaternary inter-till paleosol and biota at Guelph, Ontario, 1857.

Kent, D.V., and Opdyke, N.D. Paleomagnetism of Siluro-Devonian rocks from eastern Maine: Reply, 232.

Kerrich, R., see Higgins, N.C., 2247.

King, R.H., Kingston, M.S., and Barnett, R.L. A numerical approach toward the classification of magnetites from tephra in southern Alberta, 2012.

Kingston, M.S., see King, R.H., 2012.

Kissin, S.A., and Turner, G.W. A pseudotactite assemblage in the footwall of a massive sulfide occurrence, Savant Lake – Sturgeon Lake Greenstone Terrains, Ontario, 1691.

Kobluk, D.R. First record of Labyrinthus soraufi Kobluk from the southern Appalachians: Lower Cambrian Shady Dolomite, Virginia, 1094.

Kobluk, D.R., and Nemcsok, S. The macroboring ichnofossil *Trypanites* in colonies of the Middle Ordovician bryozoan *Prasopora*: population behaviour and reaction to environmental influences, 679.

Kovach, A., see Gaudette, H.E., 1350.

Kretz, R., Garrett, D., and Garrett, R.G. Na-K-Li geochemistry of the Prestige pluton in the Slave Province of the Canadian Shield, 540.

Krogh, T.E., see Davis, D.W., 254.

Krogh, T.E., McNutt, R.H., and Davis, G.L. Two high precision U-Pb zircon ages for the Sudbury Nickel Irruptive, 723.

Krogh, T.E., and Turek, A. Precise U-Pb zircon ages from the Gamitagama greenstone belt, southern Superior Province, 859.

Krouse, H.R., see van Everdingen, R.O., 1246.

Krouse, H.R., see van Everdingen, R.O., 1395.

Kwong, Y.T.J., Brown, T.H., and Greenwood, H.J. A thermodynamic approach to the understanding of the supergene alteration at the Afton copper mine, south-central British Columbia, 2378.

Laithier, M., see Dever, L., 1255.

Lajoie, J., see Tassé, N., 1337.

Lal, T., see Singh, R.P., 1323.

Lam, H.L., Jones, F.W., and Lambert, C. Geothermal gradients in the Hinton area of west-central Alberta, 755.

Lambert, C., see Lam, H.L., 755.

Lasalle, P., see Dejou, J., 1697.

Latham, A., Schwarcz, H.P., Ford, D.C., and Pearce, G.W. The paleomagnetism and U-Th dating of three Canadian speleothems: evidence for the westward drift, 5.4-2.1 ka BP, 1985.

Legault, J.A. First report of Ordovician (Caradoc-Ashgill) palynomorphs from Orphan Knoll, Labrador Sea, 1851.

Legault, J.A., and Norris, G. Palynological evidence for recycling of Upper Devonian into Lower Cretaceous of the Moose River Basin, James Bay Lowland, Ontario, 1.

Legun, A.S., and Rust, B.R. The Upper Carboniferous Clifton Formation of northern New Brunswick: coal-bearing deposits of a semi-arid alluvial plain, 1775.

Lenz, A.C. New data on Late Silurian and Early Devonian brachiopods from the Royal Creek area, Yukon Territory, 364.

Lenz, A.C. Ordovician to Devonian sea-level changes in western and northern Canada, 1919.

Lenz, A.C., and McCracken, A.D. The Ordovician-Silurian boundary, northern Canadian Cordillera: graptolite and conodont correlation, 1308.

Lespérance, P.J., see Walters, M., 571.

Lethiers, F., see Braun, W.K., 1953.

Lewis, T.J., see Hyndman, R.D., 1657.

Li, Z., see Boucot, A.J., 1532.

Lorenz, B.E., and Fountain, J.C. The South Lake Igneous Complex, Newfoundland: a marginal basin - island arc association, 490.

Loring, D.H. Geochemical factors controlling the accumulation and dispersal of heavy metals in the Bay of Fundy sediments, 930.

Ludden, J., see Brooks, C., 55.

Ludden, J., Gélinas, L., and Trudel, P. Archean metavolcanics from the Rouyn-Noranda district, Abitibi Greenstone Belt, Quebec.
2. Mobility of trace elements and petrogenetic constraints, 2276.

Ludvigsen, R., and Chatterton, B.D.E. Ordovician Pterygometopidae (Trilobita) of North America, 2179.

MacDonald, G.M. Late Quaternary paleoenvironments of the Morley Flats and Kananaskis Valley of southwestern Alberta, 23.

MacDonald, G.M., see Jackson, L.E., Jr., 2219.

Macdonald, R.D., see Syvitski, J.P.M., 1025.

Mackintosh, A.D., see Mossman, D.J., 2126.

MacLean, W.H., St. Seymour, K., and Prabhu, K.M. Sr, Y, Zr, Nb, Ti, and REE in Grenville amphibolites at Montauban-les-Mines, Quebec, 633.

Mamet, B.L., et Roux, A. Sur la présence de Microcodium (Algue?, Incertae sedis?) dans le Paléozoïque supérieur de l'Arctique canadien, 357.

Marcotty, L.A., see Perkins, D., III, 1759.

Martin, L.D., and Stewart, J.D. An ichthyornithiform bird from the Campanian of Canada, 324.

Martini, I.P., see Brookfield, M.E., 1836.

Massey, N.W.D. Transitional basalts in the Keweenawan Rift, 1326.

Mathewes, R.W., see Clague, J.J., 1786.

Mathewes, R.W., see White, J.M., 555.

Mathewes, R.W., and Clague, J.J. Stratigraphic relationships and paleoecology of a late-glacial peat bed from the Queen Charlotte Islands, British Columbia, 1185.

Mathewes, R.W., and D'Auria, J.M. Historic changes in an urban watershed determined by pollen and geochemical analyses of lake sediment, 2114.

Mathews, W.H., see Bustin, R.M., 514.

McAndrews, J.H., see Brookes, I.A., 410.

McCann, S.B., see Drake, J.J., 748.

McCoy, J.P., see Nielsen, E., 1933.

McCracken, A.D., see Lenz, A.C., 1308.

McCracken, A.D., and Barnes, C.R. Restudy of conodonts (Late Ordovician - Early Silurian) from the Edgewood Group, Clarksville, Missouri, 1474.

McKillop, W.B., see Nielsen, E., 1933.

McMechan, M.E., and Price, R.A. Erratum: Superimposed low-grade metamorphism in the Mount Fisher area, southeastern British Columbia — implications for the East Kootenay orogeny, 1727.

McMechan, M.E., and Price, R.A. Superimposed low-grade metamorphism in the Mount Fisher area, southeastern British Columbia — implications for the East Kootenay orogeny, 476.

McMechan, M.E., and Price, R.A. Transverse folding and superposed deformation, Mount Fisher area, southern Canadian Rocky Mountain thrust and fold belt. 1011.

McNeil, D.H., see Dixon, J., 623.

McNutt, R.H., see Heaman, L.M., 1045.

McNutt, R.H., see Krogh, T.E., 723.

McTaggart, K.C., see Wright, R.L., 1156.

Mellinger, M., see Gélinas, L., 2258.

Meneley, W.A., see Christiansen, E.A., 1122.

Menvielle, M., et Rossignol, J.-C. Conséquences tectoniques de l'existence d'une anomalie de conductivité électrique au nord du Maroc, 1507.

Mereu, R.F., see Mok, K.H., 1810.

Michael, G.P., see Dixon, J., 623.

Michel, F.A., see Clark, I.D., 1454.

Mikulic, D.G., see Gass, K.C., 589.

Miller, A.A.L., Mudie, P.J., and Scott, D.B. Holocene history of Bedford Basin, Nova Scotia: foraminifera, dinoflagellate, and pollen records, 2342.

Miller, H.G., and Weir, H.C. The northwest portion of the Gander Zone — a geophysical interpretation, 1371.

Miller, R.G. The geochronology of uranium deposits in the Great Bear batholith, Northwest Territories, 1428.

Mitchell, R.H., see Platt, R.G., 1796.

Mok, K.H., Mereu, R.F., and Yapp, A.P. A study of slowness anomalies around London, Ontario from University of Western Ontario seismic array observations, 1810.

Monnier, F. Thermal diagenesis in the Swiss molasse basin: implications for oil generation, 328.

Morris, W.A., and Aitken, J.D. Paleomagnetism of the Little Dal lavas, Mackenzie Mountains, Northwest Territories, Canada, 2020.

Morrow, D.W., and Cumming, G.L. Interpretation of lead isotope data from zinc-lead mineralization in the northern part of the western Canadian Cordillera, 1070.

Mortensen, J.K. Geological setting and tectonic significance of Mississippian felsic metavolcanic rocks in the Pelly Mountains, southeastern Yukon Territory, 8.

Mossman, D.J., Delabio, R.N., and Mackintosh, A.D. Mineralogy of clay marker seams in some Saskatchewan potash mines, 2126.

Mott, R.J., and Jackson, L.E., Jr. An 18000 year palynological record from the southern Alberta segment of the classical Wisconsinan "Ice-free Corridor", 504.

Mudie, P.J. Pollen distribution in recent marine sediments, eastern Canada, 729.

Mudie, P.J., see Miller, A.A.L., 2342.

Muehlenbachs, K., see Goff, S.P., 343.

Murphy, D.C., see Brown, R.L., 456.

Naeser, N.D., Westgate, J.A., Hughes, O.L., and Péwé, T.L. Fission-track ages of late Cenozoic distal tephra beds in the Yukon Territory and Alaska, 2167.

Nagel, J., see Wright, R.L., 1156.

Naylor, B.G. A new specimen of Taricha (Amphibia: Caudata) from the Oligocene of Washington, 2207.

Naylor, B.G., see Fox, R.C., 118.

Nelson, A.R. Aminostratigraphy of Quaternary marine and glaciomarine sediments, Qivitu Peninsula, Baffin Island, 945.

Nelson, D.E., see Cormie, A.B., 662.

Nelson, S.J. New Pennsylvanian(?) syringoporid coral from Kamloops area, British Columbia, 376.

Nemcsok, S., see Kobluk, D.R., 679.

Nielsen, E., McKillop, W.B., and McCoy, J.P. The age of the Hartman moraine and the Campbell beach of Lake Agassiz in northwestern Ontario, 1933.

Nielsen, K.C. Structural and metamorphic relationships between the Mount Ida and Monashee Groups at Mara Lake, British Columbia, 288.

Normark, W.R., see Piper, D.J.W., 1974.

Norris, G., see Legault, J.A., 1.

Nowina, S., and Strangway, D.W. Petrofabric and dielectric anisotropy in rock, 36.

Nowlan, G.S. Conodonts and the position of the Ordovician-Silurian boundary at the eastern end of Anticosti Island, Québec, Canada, 1332.

Nyland, E., see Rebollar, C.J., 907.

Olszewski, W.J., Jr., and Gaudette, H.E. Age of the Brookville Gneiss and associated rocks, southeastern New Brunswick, 2158.

Opdyke, N.D., see Kent, D.V., 232.

Osborn, G., see Ferguson, A., 1100.

Ouyang, S. Upper Permian and Lower Triassic palynomorphs from eastern Yunnan, China, 68.

Papezik, V.S., and Barr, S.M. The Shelburne dike, an early Mesozoic diabase dike in Nova Scotia: mineralogy, chemistry, and regional significance: Reply, 1709.

Patterson, R.J., see Catto, N.R., 1218.

Pätzold, R.R., and Deutsch, E.R. Paleomagnetism of drill cores from Labrador offshore wells, 2210.

Pearce, G.W., see Latham, A., 1985.

Pearce, G.W., Westgate, J.A., and Robertson, S. Magnetic reversal history of Pleistocene sediments at Old Crow, northwestern Yukon Territory, 919.

Pearce, J.A., see Gale, G.H., 385.

Peredery, W.V., see Cumming, G.L., 2306.

Perkins, D., III, Essene, E.J., and Marcotty, L.A. Thermometry and barometry of some amphibolite-granulite facies rocks from the Otter Lake area, southern Quebec, 1759.

Péwé, T.L., see Naeser, N.D., 2167.

Pickerill, R.K., see Conway Morris, S., 2150.

Pigeon, Y., see Brooks, C., 55.

Piper, D.J.W., and Normark, W.R. Acoustic interpretation of Quaternary sedimentation and erosion on the channelled upper Laurentian Fan, Atlantic margin of Canada, 1974.

Platt, R.G., and Mitchell, R.H. Rb-Sr geochronology of the Coldwell Complex, northwestern Ontario, Canada, 1796.

Plint-Geberl, H.A., see von Bitter, P.H., 193.

Prabhu, K.M., see MacLean, W.H., 633.

Presant, E.W., see Karrow, P.F., 1857.

Price, R.A., see McMechan, M.E., 476.

Price, R.A., see McMechan, M.E., 1011.

Price, R.A., see McMechan, M.E., 1727.

Quinlan, G., and Beaumont, C. The deglaciation of Atlantic Canada as reconstructed from the postglacial relative sea-level record, 2232.

Raeside, R.P., and Helmstaedt, H. The Ile Bizard intrusion, Montreal, Quebec - kimberlite or lamprophyre?, 1996.

Rampton, V.N., see Clague, J.J., 94.

Raudsepp, M., and Ayres, L.D. Emplacement and differentiation of an Archean subvolcanic metapyroxenite-metagabbro sill in the Favourable Lake area, northwestern Ontario, 837.

Rebollar, C.J., Kanasewich, E.R., and Nyland, E. Source parameters from shall revents in the Rocky Mountain House earthquake swarm, 907.

Reid, I., and Falconer, R.K.H. A seismicity study in northern Baffin Bay, 1518.

Reisz, R.R., and Heaton, M.J. Bayloria morei Olson 1941 identified as an immature specimen of the Permian reptile Captorhinus aguti (Cope, 1882), 1232.

Rencz, A.N., see DiLabio, R.N.W., 2297.

Ricketts, B.D., Ware, M.J., and Donaldson, J.A. Volcaniclastic rocks and volcaniclastic facies in the Middle Precambrian (Aphebian) Belcher Group, Northwest Territories, Canada, 1275.

Riddihough, R.P., see Davis, E.E., 767.

Ritz, M. Étude régionale magnéto-tellurique des structures de la conductivité électrique sur la bordure occidentale du craton ouest africain en République du Sénégal, 1408.

Robertson, A.H.F., see Woodcock, N.H., 1635.

Robertson, S., see Pearce, G.W., 919.

Robinson, R.N., see Turek, A., 1627.

Rocheleau, M., see Dimroth, E., 1729. Rogerson, R.J., see Eyles, N., 1570.

Ross, G.J., see Karrow, P.F., 1857.

Rossignol, J.-C., see Menvielle, M., 1507.

Roux, A., see Mamet, B.L., 357.

Roy, J.L. Paleomagnetism of Siluro-Devonian rocks from eastern Maine: Discussion, 225.

Russell, D.A., see Currie, P.J., 894. Rust, B.R., see Legun, A.S., 1775.

St. Seymour, K., see MacLean, W.H., 633.

Sasseville, D.R., see Eyles, N., 1570.

Scarfe, C.M., see Goff, S.P., 343.

Schafer, C.T., and Asprey, K.W. Significance of some geotechnical properties of continental slope and rise sediments off northeast Newfoundland, 15...

Schärer, U., and Allègre, C.J. Investigation of the Archaean crust by single-grain dating of detrital zircon: a graywacke of the Slave Province, Canada, 1910.

Schwarcz, H.P., see Latham, A., 1985.

Schwarz, E.J., Clark, K.R., and Fujiwara, Y. Paleomagnetism of the Sutton Lake Proterozoic inlier, Ontario, Canada, 1330.

Scott, D.B., see Miller, A.A.L., 2342.

Scott, S.D., see Campbell, I.H., 619.

Shakur, M.A., see van Everdingen, R.O., 1246.

Shakur, M.A., see van Everdingen, R.O., 1395.

Shaw, D.M., see Heaman, L.M., 1045.

Shaw, J. Melt-out till in the Edmonton area, Alberta, Canada, 1548.

Shieh, Y.-N., see Heaman, L.M., 1045.

Short, S.K., and Jacobs, J.D. A 1100 year paleoclimatic record from Burton Bay - Tarr Inlet, Baffin Island, 398.

Singh, R.P., and Lal, T. Influence of permeability on wave-tilt of EM waves, 1323.

Slatt, R.M., see Eyles, N., 1570.

Smith, P.E., see Turek, A., 1608.

Smith, T.E., and Huang, C.H. The Shelburne dike, an early Mesozoic diabase dike in Nova Scotia: mineralogy, chemistry, and regional significance: Discussion, 1707.

Souther, J.G., see Clague, J.J., 524.

Souther, J.G., see Clark, I.D., 1454.

Sowa, J., see Campbell, I.H., 619.

Spang, J.H., see Stockmal, G.S., 1101.

Speer, J.A. Metamorphism of the pelitic rocks of the Snyder Group in the contact aureole of the Kiglapait layered intrusion, Labrador: effects of buffering partial pressures of water, 1888.

Spooner, E.T.C., see Gale, N.H., 1724.

Spooner, E.T.C., and Gale, N.H. The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman: Reply, 1715.

Steer, P., see Woo, M-k., 2368.

Stewart, J.D., see Martin, L.D., 324.

Stockmal, G.S., and Spang, J.H. A method for the distinction of circular conical from cylindrical folds, 1101.

Stone, D., and Kamineni, D.C. Fractures and fracture infillings of the Eye-Dashwa Lakes pluton, Atikokan, Ontario, 789.

Strangway, D.W., see Geissman, J.W., 2085.

Strangway, D.W., see Nowina, S., 36.

Strangway, D.W., see Tasillo-Hirt, A.M., 2100.

Strong, D.F., see Elias, P.N., 1088.

Strong, D.F., and Dupuy, C. Rare earth elements in the bimodal Mount Peyton batholith: Evidence of crustal anatexis by mantle-derived magma, 308.

Stupavsky, M., and Symons, D.T.A. Extent of Grenvillian remanence components in rocks of the Southern Province, 698.

Stupavsky, M., and Symons, D.T.A. Isolation of early Paleohelikian remanence in Grenville anorthosites of the French River area, Ontario, 819.

Styan, W.B., see Henderson, C.M., 1382.

Symons, D.T.A., see Stupavsky, M., 698.

Symons, D.T.A., see Stupavsky, M., 819.

Syvitski, J.P.M., and Macdonald, R.D. Sediment character and provenance in a complex fjord; Howe Sound, British Columbia, 1025.

Tasillo-Hirt, A.M., see Geissman, J.W., 2085.

Tasillo-Hirt, A.M., Geissman, J.W., Strangway, D.W., and Jensen, L.S. Paleomagnetism of Late Archean metavolcanics and metasediments, Abitibi orogen, Canada: volcanics of the Blake River Group and sediments and volcanics of the Timiskaming Group, 2100.

Tassé, N., Gauthier, N., Lajoie, J., et Gélinas, L. Les volcaniclastites du complexe rhyolitique du Cap d'Ours, Rouyn-Noranda, Québec: exemples des mécanismes de fragmentation et de mise en place dans le volcanisme felsique, 1337.

Thompson, P.H., and Bard, J.-P. Isograds and mineral assemblages in the eastern axial zone, Montagne Noire (France): implications for temperature gradients and P-T history, 129.

Thorpe, R.I. The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman: Discussion, 1710.

Thurston, P.C., see Campbell, I.H., 619.

Trowell, N.F., see Davis, D.W., 868.

Trudel, P., see Gélinas, L., 2258.

Trudel, P., see Ludden, J., 2276.

Tucholka, P., see Creer, K.M., 1106.

Turek, A., see Krogh, T.E., 859.

Turek, A., and Robinson, R.N. Geology and age of the Precambrian basement in the Windsor, Chatham, and Sarnia area, southwestern Ontario, 1627.

Turek, A., Smith, P.E., and Van Schmus, W.R. Rb-Sr and U-Pb ages of volcanism and granite emplacement in the Michipicoten belt — Wawa, Ontario, 1608.

Turner, G.W., see Kissin, S.A., 1691.

Valliant, R.I., and Barnett, R.L. Manganiferous garnet underlying the Bousquet gold orebody, Quebec: metamorphosed manganese sediment as a guide to gold ore, 993.

van der Pluijm, B.A., see Karlstrom, K.E., 2325.

van Everdingen, R.O., Shakur, M.A., and Krouse, H.R. <sup>34</sup>S and <sup>18</sup>O abundances differentiate Upper Cambrian and Lower Devonian gypsum-bearing units, District of Mackenzie, N.W.T. — an update, 1246.

van Everdingen, R.O., Shakur, M.A., and Krouse, H.R. Isotope geochemistry of dissolved, precipitated, airborne, and fallout sulfur species associated with springs near Paige Mountain, Norman Range, N.W.T., 1395.

Van Schmus, W.R., see Turek, A., 1608.

von Bitter, P.H., see Brookes, I.A., 410.

von Bitter, P.H., and Plint-Geberl, H.A. Conodont biostratigraphy of the Codroy Group (Lower Carboniferous), southwestern Newfoundland, Canada, 193.

Walters, M., Lespérance, P.J., and Hubert, C. The biostratigraphy of the Nicolet River Formation in Quebec and intra-North American correlations in Middle and Upper Ordovician strata, 571.

Ware, M.J., see Ricketts, B.D., 1275.

Warner, B.G., see Clague, J.J., 1786.

Watson, P.H., Godwin, C.I., and Christopher, P.A. General geology and genesis of silver and gold veins in the Beaverdell area, south-central British Columbia, 1264.

Weir, H.C., see Miller, H.G., 1371.

Westgate, J.A., see Naeser, N.D., 2167.

Westgate, J.A., see Pearce, G.W., 919.

White, J.C. Quartz deformation and the recognition of recrystallization regimes in the Flinton Group conglomerates, Ontario, 81.

White, J.M., and Mathewes, R.W. Holocene vegetation and climatic change in the Peace River district, Canada, 555.

Whitehead, R.E.S., see Dupuis, L., 1174.

Williams, P.F., see Karlstrom, K.E., 2325.

Williams-Jones, A.E. Patapedia: an Appalachian calc-silicate-hosted copper prospect of porphyry affinity, 438.

Wilson, M.C., see Jackson, L.E., Jr., 2219.

Woo, M-k., and Steer, P. Occurrence of surface flow on arctic slopes, southwestern Cornwallis Island, 2368.

Woodcock, N.H., and Robertson, A.H.F. The upper Batinah Complex, Oman: allochthonous sediment sheets above the Semail ophiolite, 1635.

Wright, C. Seismological studies in a rock body at Chalk River, Ontario and their relation to fractures, 1535.

Wright, J.A., see Hyndman, R.D., 1657.

Wright, R.L., Nagel, J., and McTaggart, K.C. Alpine ultramafic rocks of southwestern British Columbia, 1156.

Yamano, M., see Hyndman, R.D., 1657.

Yang, X., see Boucot, A.J., 1532.

Yapp, A.P., see Mok, K.H., 1810.

Yeats, P.A., and Bewers, J.M. Discharge of metals from the St. Lawrence River, 982.

Zaltsberg, E. Application of statistical methods to forecasting of natural groundwater tables, 1486.

Zhang, N., see Boucot, A.J., 1532.

# CANADIAN JOURNAL OF EARTH SCIENCES

land

(Nelson, Alan R.)

# JOURNAL CANADIEN DES SCIENCES DE LA TERRE

## **VOLUME 19, 1982**

## Subject Index / Index des matières<sup>1</sup>

bsolute age see also geochronology; isotopes	- Late Quaternary geology of eastern Graham Island,
bsolute age—dates	Queen Charlotte Islands, British Columbia
biotite: 40Ar/39Ar incremental-release age of biotite from a gabbro of the Shabogamo intrusive suite, southwestern La-	(Clague, John J., et al.) 9: 1786-1795 peat: A 1100 year paleoclimatic record from Burton Bay-
brador (Dallace B. D.)	Tarr Inlet, Baffin Island
(Dallmeyer, R. D.) 9: 1877-1881	(Short, Susan K., et al.) 3: 398-409
calcite: Quaternary interglacial and associated deposits in Southwest Newfoundland (Brookes, Ian A., et al.) 3: 410-423	<ul> <li>Stratigraphic relationships and paleoecology of a late-gla- cial peat bed from the Queen Charlotte Islands, British</li> </ul>
crystalline rocks: Geology and age of the Precambrian base-	Columbia Charles Pols W. et al.
ment in the Windsor, Chatham, and Sarnia area, south- western Ontario	(Mathewes, Rolf W., et al.) 6: 1185-1195 sediments: Holocene vegetation and climatic change in the Peace River District, Canada
(Turek, A., et al.) 8: 1627-1634	(White, James M., et al.) 3: 555-570
<ul> <li>Rb-Sr and U-Pb ages of volcanism and granite emplacement in the Michipicoten Belt; Wawa, Ontario</li> </ul>	shells: Northern Labrador Shelf glacial chronology and depo- sitional environments
(Turek, A., et al.) 8: 1608-1626	(Fillon, Richard H., et al.) 1: 162-192
diabase: Age and stratigraphic-tectonic significance of Proterozoic diabase sheets, Mackenzie Mountains, north-	The age of the Hartman Moraine and the Campbell Beach of Lake Agassiz in northwestern Ontario
western Canada	(Nielsen, Erik, et al.) 10: 1933-1937
(Armstrong, Richard Lee, et al.) 2: 316-323	stalagmites: The paleomagnetism and U-Th dating of three
gneisses: Age of the Brookville Gneiss and associated rocks, southeastern New Brunswick	Canadian speleothems; evidence for the westward drift, 5.4-2.1 ka BP
(Olszewski, William J., Jr., et al.) 11: 2158-2166	(Latham, A., et al.) 10: 1985-1995
granites: Timing of arrival of the Avalon Zone in the northeastern Appalachians; a new look at the Straddling Granite	tusks: Late Pleistocene proboscideans and early Fraser gla- cial sedimentation in eastern Fraser Lowland, British Co- lumbia
(Elias, Peter N., et al.) 5: 1088-1094	(Hicock, Stephen R., et al.) 5: 899-906
intrusive rocks: Ages of some intrusive rocks of southwestern Maine, U.S.A. (Gaudette, Henri E., et al.) 7: 1350-1357	uranium ores: The geochronology of uranium deposits in the Great Bear Batholith, Northwest Territories
- General geology and genesis of silver and gold veins in the	(Miller, Richard G.) 7: 1428-1448
Beaverdell area, South-central British Columbia	wood: Neoglacial Lake Alsek
(Watson, P. H., et al.) 6: 1264-1274	(Clague, John J., et al.) 1: 94-117
Rb-Sr geochronology of the Coldwell Complex, northwestern Ontario, Canada	zircon: Archean volcanoes in southwestern Abitibi Belt, On- tario and Quebec; form, composition, and development
(Platt, R. Garth, et al.) 9: 1796-1801	(Goodwin, A. M.) 6: 1140-1155
lake sediments: Howe Lake; a hydrodynamic blowout struc- ture	<ul> <li>Investigation of the Archaean crust by single-grain dating of detrital zircon; a graywacke of the Slave Province, Cana-</li> </ul>
(Christiansen, E. A., et al.) 6: 1122-1139	da (C-1 VI
metavolcanic rocks: Geological setting and tectonic signifi- cance of Mississippian felsic metavolcanic rocks in the Pel-	(Scharer, Urs, et al.) 10: 1910-1918  — Precise U-Pb zircon ages from the Gamitagama green- stone belt, southern Superior Province
ly Mountains, southeastern Yukon Territory	(Krogh, T. E., et al.) 4: 859-867
(Mortensen, James K.) 1: 8-22  nickel ores: Geochronologic interpretations of Pb isotope	— Two high precision U-Pb zircon ages for the Sudbury
ratios in nickel sulfides of the Thompson Belt, Manitoba	Nickel Irruptive
(Cumming, G. L., et al.) 12: 2306-2320	(Krogh, T. E., et al.) 4: 723-728
organic materials: Aminostratigraphy of Quaternary marine	U-Pb zircon ages from the eastern Savant Lake-Crow Lake metavolcanic-metasedimentary belt. Northwest On-

5: 945-961

(Davis, D. W., et al.)

4: 868-877

<sup>&</sup>lt;sup>1</sup>Prepared from the GeoRef data base at the American Geological Institute, 5205 Leesburg Pike, Falls Church, VA 22041, U.S.A.

6: 1235-1245

- Skeletal and dermal armor reconstruction of Euoploceph-

earthquakes: Source parameters from shallow events in the

Archean see also under geochronology under Canadian Shield;

under Canadian Shield; Ontario; Quebec

Northwest Territories; Ontario; see also under stratigraphy

Cretaceous Oldman Formation of Alberta

(Carpenter, Kenneth)

Alberta—seismology

alus tutus (Ornithischia: Ankylosauridae) from the Late

4: 689-697

- Zircon U-Pb ages from the Kakagi Lake area, Wabigoon

- Zircon U-Pb ages from the Wabigoon-Manitou Lakes re-

Reptilia: A giant pterosaur (Reptilia; Archosauria) from the Judith River (Oldman) Formation of Alberta

(Currie, Philip J., et al.)

gion, Wabigoon Subprovince, Northwest Ontario

Subprovince, Northwest Ontario

(Davis, Donald W., et al.)

(Davis, D. W., et al.)

absolute age-interpretation Rocky Mountain House earthquake swarm lead-zinc deposits: Interpretation of lead isotope data from 5: 907-918 (Rebollar, C. J., et al.) zinc-lead mineralization in the northern part of the western Alberta-stratigraphy Canadian Cordillera Pleistocene: An 18,000 year palynological record from the (Morrow, D. W., et al.) 5: 1070-1078 southern Alberta segment of the classical Wisconsinan shells: Minimum age of deglaciation of upper Elk Valley, "ice-free corridor" British Columbia [discussion and reply] (Mott, R. J., et al.) 3-504-513 5: 1099-1100 (Clague, John J., et al.) Quaternary: Late Quaternary paleoenvironments of the Mor-U/Pb: Optimum linear regression and error estimation apley Flats and Kananaskis Valley of southwestern Alberta plied to U-Pb data (MacDonald, Glen M.) (Davis, Donald W.) 11: 2141-2149 acoustical surveys see under geophysical surveys under Atlantic Alberta-tectonophysics crust: Conductive structures in southwestern Canada: a regional magnetometer array study aeromagnetic surveys see magnetic surveys under geophysical (Gough, D. I., et al.) 8: 1680-1690 surveys under Alberta; Atlantic Ocean; British Columbia; heat flow: Geothermal gradients in the Hinton area of West-Canada central Alberta Africa see also Morocco; Senegal (Lam, H. L., et al.) 4: 755-766 Alaska-geochronology algae-ecology Pleistocene: Fission-track ages of late Cenozoic distal tephra endolithic taxa: Description and ecology of Recent endolithic beds in the Yukon Territory and Alaska biota from the Gulf Islands and banks in the Strait of Juan (Naeser, Nancy D., et al.) de Fuca, British Columbia (Henderson, C. M., et al.) Alaska-paleontology 7: 1382-1394 Mollusca: The Devonian goniatite genera Pinacites and Foorintertidal environment: The geological significance of endites from Alaska dolithic algae in glass (House, M. R., et al.) 9: 1873-1876 (Jones, Brian, et al.) 4: 671-678 Alberta-economic geology algae-occurrence oil sands: The influence of diagenetic microfabric on oil sands Paleozoic: Microcodium (algae, incertae sedis?) from the upbehaviour per Paleozoic of the Canadian Arctic (Barnes, Deborah J., et al.) (Mamet, B. L., et al.) Alberta-geochronology Amphibia—Lissamphibia Quaternary: A numerical approach toward the classification Oligocene: A new specimen of Taricha (Amphibia; Caudata) of magnetites from tephra in southern Alberta from the Oligocene of Washington (King, R. H., et al.) (Naylor, Bruce G.) Alberta-geomorphology taxonomy: A reconsideration of the relationships of the fossil glacial geology: Melt-out till in the Edmonton area, Alberta, amphibian Albanerpeton Canada (Fox, Richard C., et al.) 1: 118-128 (Shaw, John) 8: 1548-1569 angiosperms-biochemistry Paraglacial origin for terraced river sediments in Bow Holocene: Biogeochemical expression of a classic dispersal Valley, Alberta train of metalliferous till near Hopetown, Ontario (Jackson, Lionel E., Jr., et al.) 12: 2219-2231 (DiLabio, R. N. W., et al.) 12: 2297-2305 mass movements: The Brazeau Lake slide, Jasper National Park, Alberta angiosperms-paleoecology (Cruden, D. M.) 5: 975-981 paleoclimatology: History of Holocene climate and vegetation Alberta-geophysical surveys at Lanoraie, Quebec (Comtois, Paul) 10: 1938-1952 magnetic surveys: Conductive structures in southwestern Canada; a regional magnetometer array study Appalachians—economic geology (Gough, D. I., et al.) 8: 1680-1690 copper ores: Patapedia; an Appalachian calc-silicate-hosted Alberta—paleontology copper prospect of porphyry affinity Mammalia: Water vole Microtus richardsoni (Mammalia, (Williams-Jones, Anthony E.) 3: 438-455 Rodentia) from the late Pleistocene of Alberta Arabian Peninsula see also Oman (Burns, James A.) 3-628-631

4: 894-897

Arctic Ocean-sedimentary petrology diagenesis: A brief description of calcite spheres from Pliocene strata in the Dome Gulf et al. C-50 well, Beaufort Sea, Arctic Canada (Dixon, J., et al.) 3: 623-628 Arctic Ocean—seismology earthquakes: A seismicity study in northern Baffin Bay (Reid, I., et al.) 7: 1518-1531 Arctic region—seismology crust: A seismicity study in northern Baffin Bay (Reid, I., et al.) 7: 15:18-1531 Arthropoda-Malacostraca Mississippian: Peracarids (Crustacea) from Mississippian strata of western Newfoundland (Dewey, Christopher P., et al.) 4: 666-670 Asia see also China Atlantic Ocean—geochemistry trace elements: Geochemical factors controlling the accumulation and dispersal of heavy metals in the Bay of Fundy (Loring, D. H.) 5: 930-944 Atlantic Ocean—geophysical surveys acoustical surveys: Acoustic interpretation of Quaternary sedimentation and erosion on the channelled upper Laurentian Fan, Atlantic margin of Canada (Piper, David J. W., et al.) 10: 1974-1984 - Northern Labrador Shelf glacial chronology and depositional environments (Fillon, Richard H., et al.) 1: 162-192 magnetic surveys: Regional patterns in magnetic anomalies over Hudson Bay

(Coles, R. L., et al.) 6: 1116-1121 seismic surveys: The Broughton Trough on the continental shelf of eastern Baffin Island, Northwest Territories (Gilbert, R.) 8: 1599-1607 Atlantic Ocean-oceanography

continental slope: Acoustic interpretation of Quaternary sedimentation and erosion on the channelled upper Laurentian Fan, Atlantic margin of Canada (Piper, David J. W., et al.) 10: 1974-1984

sedimentation: Geology and geochemistry of the Saint Lawrence River, Estuary and Gulf, Canada (Couillard, Denis) 7: 1492-1506 - Lagrangian sediment motion in a crescentic nearshore bar

under storm-induced waves and currents (Greenwood, Brian, et al.) 3: 424-433 sediments: Significance of some geotechnical properties of

continental slope and rise sediments off Northeast Newfoundland (Schafer, Charles T., et al.) 1: 153-161

Atlantic Ocean—stratigraphy Jurassic: Paleomagnetism of drill cores from Labrador offshore wells

(Patzold, Raymund R., et al.) 11: 2210-2214 Ordovician: First report of Ordovician (Caradoc-Ashgill) palynomorphs from Orphan Knoll, Labrador Sea (Legault, J. A.) 9: 1851-1856

Quaternary: Pollen distribution in Recent marine sediments, eastern Canada (Mudie, P. J.) 4: 729-747

Aves-Neornithes

Cretaceous: An ichthyornithiform bird from the Campanian of Canada (Martin, Larry D., et al.) 2: 324-327

basalts see under igneous rocks

base metals see also under economic geology under Canadian

batholiths see under intrusions

biogeography-Mammalia

Pleistocene: Late Pleistocene proboscideans and early Fraser glacial sedimentation in eastern Fraser Lowland, British Columbia (Hicock, Stephen R., et al.) 5: 899-906

biogeography-Ostracoda

Devonian: A new Late Devonian ostracode fauna and its bearing on the Frasnian-Famennian boundary in western Canada (Braun, W. K., et al.)

biogeography—problematic fossils
Cambrian: First record of Labyrinthus soraufi Kobluk from the Southern Appalachians; Lower Cambrian Shady Dolomite. Virginia (Kobluk, David R.) 5: 1094-1098

biogeography—Trilobita.

Ordovician: Ordovician Pterygometopidae (Trilobita) of North America (Ludvigsen, Rolf, et al.) 11-2179-2206

Brachiopoda—Articulata

Silurian: New data on Late Silurian and Early Devonian brachiopods from the Royal Creek area, Yukon Territory (Lenz, Alfred C.)

brachiopods-biostratigraphy

Devonian: New data on Late Silurian and Early Devonian brachiopods from the Royal Creek area, Yukon Territory (Lenz, Alfred C.) 2: 364-375

Silurian: New data on Late Silurian and Early Devonian brachiopods from the Royal Creek area, Yukon Territory (Lenz, Alfred C.) 2: 364-375

British Columbia-economic geology

coal: In situ gasification of coal, a natural example; history, petrology, and mechanics of combustion (Bustin, R. M., et al.)

copper ores: A thermodynamic approach to the understanding of the supergene alteration at the Afton copper mine, South-central British Columbia

(Kwong, Y. T. J., et al.) 12: 2378-2386 geothermal energy: Isotope hydrogeology and geothermometry of the Mount Meager geothermal area

(Clark, I. D., et al.) lead-zinc deposits: Interpretation of lead isotope data from zinc-lead mineralization in the northern part of the western

Canadian Cordillera (Morrow, D. W., et al.) 5: 1070-1078 silver ores: General geology and genesis of silver and gold veins in the Beaverdell area, South-central British Co-

lumbia (Watson, P. H., et al.)

British Columbia—engineering geology

geologic hazards: The Dusty Creek landslide on Mount Cayley, British Columbia (Clague, J. J., et al.) 3: 524-539

slope stability: The Dusty Creek landslide	e on Mount Cayley,	<ul> <li>Superimposed low-grade metamorphism in the Mour Fisher area, southeastern British Columbia; implication</li> </ul>
British Columbia (Clague, J. J., et al.)	3: 524-539	for the East Kootenay Orogeny
British Columbia—environmental geology		(McMechan, M. E., et al.) 3: 476-48
land use: Historic changes in an urban wa		British Columbia—stratigraphy
by pollen and geochemical analyses of		changes of level: Late Quaternary geology of eastern Graha
(Mathewes, Rolf W., et al.)	11: 2114-2125	Island, Queen Charlotte Islands, British Columbia
British Columbia—geochemistry		(Clague, John J., et al.) 9: 1786-179
trace elements: Historic changes in an urb	an watershed deter-	- Late Quaternary sea levels and crustal movements, coas
mined by pollen and geochemical an		al British Columbia
ment	alyses of lake seur	(Clague, John J., et al.) 3: 597-61
(Mathewes, Rolf W., et al.)	11: 2114-2125	Holocene: Holocene vegetation and climatic change in th
weathering: Geochemical denudation rai		Peace River District, Canada
sport mechanisms in a maritime temp		(White, James M., et al.) 3: 555-57
(Eyles, N., et al.)	8: 1570-1581	Pleistocene: Lag of the Fraser glacial maximum in the Pacif
British Columbia—geochronology	0. 15/0-1501	Northwest; pollen and macrofossil evidence from wester
Holocene: The paleomagnetism and U-	Th dating of three	Fraser Lowland, British Columbia
Canadian speleothems; evidence for		(Hicock, Stephen R., et al.) 12: 2288-229
5.4-2.1 ka BP	the westward drift,	<ul> <li>Late Pleistocene proboscideans and early Fraser glaci</li> </ul>
(Latham, A., et al.)	10: 1985-1995	sedimentation in eastern Fraser Lowland, British Columb
Pleistocene: Minimum age of deglaciatio		(Hicock, Stephen R., et al.) 5: 899-90
ley, British Columbia [discussion and		<ul> <li>Stratigraphic relationships and paleoecology of a late-gl</li> </ul>
(Clague, John J., et al.)	5: 1099-1100	cial peat bed from the Queen Charlotte Islands, Britis
Quaternary: Late Quaternary geology of		Columbia
land, Queen Charlotte Islands, British		(Mathewes, Rolf W., et al.) 6: 1185-119
(Clague, John J., et al.)	9: 1786-1795	Quaternary: Late Quaternary sea levels and crustal move
British Columbia—geophysical surveys	2. 1.00 1.70	ments, coastal British Columbia (Clague, John J., et al.) 3: 597-61
heat flow: Queen Charlotte fault zone;	heat flow measure-	(Clague, John J., et al.) 3: 597-61 British Columbia—structural geology
ments	11000 11011 111000010	structural analysis: Kinematic interpretation of mylonit
(Hyndman, R. D., et al.)	8: 1657-1669	rocks in part of the Columbia River fault zone, Shuswa
magnetic surveys: Conductive structure		Terrane, British Columbia
Canada; a regional magnetometer arra		(Brown, Richard L., et al.) 3: 456-46
(Gough, D. I., et al.)	8: 1680-1690	— Structural and metamorphic relationships between the
British Columbia—hydrogeology	0. 1000 1070	Mount Ida and Monashee groups at Mara Lake, Britis
thermal waters: Isotope hydrogeology a	nd geothermometry	Columbia
of the Mount Meager geothermal are		(Nielsen, Kent C.) 2: 288-30
(Clark, I. D., et al.)	7: 1454-1473	tectonics: Structure, petrology, and tectonic history of the
British Columbia-oceanography		Leech River Complex northwest of Victoria, Vancouv
geophysical surveys: The Winona Basin; s	tructure and tecton-	Island
ics		(Fairchild, Lee H., et al.) 9: 1817-183
(Davis, E. E., et al.)	4: 767-788	- Transverse folding and superposed deformation, Mou
sedimentation: Sediment character and p	rovenance in a com-	Fisher area, southern Canadian Rocky Mountain thru
plex fjord; Howe Sound, British Colu	mbia	and fold belt
(Syvitski, James P. M., et al.)	5: 1025-1044	(McMechan, M. E., et al.) 5: 1011-102
British Columbia—paleontology		British Columbia—tectonophysics
Coelenterata: New Pennsylvanian(?) syri	ngoporid coral from	crust: Conductive structures in southwestern Canada; a r
Kamloops area, British Columbia		gional magnetometer array study (Gough, D. I., et al.) 8: 1680-169
(Nelson, Samuel J.)	2: 376-380	(Gough, D. I., et al.) 8: 1680-169 isostasy: Late Quaternary sea levels and crustal movement
ichnofossils: Description and ecology of I	Recent endolithic bi-	coastal British Columbia
ota from the Gulf Islands and banks	in the Strait of Juan	(Clague, John J., et al.) 3: 597-6
de Fuca, British Columbia		bryophytes—floral studies
(Henderson, C. M., et al.)	7: 1382-1394	Pleistocene: Lag of the Fraser glacial maximum in the Pacit
British Columbia—petrology		Northwest; pollen and macrofossil evidence from weste
igneous rocks: Alpine ultramafic rocks of	f southwestern Brit-	Fraser Lowland, British Columbia
ish Columbia		(Hicock, Stephen R., et al.) 12: 2288-229
(Wright, R. L., et al.)	6: 1156-1173	Bryozoa—Trepostomata
metamorphism: Erratum; Superimposed	low-grade metamor-	Ordovician: The macroboring ichnofossil Trypanites in col
phism in the Mount Fisher area, sout		nies of the Middle Ordovician bryozoan Prasopora; pop
lumbia; implications for the East Koo		lation behaviour and reaction to environmental influence
(McMechan, M. E., et al.)	8. 1727	(Kohluk, David R., et al.) 4: 679-61

cadmium-geochemistry

till: Biogeochemical expression of a classic dispersal train of metalliferous till near Hopetown, Ontario (DiLabio, R. N. W., et al.) 12: 2297-2305

calcite see also under carbonates under minerals

Cambrian see also under stratigraphy under Northwest Territories

Canada see also Alberta; Appalachians; British Columbia; Canadian Shield; Great Lakes region; Labrador; Manitoba; New Brunswick; Newfoundland; Northwest Territories; Nova Scotia; Ontario; Quebec; Rocky Mountains; Saskatchewan; Yukon Territory

Canada—geochronology

Holocene: The paleomagnetism and U-Th dating of three Canadian speleothems; evidence for the westward drift, 5.4-2.1 ka BP (Latham, A., et al.) 10: 1985-1995

Canada—geomorphology

changes of level: The deglaciation of Atlantic Canada as reconstructed from the postglacial relative sea-level record (Quinlan, Garry, et al.)

12: 2232-2246

Canada—geophysical surveys

magnetic surveys: Regional patterns in magnetic anomalies over Hudson Bay (Coles, R. L., et al.) 6: 1116-1121

Canada-oceanography

continental slope: Acoustic interpretation of Quaternary sedimentation and erosion on the channelled upper Laurentian Fan, Atlantic margin of Canada (Piper, David J. W., et al.) 10: 1974-1984

Canada—paleontology

Coelenterata: Study of some Coelenterata from the base of the Mesozoic in western Canada
(Beauvais, Louise) 10: 1963-1973

Canada—stratigraphy

Devonian: A new Late Devonian ostracode fauna and its bearing on the Frasnian-Famennian boundary in western Canada
(Braun, W. K., et al.) 10: 1953-1962

Paleozoic: Ordovician to Devonian sea-level changes in western and northern Canada

(Lenz, A. C.) 10: 1919-1932

The Ordovician-Silurian boundary, northern Canadian Cordillera; graptolite and conodont correlation (Lenz, A. C., et al.)
 6: 1308-1322

Quaternary: Pollen distribution in Recent marine sediments, eastern Canada (Mudie, P. J.) 4: 729-747

Canada—structural geology

deformation: Stress orientations from borehole wall fractures with examples from Colorado, East Texas, and northern Canada (Gough, D. I., et al.) 7: 1358-1370

Canada—tectonophysics

isostasy: The deglaciation of Atlantic Canada as reconstructed from the postglacial relative sea-level record (Quinlan, Garry, et al.) 12: 2232-2246

Canadian Shield-economic geology

base metals: Geochemistry of the alteration pipe at the Amulet Upper A Deposit, Noranda, Quebec (Hall, B. V.)

11: 2060-2084

gold ores: Manganiferous garnet underlying the Bousquet gold orebody, Quebec; metamorphosed manganese sediment as a guide to gold ore
(Valliant, R. I., et al.) 5: 993-1010

Canadian Shield-geochemistry

sodium: Na-K-Li geochemistry of the Prestige Pluton in the Slave Province of the Canadian Shield (Kretz, Ralph, et al.) 3: 540-554

trace elements: Isotopic and trace element study of the Loon Lake Pluton, Grenville Province, Ontario (Heaman, Larry M., et al.) 5: 1045-1054

— Sr, Y, Zr, Nb, Ti, and REE in Grenville amphibolites at Montauban-les-Mines, Quebec (MacLean, W. H., et al.) 4: 633-644

Canadian Shield-geochronology

Archean: Rb-Sr and U-Pb ages of volcanism and granite emplacement in the Michipicoten Belt; Wawa, Ontario (Turek, A., et al.) 8: 1608-1626

 Zircon U-Pb ages from the Kakagi Lake area, Wabigoon Subprovince, Northwest Ontario

(Davis, Donald W., et al.) 6: 1235-1245

Precambrian: Precise U-Pb zircon ages from the Gamitagama
greenstone belt, southern Superior Province

(Krogh, T. E., et al.)

4: 859-867

U-Pb zircon ages from the eastern Savant Lake-Crow
Lake metavolcanic-metasedimentary belt, Northwest On-

(Davis, D. W., et al.) 4: 868-877

Proterozoic: Geology and age of the Precambrian basement in the Windsor, Chatham, and Sarnia area, southwestern Ontario

(Turek, A., et al.) 8: 1627-1634

— Two high precision U-Pb zircon ages for the Sudbury
Nickel Irruptive

(Krogh, T. E., et al.) 4: 723-728

Canadian Shield-hydrogeology

ground water: The chemistry and isotopic composition of saline groundwaters from the Sudbury Basin, Ontario (Frape, S. K., et al.) 4: 645-661

Canadian Shield—petrology

intrusions: Evidence for a genetic link between Sudbury breccias and fenite breccias

(Dupuis, L., et al.) 6: 1174-1184

metamorphism: Thermometry and barometry of some amphibolite-granulite facies rocks from the Otter Lake area, southern Quebec

(Perkins, Dexter, III, et al.) 9: 1759-1774 metasomatic rocks: A pseudo-tactite assemblage in the footwall of a massive sulfide occurrence, Savant Lake - Sturgeon Lake greenstone terrains, Ontario

(Kissin, S. A., et al.) 8: 1691-1696

Canadian Shield-stratigraphy

Archean: Archean volcanoes in southwestern Abitibi Belt,
Ontario and Quebec; form, composition, and development
(Goodwin, A. M.)
6: 1140-1155

 Evolution of the south-central part of the Archean Abitibi Belt, Quebec; Part I, Stratigraphy and paleogeographic 9: 1729-1758

4: 789-803

model

(Dimroth, Erich, et al.)

Range intrusive complex, central Abitibi Belt, Ontario; lur-	Chitinozoa see under palynomorphs
ther evidence for the late Archean geomagnetic field of	clastic rocks see under sedimentary rocks
North America	
(Geissman, John W., et al.) 11: 2085-2099	clastic sediments see under sediments
- Paleomagnetism of late Archean metavolcanics and	clay mineralogy—areal studies
metasediments, Abitibi Orogen, Canada; volcanics of the	Ontario: Late Quaternary inter-till Paleosol and biota at
Blake River Group and sediments and volcanics of the	Guelph, Ontario
Timiskaming Group	(Karrow, P. F., et al.) 9: 1857-1872
(Tasillo-Hirt, Ann M., et al.) 11: 2100-2113	Quebec: Evolution of initial stages of superficial geochemical
Canadian Shield—structural geology	weathering of anorthosites; case of the Chateau-Richer
deformation: Quartz deformation and the recognition of re-	profile, Quebec
crystallization regimes in the Flinton Group conglomer-	(Dejou, J., et al.) 8: 1697-1706
ates. Ontario	Saskatchewan: Mineralogy of clay marker seams in some Sas-
(White, Joseph C.) 1: 81-93	katchewan potash mines
faults: Redefinition of the Quetico Fault near Atikokan, On-	(Mossman, D. J., et al.) 11: 2126-2140
tario	Switzerland: Thermal diagenesis in the Swiss molasse basin;
(Fumerton, S. L.) 1: 222-224	implications for oil generation
structural analysis: Fractures and fracture infillings of the	(Monnier, F.) 2: 328-342
Fue-Dachwa Lakes Pluton Atikokan Ontario	alexander of the following

#### (Stone, Denver, et al.) Canadian Shield—tectonophysics

crust: Overview of regional geophysical studies in Manitoba and northwestern Ontario
(Hall, D. H., et al.) 11: 2049-2059

- Paleomagnetism and structural history of the Ghost

(Hall, D. H., et al.) 11: 2049-2059

— Regional patterns in magnetic anomalies over Hudson Bay

(Coles, R. L., et al.) 6: 1116-1121 paleomagnetism: Extent of Grenvillian remanence components in rocks of the Southern Province

(Stupavsky, M., et al.) 4: 698-708

— Isolation of early Paleohelikian remanence in Grenville anorthosites of the French River area, Ontario (Stupavsky, M., et al.) 4: 819-828

carbon-isotopes

C-13/C-12: Isotope hydrogeology and geothermometry of the Mount Meager geothermal area (Clark, I. D., et al.) 7: 1454-1473

 Isotopic characterization (O-18, <sup>13</sup>CO<sub>2</sub>,H-3) of drainage water from peat on permafrost, Ungava (Dever, Laurent, et al.)
 6: 1255-1263

### carbonate rocks see under sedimentary rocks

#### carbonates see under minerals

Carboniferous see also understratigraphy under New Brunswick; Newfoundland

Cayman Islands—paleobotany

algae: The geological significance of endolithic algae in glass (Jones, Brian, et al.) 4: 671-678

changes of level see also under geomorphology under Canada; see also under stratigraphy under British Columbia; Northwest Territories

China-sedimentary petrology

sedimentary rocks: Devonian calcrete from China; its significance as the first Devonian calcrete from Asia (Boucot, A. J., et al.) 7: 1532-1534

China-stratigraphy

Permian: Upper Permian and Lower Triassic palynomorphs from eastern Yunnan, China (Ouyang Shu) 1: 68-80 cleavage see under style under foliation

from eastern Yunnan, China

(Ouyang Shu)

coal see also undereconomic geology under British Columbia; see also under organic residues under sedimentary rocks

Triassic: Upper Permian and Lower Triassic palynomorphs

1: 68-80

Coelenterata—Rugosa

Ordovician: Paleoecology and biostratinomy of solitary rugose corals in the Stony Mountain Formation (Upper Ordovician), Stony Mountain, Manitoba (Elias, Robert J.) 8: 1582-1598

Coelenterata—Scleractinia

Mesozoic: Study of some Coelenterata from the base of the Mesozoic in western Canada (Beauvais, Louise) 10: 1963-1973

Coelenterata—Tabulata

Pennsylvanian: New Pennsylvanian(?) syringoporid coral from Kamloops area, British Columbia (Nelson, Samuel J.) 2: 376-380

Colorado-structural geology

deformation: Stress orientations from borehole wall fractures with examples from Colorado, East Texas, and northern Canada (Gough, D. I., et al.) 7: 1358-1370

Conodonta-taxonomy

Ordovician: Restudy of conodonts (Late Ordovician-Early Silurian) from the Edgewood Group, Clarksville, Missouri (McCracken, Alexander D., et al.) 7: 1474-1485

conodonts-biostratigraphy

Carboniferous: Conodont biostratigraphy of the Codroy Group (Lower Carboniferous), southwestern Newfoundland, Canada

(von Bitter, Peter H., et al.) 1: 193-221 Ordovician: Conodonts and the position of the Ordovician-Silurian boundary at the eastern end of Anticosti Island, Quebec, Canada

(Nowlan, Godfrey S.)

— Restudy of conodonts (Late Ordovician-Early Silurian) from the Edgewood Group, Clarksville, Missouri

(McCracker Alexander P., et al.)

(McCracken, Alexander D., et al.) 7: 1474-1485

— The Ordovician-Silurian boundary, northern Canadian
Cordillera; graptolite and conodont correlation
(Lenz, A. C., et al.) 6: 1308-1322

Silurian: Conodonts and the position of the Ordovician-Silurian boundary at the eastern end of Anticosti Island, Quebec, Canada (Nowlan, Godfrey S.) 6: 1332-1335

(Nowlan, Godfrey S.) 6: 1332-1335

— Restudy of conodonts (Late Ordovician-Early Silurian) from the Edgewood Group, Clarksville, Missouri

(McCracken, Alexander D., et al.) 7: 1474-1485

— The Ordovician-Silurian boundary, northern Canadian Cordillera; graptolite and conodont correlation

(Lenz, A. C., et al.) 6: 1308-1322 continental shelf see also under oceanography under Northwest Territories

continental slope see also under oceanography under Atlantic Ocean: Canada: Newfoundland

copper-abundance

lake sediments: Historic changes in an urban watershed determined by pollen and geochemical analyses of lake sediment

(Mathewes, Rolf W., et al.) 11: 2114-2125 copper ores see also under economic geology under Appalachians; British Columbia; New Brunswick: Ouebec

corals-biostratigraphy

Mesozoic: Study of some Coelenterata from the base of the Mesozoic in western Canada (Beauvais, Louise) 10: 1963-1973

Cretaceous see also under stratigraphy under Labrador; Ontario crust see also under seismology under Arctic region; Ontario; see also under tectonophysics under Alberta; British Columbia; Canadian Shield; Mediterranean region; Morocco; Newfoundland; North America; Senegal

crystal chemistry see also crystal growth; minerals

crystal growth see also minerals

crystal growth—carbonates

calcite: A brief description of calcite spheres from Pliocene strata in the Dome Gulf et al. C-50 well, Beaufort Sea, Arctic Canada (Dixon, J., et al.) 3: 623-628

crystal structure see also minerals

Cyprus—geochemistry

isotopes: The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman [discussions and replies]
(Thorpe, R. I., et al.)

8: 1710-1726

deformation see also structural analysis

deformation-experimental studies

recrystallization: Quartz deformation and the recognition of recrystallization regimes in the Flinton Group conglomerates, Ontario (White, Joseph C.)

1: 81-93

(White, Joseph C.) deformation—field studies

rheology: Flow structures in a dike; mechanism of telescopic intrusion and the concept of intrawalls

(Andre, Francis, et al.) 12: 2387-2399

(Andre, Francis, et al.)

12: 2387-2399
shear: Kinematic interpretation of mylonitic rocks in part of
the Columbia River fault zone, Shuswap Terrane, British
Columbia

(Brown, Richard L., et al.) 3: 456-465 stress: Stress orientations from borehole wall fractures with examples from Colorado, East Texas, and northern Canada (Gough, D. I., et al.) 7: 1358-1370 — Stress-relief buckles in the McFarland Quarry, Ottawa (Adams, John) 10: 1883-1887

deuterium see also hydrogen; tritium

deuterium-isotopes

D/H: Isotope hydrogeology and geothermometry of the Mount Meager geothermal area (Clark, I. D., et al.) 7: 1454-1473

Devonian see also under stratigraphy under Canada; Northwest Territories; Ontario; Saskatchewan; Yukon Territory

diabase see under igneous rocks

diagenesis see also sedimentation

diagenesis-indicators

clay minerals: Thermal diagenesis in the Swiss molasse basin; implications for oil generation (Monnier, F.) 2: 328-342

diagenesis-materials

oil sands: The influence of diagenetic microfabric on oil sands behaviour (Barnes, Deborah J., et al.) 4: 804-818

diagenesis—processes

authigenesis: A brief description of calcite spheres from Pliocene strata in the Dome Gulf et al. C-50 well, Beaufort Sea, Arctic Canada (Dixon, J., et al.) 3: 623-628

diastrophism see orogeny

diatremes see under intrusions

dikes see under intrusions

Dinoflagellata see under palynomorphs

earthquakes see also seismology; see also under engineering geology under Saskatchewan; see also underseismology under Alberta; Arctic Ocean; Rocky Mountains

Eastern Hemisphere see also Arctic Ocean; Atlantic Ocean

ecology-algae

intertidal environment: The geological significance of endolithic algae in glass (Jones, Brian, et al.) 4: 671-678

ecology-ichnofossils

marine environment: Description and ecology of Recent endolithic biota from the Gulf Islands and banks in the Strait of Juan de Fuca, British Columbia (Henderson, C. M., et al.) 7: 1382-1394

ecology-Spermatophyta

terrestrial environment: Biogeochemical expression of a classic dispersal train of metalliferous till near Hopetown, Ontario (DiLabio, R. N. W., et al.) 12: 2297-2305

elastic waves see under seismology

electrical logging see well-logging

energy sources see also petroleum

engineering geology see also deformation; geophysical methods; ground water; rock mechanics; soil mechanics

environmental geology see also ecology

epeirogeny see also orogeny

erosion see under processes under geomorphology

eskers see under glacial features under glacial geology

Europe see also the individual nations

evaporites see also under chemically precipitated rocks under sedimentary rocks 1:222-224

faults-displacements

thrust faults: Geological setting and tectonic significance of Mississippian felsic metavolcanic rocks in the Pelly Mountains, southeastern Yukon Territory

(Mortensen, James K.) 1:8-22 - Structural interpretation of the eastern Notre Dame Bay area, Newfoundland: regional post-Middle Silurian thrusting and asymmetrical folding

(Karlstrom, K. E., et al.) 12: 2325-2341

faults-distribution

Ontario: Redefinition of the Ouetico Fault near Atikokan. Ontario (Fumerton, S. L.)

mylonites: Kinematic interpretation of mylonitic rocks in part of the Columbia River fault zone, Shuswap Terrane, British Columbia

(Brown, Richard L., et al.) - Tectonic structures related to thrusting of ophiolitic complexes; the White Hills Peridotite, Newfoundland

(Girardeau, J.) 4: 709-722

fission-track dating see under geochronology

fluid inclusions see also inclusions

fluid inclusions—geochemistry

carbon dioxide: Progressive 18O depletion during CO2 separation from a carbon dioxide-rich hydrothermal fluid; evidence from the Grey River tungsten deposit, Newfoundland

(Higgins, N. C., et al.) 12: 2247-2257

folds-geometry

cylindrical folds: A method for the distinction of circular conical from cylindrical folds (Stockmal, G. S., et al.) 6: 1101-1105

folds-orientation

overturned folds: Complex evolution of folds and cleavages in Archean rocks, Yellowknife, N.W.T. (Fyson, W. K.) 4: 878-893

folds-style

asymmetric folds: Structural interpretation of the eastern Notre Dame Bay area, Newfoundland; regional post-Middle Silurian thrusting and asymmetrical folding

(Karlstrom, K. E., et al.) 12: 2325-2341 cross folds: Transverse folding and superposed deformation, Mount Fisher area, southern Canadian Rocky Mountain thrust and fold belt (McMechan, M. E., et al.) 5: 1011-1024

foliation see also structural analysis

foliation-interpretation

mylonites: Kinematic interpretation of mylonitic rocks in part of the Columbia River fault zone, Shuswap Terrane, British Columbia

(Brown, Richard L., et al.) 3: 456-465 polyphase processes: Evidence for multiple deformation during the Penokean Orogeny in the middle Precambrian Thomson Formation, Minnesota

(Holst, T. B.) 10: 2043-2047

foliation-style

cleavage: Complex evolution of folds and cleavages in Archean rocks, Yellowknife, N.W.T. (Fyson, W. K.) 4: 878-893 foraminifera-faunal studies

Holocene: Holocene history of Bedford Basin, Nova Scotia; foraminifera, dinoflagellate, and pollen records (Miller, A. A. L., et al.) 12: 2342-2367

foraminifers-biostratigraphy

Holocene: Holocene history of Bedford Basin, Nova Scotia; foraminifera, dinoflagellate, and pollen records (Miller, A. A. L., et al.) 12: 2342-2367

Pleistocene: Quaternary interglacial and associated deposits in Southwest Newfoundland (Brookes, Ian A., et al.) 3: 410-423

fossils see appropriate fossil group

fossils, problematic see problematic fossils

foundations see also rock mechanics; soil mechanics

fractures-distribution

plutons: Fractures and fracture infillings of the Eye-Dashwa Lakes Pluton, Atikokan, Ontario 4. 789-803

(Stone, Denver, et al.)

fractures-genesis

shear: Stress orientations from borehole wall fractures with examples from Colorado, East Texas, and northern Canada (Gough, D. I., et al.) 7: 1358-1370

France-geochronology

Quaternary: Paleomagnetic infidelity observed in a Quaternary varved lacustrine formation; the Eybens clays, Grenoble, France

(Biguand, Daniel)

France-petrology intrusions: Flow structures in a dike; mechanism of telescopic intrusion and the concept of intrawalls

(Andre, Francis, et al.) metamorphism: Isograds and mineral assemblages in the eastern axial zone, Montagne Noire (France); implications for temperature gradients and P-T history

(Thompson, Peter H., et al.) 1: 129-143

fungi-ecology

endolithic taxa: Description and ecology of Recent endolithic biota from the Gulf Islands and banks in the Strait of Juan de Fuca, British Columbia (Henderson, C. M., et al.) 7: 1382-1394

genesis of ore deposits see mineral deposits, genesis

geochemistry-geochemical cycle

metals: Discharge of metals from the St. Lawrence River (Yeats, P. A., et al.)

geochemistry-processes

combustion: In situ gasification of coal, a natural example; history, petrology, and mechanics of combustion (Bustin, R. M., et al.) 3: 514-523

geochronology see also absolute age geochronology-fission-track dating

tephrochronology: Fission-track ages of late Cenozoic distal tephra beds in the Yukon Territory and Alaska (Naeser, Nancy D., et al.) 11: 2167-2178

geochronology-paleomagnetism

magnetic susceptibility: Paleomagnetic infidelity observed in a Quaternary varved lacustrine formation; the Eybens clays, Grenoble, France

(Biquand, Daniel) natural remanent magnetization: Magnetic reversal history of Pleistocene sediments at Old Crow, northwestern Yukon

Territory (Pearce, G. W., et al.) secular variations: Construction of type curves of geomagnetic secular variation for dating lake sediments from East central North America

(Creer, K. M., et al.)

6: 1106-1115

geochronology-racemization

changes of level: Aminostratigraphy of Quaternary marine and glaciomarine sediments, Qivitu Peninsula, Baffin Island

(Nelson, Alan R.)

5: 945-961

geochronology-tephrochronology

statistical analysis: A numerical approach toward the classification of magnetites from tephra in southern Alberta (King, R. H., et al.) techniques: Identifying tephras by alpha counting

(Cormie, A. B., et al.)

4.662-665

geologic hazards see also under engineering geology under British Columbia: Saskatchewan

geomorphology see also glacial geology

geomorphology-fluvial features

terraces: The late Quaternary geology of the Chalk River region, Ontario and Ouebec (Catto, N. R., et al.) 6: 1218-1231

geomorphology-lacustrine features

lakes: Howe Lake; a hydrodynamic blowout structure (Christiansen, E. A., et al.) 6: 1122-1139

geomorphology-mass movements

rockslides: The Brazeau Lake slide, Jasper National Park, Al-(Cruden, D. M.) 5: 975-981

geomorphology-processes

erosion: A field technique to directly measure river bank ero-(Hudson, H. R.) 2-381-383

sedimentation: Lagrangian sediment motion in a crescentic nearshore bar under storm-induced waves and currents (Greenwood, Brian, et al.) 3: 424-433

geomorphology-solution features

speleothems: The paleomagnetism and U-Th dating of three Canadian speleothems; evidence for the westward drift, 5.4-2.1 ka BP (Latham, A., et al.) 10: 1985-1995

geomorphology-volcanic features

pyroclastic flows: Weighted vector analysis applied to surge deposits from the May 18, 1980 eruption of Mount St. Helens, Washington (Hickson, Catherine J., et al.) 4: 829-836

geophysical methods-electromagnetic methods

interpretation: Influence of permeability on wave-tilt of EM

(Singh, Ramesh P., et al.)

geophysical surveys see acoustical surveys under geophysical surveys under Atlantic Ocean; see magnetic surveys under geophysical surveys under Alberta; Atlantic Ocean; British Columbia; Canada; see magnetotelluric surveys under geophysical surveys under Senegal; see seismic surveys under geophysical surveys under Atlantic Ocean; Ontario; see surveys under geophysical surveys under Manitoba; Ontario; Pacific Ocean; see also geophysical methods

geophysics see also deformation

geosynclines see also orogeny

geothermal energy see also under economic geology under British Columbia

glacial geology see also geomorphology

glacial geology-glacial features

eskers: The depositonal history of an esker near Ottawa, Canada (Cheel, R. J.) 7: 1417-1427

glacial lakes: Neoglacial Lake Alsek

1:94-117

(Clague, John J., et al.) moraines: The age of the Hartman Moraine and the Campbell Beach of Lake Agassiz in northwestern Ontario (Nielsen, Erik, et al.) 10: 1933-1937

till: Biogeochemical expression of a classic dispersal train of metalliferous till near Hopetown, Ontario (DiLabio, R. N. W., et al.) 12-2297-2305

glacial geology-glaciation

chronology: Northern Labrador Shelf glacial chronology and depositional environments

(Fillon, Richard H., et al.) deglaciation: Minimum age of deglaciation of upper Elk Valley, British Columbia [discussion and reply]

(Clague, John J., et al.) 5-1099-1100 The deglaciation of Atlantic Canada as reconstructed from the postglacial relative sea-level record

(Quinlan, Garry, et al.) 12: 2232-2246 The late Quaternary geology of the Chalk River region, Ontario and Quebec

(Catto, N. R., et al.) 6: 1218-1231 deposition: Late Pleistocene proboscideans and early Fraser glacial sedimentation in eastern Fraser Lowland, British

Columbia (Hicock, Stephen R., et al.) 5: 899-906 - Late Quaternary geology of eastern Graham Island, Queen Charlotte Islands, British Columbia

(Clague, John J., et al.) 9: 1786-1795 - Late Quaternary inter-till Paleosol and biota at Guelph,

Ontario (Karrow, P. F., et al.) 9: 1857-1872 Melt-out till in the Edmonton area, Alberta, Canada

(Shaw, John) 8: 1548-1569 effects: Lag of the Fraser glacial maximum in the Pacific Northwest; pollen and macrofossil evidence from western Fraser Lowland, British Columbia

(Hicock, Stephen R., et al.) 12: 2288-2296 glacial erosion: Relict ice-scour marks and late phases of Lake

Agassiz in northernmost Manitoba (Dredge, L. A.) 5: 1079-1087

glacial geology-glaciers

hydrology: Geochemical denudation rates and solute transport mechanisms in a maritime temperate glacier basin (Eyles, N., et al.) 8: 1570-1581

glacial geology-periglacial features

terraces: Paraglacial origin for terraced river sediments in Bow Valley, Alberta (Jackson, Lionel E., Jr., et al.) 12: 2219-2231

glaciation see under glacial geology

glaciers see under glacial geology

gold ores see also under economic geology under Canadian Shield; Quebec

granites see under igneous rocks

5: 962-974

graptolites-biostratigraphy

Ordovician: The biostratigraphy of the Nicolet River Formation in Quebec and intra-North American correlations in Middle and Upper Ordovician strata (Walters, Martin, et al.) 3-571-588

- The Ordovician-Silurian boundary, northern Canadian Cordillera; graptolite and conodont correlation

(Lenz, A. C., et al.) 6: 1308-1322 Silurian: The Ordovician-Silurian boundary, northern Canadian Cordillera; graptolite and conodont correlation (Lenz, A. C., et al.) 6: 1308-1322

gravel see also under clastic sediments under sediments

Great Lakes region-geochronology

Ouaternary: Construction of type curves of geomagnetic secular variation for dating lake sediments from East central North America (Creer, K. M., et al.) 6: 1106-1115

Great Lakes region-stratigraphy

Quaternary: Quaternary sequences along the north shore of Lake Ontario; Oshawa-Port Hope (Brookfield, M. E., et al.) Silurian: Correlation of sea-level curves for the Lower Silurian of the Bruce Peninsula and Lake Timiskaming District (Ontario) (Colville, Valerie R., et al.)

ground water see also hydrology

ground water-levels

prediction: Application of statistical methods to forecasting of natural groundwater tables (Zaltsberg, E.) 7: 1486-1491

ground water-surveys

Northwest Territories: Occurrence of surface flow on Arctic slopes, southwestern Cornwallis Island (Woo, Ming-ko, et al.)

Ontario: The chemistry and isotopic composition of saline groundwaters from the Sudbury Basin, Ontario 4: 645-661 (Frape, S. K., et al.)

gymnosperms-biochemistry

Holocene: Biogeochemical expression of a classic dispersal train of metalliferous till near Hopetown, Ontario (DiLabio, R. N. W., et al.) 12: 2297-2305

gymnosperms-Coniferales

Pleistocene: Lag of the Fraser glacial maximum in the Pacific Northwest; pollen and macrofossil evidence from western Fraser Lowland, British Columbia (Hicock, Stephen R., et al.) 12: 2288-2296

heat flow see also under geophysical surveys under British Columbia; see also under tectonophysics under Alberta; Rocky

Holocene see also under geochronology under British Columbia; Canada; Yukon Territory; see also under stratigraphy under British Columbia; Northwest Territories; Nova Scotia; Que-

hydrogen see also deuterium; tritium

hydrogen-isotopes

D/H: Isotope hydrogeology and geothermometry of the Mount Meager geothermal area (Clark, I. D., et al.) 7: 1454-1473

hydrogeology see also ground water: hydrology

hydrology see also ground water

hydrology-surveys

British Columbia: Geochemical denudation rates and solute transport mechanisms in a maritime temperate glacier ba-

(Eyles, N., et al.) 8-1570-1581 Northwest Territories: Occurrence of surface flow on Arctic

slopes, southwestern Cornwallis Island (Woo, Ming-ko, et al.) 12: 2368-2377 Quebec: Isotopic characterization (O-18, 13CO2, H-3) of

drainage water from peat on permafrost, Ungava (Dever, Laurent, et al.) 6: 1255-1263 Saint Lawrence River: Discharge of metals from the St. Law-

rence River (Yeats, P. A., et al.) 5: 982-992 - Geology and geochemistry of the Saint Lawrence River,

Estuary and Gulf, Canada (Couillard, Denis) 7: 1492-1506

hydrothermal alteration see under processes under metasoma-

ice-rafting see under transport under sedimentation

ichnofossils-paleoecology

substrates: The macroboring ichnofossil Trypanites in colonies of the Middle Ordovician bryozoan Prasopora; population behaviour and reaction to environmental influences (Kobluk, David R., et al.) 4: 679-688

igneous rocks see also magmas; metamorphic rocks; metasomatism; phase equilibria

igneous rocks-basalts

classification: Transitional basalts in the Keweenawan Rift (Massey, N. W. D.) magnetic properties: Magnetic hysteresis as a function of low temperature for deep-sea basalts containing large titanomagnetite grains; inference of domain state and controls on coercivity (Hodych, J. P.) 1: 144-152

igneous rocks-classification

intrusive rocks: The Ile Bizard Intrusion, Montreal, Quebec; kimberlite or lamprophyre? (Raeside, Robert P., et al.) 10: 1996-2011

igneous rocks-diabase

genesis: Age and stratigraphic-tectonic significance of Proterozoic diabase sheets, Mackenzie Mountains, northwestern Canada (Armstrong, Richard Lee, et al.) 2: 316-323

igneous rocks-granites

genesis: Rb-Sr and U-Pb ages of volcanism and granite emplacement in the Michipicoten Belt; Wawa, Ontario 8: 1608-1626 (Turek, A., et al.)

geochemistry: Na-K-Li geochemistry of the Prestige Pluton in the Slave Province of the Canadian Shield (Kretz, Ralph, et al.) 3: 540-554

- Timing of arrival of the Avalon Zone in the northeastern Appalachians; a new look at the Straddling Granite (Elias, Peter N., et al.) 5: 1088-1094

igneous rocks-petrology

complexes: The South Lake igneous complex, Newfoundland; a marginal basin-island arc association (Lorenz, Brenna E., et al.) 3: 490-503 igneous rocks-plutonic rocks

geochemistry: Isotopic and trace element study of the Loon Lake Pluton, Grenville Province, Ontario

(Heaman, Larry M., et al.) 5: 1045-1054

- Rare earth elements in the bimodal Mount Peyton Batholith; evidence of crustal anatexis by mantle-derived mag-

(Strong, D. F., et al.)

igneous rocks-pyroclastics

distribution: Volcaniclastic rocks and volcaniclastic facies in the middle Precambrian (Aphebian) Belcher Group, Northwest Territories, Canada (Ricketts, B. D., et al.) 6: 1275-1294

textures: Weighted vector analysis applied to surge deposits from the May 18, 1980 eruption of Mount St. Helens. Washington

(Hickson, Catherine J., et al.) 4: 829-836

igneous rocks-ultramafics

ophiolite: Alpine ultramafic rocks of southwestern British Co-

(Wright, R. L., et al.) 6: 1156-1173 - The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman [discussions and replies]

(Thorpe, R. I., et al.) 8: 1710-1726 - The upper Batinah Complex, Oman; allochthonous sediment sheets above the Semail Ophiolite (Woodcock, N. H., et al.) 8: 1635-1656

igneous rocks-volcanic rocks

geochemistry: Rare earth elements in volcanic rocks associated with Cu-Zn massive sulphide mineralization; a preliminary report (Campbell, I. H., et al.) 3: 619-623

incertae sedis see problematic fossils

inclusions see also fluid inclusions

inclusions-xenoliths

ultramafics: The Ile Bizard Intrusion, Montreal, Quebec; kimberlite or lamprophyre? (Raeside, Robert P., et al.) 10: 1996-2011

intrusions—age

absolute age: Age and stratigraphic-tectonic significance of Proterozoic diabase sheets, Mackenzie Mountains, northwestern Canada 2: 316-323

(Armstrong, Richard Lee, et al.)

intrusions-batholiths

geochemistry: Rare earth elements in the bimodal Mount Pevton Batholith; evidence of crustal anatexis by mantlederived magma (Strong, D. F., et al.) 2: 308-315

intrusions-diatremes

classification: The Ile Bizard Intrusion, Montreal, Quebec; kimberlite or lamprophyre?

(Raeside, Robert P., et al.) 10: 1996-2011

intrusions-dikes

distribution: The Shelburne Dike, an early Mesozoic diabase dike in Nova Scotia; mineralogy, chemistry, and regional significance [discussion and reply] (Smith, T. E., et al.) 8: 1707-1709 emplacement: Flow structures in a dike; mechanism of telescopic intrusion and the concept of intrawalls (Andre, Francis, et al.) 12: 2387-2399

intrusions-emplacement

brecciation: Evidence for a genetic link between Sudbury breccias and fenite breccias (Dupuis, L., et al.) 6: 1174-1184

intrusions-geochemistry

granites: Na-K-Li geochemistry of the Prestige Pluton in the Slave Province of the Canadian Shield (Kretz, Ralph, et al.)

isotopes: Rb-Sr isochron ages, magmatic 87Sr/86Sr initial ratios, and oxygen isotope geochemistry of the Proterozoic lava flows and intrusions of the East Arm of Great Slave Lake, Northwest Territories, Canada (Goff, S. P., et al.) 2: 343-356

intrusions-layered intrusions

contact metamorphism: Metamorphism of the pelitic rocks of the Snyder Group in the contact aureole of the Kiglapait layered intrusion, Labrador; effects of buffering partial pressures of water (Speer, J. Alexander) 10: 1888-1909

intrusions-petrology

complexes: The South Lake igneous complex, Newfoundland; a marginal basin-island arc association (Lorenz, Brenna E., et al.) 3: 490-503

intrusions-plutons

geochemistry: Isotopic and trace element study of the Loon Lake Pluton, Grenville Province, Ontario

(Heaman, Larry M., et al.) 5: 1045-1054 structural analysis: Fractures and fracture infillings of the Eye-Dashwa Lakes Pluton, Atikokan, Ontario (Stone, Denver, et al.)

intrusions-sills

emplacement: Emplacement and differentiation of an Archean subvolcanic metapyroxenite-metagabbro sill in the Favourable Lake area, northwestern Ontario (Raudsepp, M., et al.)

Invertebrata see also Arthropoda; Brachiopoda; Bryozoa; Coelenterata; foraminifera; Ichnofossils; Mollusca; problematic fossils; Trilobita; worms

invertebrates-biostratigraphy

Ontario: Late Quaternary inter-till Paleosol and biota at Guelph, Ontario (Karrow, P. F., et al.) 9: 1857-1872

isostasy see also under tectonophysics under British Columbia;

isotope dating see absolute age

isotopes see also absolute age; geochronology

isotopes-ground water

thermal waters: Isotope hydrogeology and geothermometry of the Mount Meager geothermal area (Clark, I. D., et al.) 7: 1454-1473

isotopes-igneous rocks

plutonic rocks: Isotopic and trace element study of the Loon Lake Pluton, Grenville Province, Ontario 5: 1045-1054 (Heaman, Larry M., et al.)

2: 239-253

isotopes-lead

ratios: General geology and genesis of silver and gold veins in the Beaverdell area, South-central British Columbia (Watson, P. H., et al.)

- Interpretation of lead isotope data from zinc-lead mineralization in the northern part of the western Canadian Cordillera

(Morrow, D. W., et al.) 5: 1070-1078

- The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman [discussions and replies] (Thorpe, R. I., et al.) 8: 1710-1726

The protocontinental nature and regional variability of the Central Metasedimentary Belt of the Grenville Province: lead isotope evidence

(Fletcher, I. R., et al.) isotopes-metamorphic rocks

metaigneous rocks: Rb-Sr isochron ages, magmatic 87Sr/86Sr initial ratios, and oxygen isotope geochemistry of the Proterozoic lava flows and intrusions of the East Arm of Great Slave Lake, Northwest Territories, Canada (Goff, S. P., et al.) 2: 343-356

isotopes-oxygen

O-18/O-16: History of Holocene climate and vegetation at Lanoraie, Quebec

(Comtois, Paul) 10: 1938-1952

- Progressive 18O depletion during CO2 separation from a carbon dioxide-rich hydrothermal fluid; evidence from the Grey River tungsten deposit, Newfoundland (Higgins, N. C., et al.) 12: 2247-2257

isotopes-sedimentary rocks

evaporites: 34S and 18O abundances differentiate Upper Cambrian and Lower Devonian gypsum-bearing units, District of Mackenzie, N.W.T.; an update (van Everdingen, Robert O., et al.)

isotopes-sulfur

S-34/S-32: Isotope geochemistry of dissolved, precipitated, airborne, and fallout sulfur species associated with springs near Paige Mountain, Norman Range, N.W.T. (van Everdingen, Robert O., et al.) 7:1395-1407

isotopes-water

ground water: The chemistry and isotopic composition of saline groundwaters from the Sudbury Basin, Ontario (Frape, S. K., et al.) tracers: Isotopic characterization (O-18, 13CO2, H-3) of

drainage water from peat on permafrost, Ungava (Dever. Laurent, et al.) 6: 1255-1263 Jurassic see also under stratigraphy under Atlantic Ocean

Labrador-geochronology

Proterozoic: 40Ar/39Ar incremental-release age of biotite from a gabbro of the Shabogamo intrusive suite, southwestern Labrador

(Dallmeyer, R. D.) 9: 1877-1881 Quaternary: Northern Labrador Shelf glacial chronology and depositional environments

(Fillon, Richard H., et al.) 1: 162-192

Labrador-petrology

metamorphism: Metamorphism of the pelitic rocks of the Snyder Group in the contact aureole of the Kiglapait layered intrusion, Labrador; effects of buffering partial pressures of water

(Speer, J. Alexander) 10: 1888-1909

Labrador-stratigraphy

Cretaceous: Paleomagnetism of drill cores from Labrador offshore wells

(Patzold, Raymund R., et al.)

lakes see under lacustrine features under geomorphology land use see also under environmental geology under British Columbia

lava see also igneous rocks; magmas

lava-alteration

geochemistry: Archean mafic metavolcanics from the Rouyn-Noranda District, Abitibi greenstone belt, Quebec; 1, Mobility of the major elements

(Gelinas, Leopold, et al.) Archean metavolcanics from the Rouyn-Noranda District, Abitibi greenstone belt, Quebec; 2, Mobility of trace elements and petrogenetic constraints

(Ludden, John, et al.)

lava—composition

chemical composition: Transitional basalts in the Keweenawan

(Massey, N. W. D.)

lava-geochemistry

isotopes: Rb-Sr isochron ages, magmatic 87Sr/86Sr initial ratios, and oxygen isotope geochemistry of the Proterozoic lava flows and intrusions of the East Arm of Great Slave Lake, Northwest Territories, Canada (Goff, S. P., et al.) 2: 343-356

lava-properties

magnetic properties: Paleomagnetism of the Little Dal lavas, Mackenzie Mountains, Northwest Territories, Canada (Morris, W. A., et al.) 10: 2020-2027

lead-abundance

lake sediments: Historic changes in an urban watershed determined by pollen and geochemical analyses of lake sedi-

(Mathewes, Rolf W., et al.)

11: 2114-2125

lead-isotopes

ratios: General geology and genesis of silver and gold veins in the Beaverdell area, South-central British Columbia (Watson, P. H., et al.) 6: 1264-1274

- Interpretation of lead isotope data from zinc-lead mineralization in the northern part of the western Canadian Cor-

(Morrow, D. W., et al.) - The lead and strontium isotope geochemistry of metallif-

erous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman [discussions and replies]

(Thorpe, R. I., et al.) 8: 1710-1726 - The protocontinental nature and regional variability of the Central Metasedimentary Belt of the Grenville Province; lead isotope evidence

(Fletcher, I. R., et al.) 2: 239-253

lineation see also foliation; structural analysis

magmas see also igneous rocks; intrusions; lava

magmas-differentiation

fractional crystallization: Emplacement and differentiation of an Archean subvolcanic metapyroxenite-metagabbro sill in the Favourable Lake area, northwestern Ontario (Raudsepp, M., et al.) 4: 837-858

magmas-genesis

anatexis: Rare earth elements in the bimodal Mount Peyton Batholith; evidence of crustal anatexis by mantle-derived magma

(Strong, D. F., et al.)

2: 308-3

magmas-properties

mechanical properties: Flow structures in a dike; mechanism of telescopic intrusion and the concept of intrawalls (Andre, Francis, et al.) 12: 2387-2399

magnetic surveys see under geophysical surveys under Alberta; Atlantic Ocean; British Columbia; Canada

magnetotelluric surveys see under geophysical surveys under Senegal

Maine-geochronology

Paleozoic: Ages of some intrusive rocks of southwestern Maine, U.S.A.

(Gaudette, Henri E., et al.) 7: 1350-1357

Maine-tectonophysics

paleomagnetism: Paleomagnetism of Siluro-Devonian rocks from eastern Maine [discussion and reply]
(Roy, Jean L., et al.) 1: 225-237

Mammalia-Myomorpha

Pleistocene: Water vole Microtus richardsoni (Mammalia, Rodentia) from the late Pleistocene of Alberta (Burns, James A.) 3: 628-631

Manitoba-economic geology

nickel ores: Geochronologic interpretations of Pb isotope ratios in nickel sulfides of the Thompson Belt, Manitoba (Cumming, G. L., et al.) 12: 2306-2320

Manitoba—geochemistry

trace elements: Volcanism of shoshonite to high-K andesite affinity in an Archean arc environment, Oxford Lake, Manitoba
(Brooks, C., et al.)

1: 55-67

Manitoba-geochronology

Precambrian: Geochronologic interpretations of Pb isotope ratios in nickel sulfides of the Thompson Belt, Manitoba (Cumming, G. L., et al.) 12: 2306-2320

Manitoba-geomorphology

glacial geology: Relict ice-scour marks and late phases of Lake Agassiz in northernmost Manitoba (Dredge, L. A.) 5: 1079-1087

Manitoba-geophysical surveys

surveys: Overview of regional geophysical studies in Manitoba and northwestern Ontario (Hall, D. H., et al.) 11: 2049-2059

Manitoba-paleontology

Aves: An ichthyornithiform bird from the Campanian of Canada

(Martin, Larry D., et al.)

2: 324-327

Coelenterata: Paleoecology and biostratinomy of solitary rugose corals in the Stony Mountain Formation (Upper Ordovician), Stony Mountain, Manitoba (Elias, Robert J.)

8: 1582-1598

mass movements see under geomorphology

Mediterranean region—tectonophysics

crust: Tectonic implications of an electrical conductivity anomaly in northern Morocco (Menvielle, Michel, et al.) 7: 1507-1517

metals-abundance

marine sediments: Geochemical factors controlling the accumulation and dispersal of heavy metals in the Bay of Fundy sediments (Loring, D. H.) 5: 930-944

surface water: Discharge of metals from the St. Lawrence

(Yeats, P. A., et al.) 5: 982-992

— Geochemical denudation rates and solute transport

mechanisms in a maritime temperate glacier basin (Eyles, N., et al.) 8: 1570-1581 metamorphic rocks see also igneous rocks; metamorphism;

metasomatism

metamorphic rocks-amphibolites

geochemistry: Sr, Y, Zr, Nb, Ti, and REE in Grenville amphibolites at Montauban-les-Mines, Quebec (MacLean, W. H., et al.) 4: 633-644

metamorphic rocks-facies

amphibolite facies: Thermometry and barometry of some amphibolite-granulite facies rocks from the Otter Lake area, southern Quebec (Perkins, Dexter, III, et al.) 9: 1759-1774

metamorphic rocks-genesis

greenstone belts: Evolution of the south-central part of the Archean Abitibi Belt, Quebec; Part I, Stratigraphy and paleogeographic model (Dimroth, Erich, et al.) 9: 1729-1758

metamorphic rocks-metaigneous rocks

genesis: Emplacement and differentiation of an Archean subvolcanic metapyroxenite-metagabbro sill in the Favourable Lake area, northwestern Ontario (Raudsepp, M., et al.) 4: 837-858

metamorphic rocks-metasedimentary rocks

geochemistry: The protocontinental nature and regional variability of the Central Metasedimentary Belt of the Grenville Province; lead isotope evidence
(Fletcher, I. R., et al.) 2: 239-253

metaconglomerate: Quartz deformation and the recognition of recrystallization regimes in the Flinton Group conglomerates. Ontario

(White, Joseph C.) 1: 81-93
metapelite: Isograds and mineral assemblages in the eastern

metapetite: Isograds and mineral assemblages in the eastern axial zone, Montagne Noire (France); implications for temperature gradients and P-T history (Thompson, Peter H., et al.)

1: 129-143

mineral assemblages: Patapedia; an Appalachian calc-silicatehosted copper prospect of porphyry affinity

(Williams-Jones, Anthony E.) 3: 438-455 provenance: Investigation of the Archaean crust by single-grain dating of detrital zircon; a graywacke of the Slave Province, Canada

(Scharer, Urs, et al.) 10: 1910-1918 textures: Complex evolution of folds and cleavages in Archean rocks, Yellowknife, N.W.T. (Fyson, W. K.) 4: 878-893

(Fyson, W. K.) metamorphic rocks—metavolcanic rocks

genesis: Archean volcanoes in southwestern Abitibi Belt, Ontario and Quebec; form, composition, and development (Goodwin, A. M.)

6: 1140-1155

Rb-Sr and U-Pb ages of volcanism and granite emplacement in the Michipicoten Belt; Wawa, Ontario (Turek, A., et al.)

8: 1608-1626

Archean metavolcanics from the Rouyn-Noranda District, Abitibi greenstone belt, Quebec; 2, Mobility of trace elements and petrogenetic constraints
 (Ludden, John, et al.)
 12: 2276-2287

 Volcanism of shoshonite to high-K andesite affinity in an Archean arc environment, Oxford Lake, Manitoba (Brooks, C., et al.)

metamorphic rocks-mineral assemblages

metasedimentary rocks: Metamorphism of the pelitic rocks of the Snyder Group in the contact aureole of the Kiglapait layered intrusion, Labrador; effects of buffering partial pressures of water (Speer, J. Alexander) 10:1888-1909

metamorphic rocks-mylonites

textures: Kinematic interpretation of mylonitic rocks in part of the Columbia River fault zone, Shuswap Terrane, British Columbia

(Brown, Richard L., et al.) 3: 456-465

metamorphic rocks-petrology

complexes: Structure, petrology, and tectonic history of the Leech River Complex northwest of Victoria, Vancouver Island

(Fairchild, Lee H., et al.)

9: 1817-1835

metamorphic rocks-schists

greenstone: Geochemical patterns in Norwegian greenstones (Gale, G. H., et al.) 3: 385-397

metamorphism—contact metamorphism

P-T conditions: Metamorphism of the pelitic rocks of the Snyder Group in the contact aureole of the Kiglapait layered intrusion, Labrador; effects of buffering partial pressures of water

(Speer, J. Alexander) 10: 1888-1909

metamorphism-P-T conditions

geologic thermometry: Thermometry and barometry of some amphibolite-granulite facies rocks from the Otter Lake area, southern Quebec

(Perkins, Dexter, III, et al.) 9: 1759-1774

isograds: Isograds and mineral assemblages in the eastern axial zone, Montagne Noire (France); implications for temperature gradients and P-T history

(Thompson, Peter H., et al.) 1: 129-143

metamorphism-polymetamorphism

evolution: Erratum; Superimposed low-grade metamorphism in the Mount Fisher area, southeastern British Columbia; implications for the East Kootenay Orogeny (McMechan, M. E., et al.) 8: 1727

— Superimposed low-grade metamorphism in the Mount Fisher area, southeastern British Columbia; implications for the East Kootenay Orogeny (McMechan, M. E., et al.) 3: 476-489

metamorphism-prograde metamorphism

mineral assemblages: Structural and metamorphic relationships between the Mount Ida and Monashee groups at Mara Lake, British Columbia (Nielsen, Kent C.) 2: 288-307

P-T conditions: Patapedia; an Appalachian calc-silicate-hosted copper prospect of porphyry affinity
(Williams-Jones, Anthony E.) 3: 438-455

— Structure, petrology, and tectonic history of the Leech River Complex northwest of Victoria, Vancouver Island (Fairchild, Lee H., et al.) 9: 1817-1835

metamorphism-thermal metamorphism

indicators: A pseudo-tactite assemblage in the footwall of a massive sulfide occurrence, Savant Lake - Sturgeon Lake greenstone terrains, Ontario (Kissin, S. A., et al.) 8: 1691-1696

metasomatic rocks-mineral assemblages

genesis: A pseudo-tactite assemblage in the footwall of a massive sulfide occurrence, Savant Lake - Sturgeon Lake greenstone terrains, Ontario
(Kissin, S. A., et al.) 8: 1691-1696

metasomatism-processes

hydrothermal alteration: Geochemistry of the alteration pipe at the Amulet Upper A Deposit, Noranda, Quebec (Hall, B. V.) 11: 2060-2084

— Patapedia; an Appalachian calc-silicate-hosted copper prospect of porphyry affinity
(Williams-Jones, Anthony E.)
3: 438-455

wallrock alteration: A pseudo-tactite assemblage in the footwall of a massive sulfide occurrence, Savant Lake - Sturgeon Lake greenstone terrains, Ontario (Kissin, S. A., et al.) 8: 1691-1696

Middle East see also Cyprus; Syria

mineral deposits, genesis-base metals

exhalative processes: Geochemistry of the alteration pipe at the Amulet Upper A Deposit, Noranda, Quebec (Hall, B. V.) 11: 2060-2084

mineral deposits, genesis-copper ores

porphyry copper: A thermodynamic approach to the understanding of the supergene alteration at the Afton copper mine, South-central British Columbia (Kwong, Y. T. J., et al.) 12: 2378-2386

mineral deposits, genesis-lead-zinc deposits

environment: Sr, Y, Zr, Nb, Ti, and REE in Grenville amphibolites at Montauban-les-Mines, Quebec (MacLean, W. H., et al.) 4: 633-644

interpretation: Interpretation of lead isotope data from zinclead mineralization in the northern part of the western Canadian Cordillera (Morrow, D. W., et al.) 5: 1070-1078

mineral deposits, genesis-metal ores

exhalative processes: A pseudo-tactite assemblage in the footwall of a massive sulfide occurrence, Savant Lake - Sturgeon Lake greenstone terrains, Ontario (Kissin, S. A., et al.) 8: 1691-1696

mineral deposits, genesis-nickel ores

absolute age: Geochronologic interpretations of Pb isotope ratios in nickel sulfides of the Thompson Belt, Manitoba (Cumming, G. L., et al.) 12: 2306-2320

mineral deposits, genesis-processes

hydrothermal processes: Patapedia; an Appalachian calc-silicate-hosted copper prospect of porphyry affinity (Williams-Jones, Anthony E.) 3: 438-455

mineral deposits, genesis-silver ores

age: General geology and genesis of silver and gold veins in the Beaverdell area, South-central British Columbia (Watson, P. H., et al.) 6: 1264-1274

mineral deposits, genesis—tungsten ores

geochemistry: Progressive 18O depletion during CO2 separation from a carbon dioxide-rich hydrothermal fluid; evidence from the Grey River tungsten deposit, Newfound-(Higgins, N. C., et al.) 12: 2247-2257

mineral deposits, genesis-uranium ores

age: The geochronology of uranium deposits in the Great Bear Batholith. Northwest Territories (Miller, Richard G.) 7: 1428-1448

mineral deposits, genesis-zinc ores

exhalative processes: Grenville iron-formations and associated stratiform zinc mineralization, Roddick Lake area, Mount Laurier Basin, Quebec (Brown, Alex C.) 8: 1670-1679

mineral exploration-geochemical methods

ore guides: Rare earth elements in volcanic rocks associated with Cu-Zn massive sulphide mineralization; a preliminary

(Campbell, I. H., et al.) 3: 619-623

sediments: Biogeochemical expression of a classic dispersal train of metalliferous till near Hopetown, Ontario (DiLabio, R. N. W., et al.)

mineral exploration-ore guides

gold ores: Manganiferous garnet underlying me Bousquet gold orebody, Quebec; metamorphosed manganese sediment as a guide to gold ore (Valliant, R. I., et al.) 5: 993-1010

mineral prospecting see mineral exploration

minerals see also crystal growth

minerals-carbonates

calcite: A brief description of calcite spheres from Pliocene strata in the Dome Gulf et al. C-50 well, Beaufort Sea, Arctic Canada (Dixon, J., et al.) 3: 623-628

Minnesota-structural geology

tectonics: Evidence for multiple deformation during the Penokean Orogeny in the middle Precambrian Thomson Formation, Minnesota 10: 2043-2047 (Holst, T. B.)

Mississippian see also under geochronology under Yukon Terri-

Missouri-stratigraphy

Ordovician: Restudy of conodonts (Late Ordovician-Early Silurian) from the Edgewood Group, Clarksville, Missouri (McCracken, Alexander D., et al.) 7: 1474-1485 Silurian: Restudy of conodonts (Late Ordovician-Early Silurian) from the Edgewood Group, Clarksville, Missouri (McCracken, Alexander D., et al.) 7: 1474-1485

Mollusca—Goniatitida

Devonian: The Devonian goniatite genera Pinacites and Foordites from Alaska 9: 1873-1876 (House, M. R., et al.)

mollusks-biostratigraphy

Quaternary: Late Quaternary paleoenvironments of the Morley Flats and Kananaskis Valley of southwestern Alberta (MacDonald, Glen M.) 1: 23-35

Morocco-tectonophysics

crust: Tectonic implications of an electrical conductivity anomaly in northern Morocco (Menvielle, Michel, et al.) 7: 1507-1517

mud volcanoes see also volcanology

New Brunswick-economic geology copper ores: Patapedia: an Appalachian calc-silicate-hosted copper prospect of porphyry affinity (Williams-Jones, Anthony E.) 3: 438-455

New Brunswick-geochronology

Proterozoic: Age of the Brookville Gneiss and associated rocks, southeastern New Brunswick (Olszewski, William J., Jr., et al.) 11: 2158-2166

New Brunswick-oceanography

sedimentation: Lagrangian sediment motion in a crescentic nearshore bar under storm-induced waves and currents (Greenwood, Brian, et al.)

New Brunswick-stratigraphy

Carboniferous: The Upper Carboniferous Clifton Formation of northern New Brunswick; coal-bearing deposits of a semi-arid alluvial plain (Legun, Andrew S., et al.) 9: 1775-1785

Newfoundland-economic geology

tungsten ores: Progressive 18O depletion during CO2 separation from a carbon dioxide-rich hydrothermal fluid; evidence from the Grey River tungsten deposit, Newfoundland 12: 2247-2257

(Higgins, N. C., et al.) Newfoundland-geochemistry

isotopes: Progressive 18O depletion during CO2 separation from a carbon dioxide-rich hydrothermal fluid; evidence from the Grey River tungsten deposit, Newfoundland (Higgins, N. C., et al.) 12: 2247-2257

trace elements: Rare earth elements in the bimodal Mount Peyton Batholith; evidence of crustal anatexis by mantlederived magma

(Strong, D. F., et al.) 2: 308-315 - The South Lake igneous complex, Newfoundland; a marginal basin-island arc association (Lorenz, Brenna E., et al.)

- Timing of arrival of the Avalon Zone in the northeastern Appalachians; a new look at the Straddling Granite (Elias, Peter N., et al.) 5: 1088-1094

Newfoundland-oceanography

continental slope: Significance of some geotechnical properties of continental slope and rise sediments off Northeast Newfoundland (Schafer, Charles T., et al.) 1: 153-161

Newfoundland-paleontology

(Hiscott, Richard N.)

Arthropoda: Peracarids (Crustacea) from Mississippian strata of western Newfoundland 4: 666-670

(Dewey, Christopher P., et al.)

Newfoundland-sedimentary petrology sedimentation: Tidal deposits of the Lower Cambrian Random Formation, eastern Newfoundland; facies and paleoenvironments

10-2028-2042

Newfoundland-stratigraphy

Carboniferous: Conodont biostratigraphy of the Codroy Group (Lower Carboniferous), southwestern Newfoundland, Canada

(von Bitter, Peter H., et al.)

Ordovician: Paleomagnetic reexamination of the Lower Ordovician Wabana and Bell Island groups of the Avalon Peninsula of Newfoundland (Buchan, K. L., et al.)

in Southwest Newfoundland (Brookes, Ian A., et al.)

Pleistocene: Quaternary interglacial and associated deposits

Newfoundland-structural geology

3: 410-423

tectonics: Structural interpretation of the eastern Notre Dame Bay area, Newfoundland; regional post-Middle Silurian thrusting and asymmetrical folding (Karlstrom, K. E., et al.) 12: 2325-2341

- Tectonic structures related to thrusting of ophiolitic complexes; the White Hills Peridotite, Newfoundland (Girardeau, J.) 4: 709-722

Newfoundland-tectonophysics

crust: The northwest portion of the Gander Zone; a geophysical interpretation

(Miller, H. G., et al.) nickel ores see also under economic geology under Manitoba

North America see also Appalachians; Canada; Great Lakes region; Rocky Mountains

North America—geochronology

Quaternary: Construction of type curves of geomagnetic secular variation for dating lake sediments from East central North America (Creer, K. M., et al.) 6: 1106-1115

North America—paleontology

Trilobita: Ordovician Ptervgometopidae (Trilobita) of North (Ludvigsen, Rolf, et al.)

North America-stratigraphy

11: 2179-2206

Ordovician: The biostratigraphy of the Nicolet River Formation in Quebec and intra-North American correlations in Middle and Upper Ordovician strata (Walters, Martin, et al.) 3: 571-588

North America-tectonophysics

crust: Stress orientations from borehole wall fractures with examples from Colorado, East Texas, and northern Canada (Gough, D. I., et al.) 7: 1358-1370

paleomagnetism: Extent of Grenvillian remanence components in rocks of the Southern Province

(Stupavsky, M., et al.) 4: 698-708 - Implications of Early Devonian poles from the Canadian Arctic Archipelago for the North American apparent polar wander path

(Dankers, Peter) 9: 1802-1809 - Isolation of early Paleohelikian remanence in Grenville

anorthosites of the French River area, Ontario (Stupavsky, M., et al.) 4: 819-828

Northern Hemisphere see also Arctic Ocean; Atlantic Ocean; North America; Pacific Ocean

Northwest Territories-economic geology

uranium ores: The geochronology of uranium deposits in the Great Bear Batholith, Northwest Territories (Miller, Richard G.) 7: 1428-1448

Northwest Territories-geochemistry

sodium: Na-K-Li geochemistry of the Prestige Pluton in the Slave Province of the Canadian Shield (Kretz, Ralph, et al.) 3: 540-554

Northwest Territories—geochronology

Archean: Investigation of the Archaean crust by single-grain dating of detrital zircon; a graywacke of the Slave Province. Canada (Scharer, Urs, et al.) 10: 1910-1918

Proterozoic: Age and stratigraphic-tectonic significance of Proterozoic diabase sheets, Mackenzie Mountains, northwestern Canada

(Armstrong, Richard Lee, et al.) 2: 316-323

- Rb-Sr isochron ages, magmatic 87Sr/86Sr initial ratios, and oxygen isotope geochemistry of the Proterozoic lava flows and intrusions of the East Arm of Great Slave Lake, Northwest Territories, Canada (Goff, S. P., et al.) 2: 343-356

Quaternary: Aminostratigraphy of Quaternary marine and glaciomarine sediments, Qivitu Peninsula, Baffin Island (Nelson, Alan R.) 5: 945-961

Northwest Territories-hydrogeology

hydrology: Occurrence of surface flow on Arctic slopes, southwestern Cornwallis Island (Woo, Ming-ko, et al.)

springs: Isotope geochemistry of dissolved, precipitated, airborne, and fallout sulfur species associated with springs near Paige Mountain, Norman Range, N.W.T. (van Everdingen, Robert O., et al.) 7: 1395-1407

Northwest Territories—oceanography

continental shelf: The Broughton Trough on the continental shelf of eastern Baffin Island, Northwest Territories (Gilbert, R.)

Northwest Territories-stratigraphy

Cambrian: 34S and 18O abundances differentiate Upper Cambrian and Lower Devonian gypsum-bearing units, District of Mackenzie, N.W.T.: an update (van Everdingen, Robert O., et al.) 6: 1246-1254

changes of level: Aminostratigraphy of Quaternary marine and glaciomarine sediments, Qivitu Peninsula, Baffin Island

(Nelson, Alan R.) Devonian: A new Late Devonian ostracode fauna and its bearing on the Frasnian-Famennian boundary in western Canada

(Braun, W. K., et al.) 10: 1953-1962 - Implications of Early Devonian poles from the Canadian Arctic Archipelago for the North American apparent polar

wander path (Dankers, Peter) 9: 1802-1809

- 34S and 18O abundances differentiate Upper Cambrian and Lower Devonian gypsum-bearing units, District of Mackenzie, N.W.T.; an update

(van Everdingen, Robert O., et al.) 6: 1246-1254 Holocene: A 1100 year paleoclimatic record from Burton Bay-Tarr Inlet, Baffin Island

(Short, Susan K., et al.) Proterozoic: Paleomagnetism of the Little Dal lavas, Mackenzie Mountains, Northwest Territories, Canada

(Morris, W. A., et al.)

10: 2020-2027

— Volcaniclastic rocks and volcaniclastic facies in the middle Precambrian (Aphebian) Belcher Group, Northwest Territories, Canada (Ricketts, B. D., et al.) 6: 1275-1294

Northwest Territories—structural geology tectonics: Complex evolution of folds and cleavages in Archean rocks, Yellowknife, N.W.T. (Fyson, W. K.) 4: 878-893

Norway—geochemistry trace elements: Geochemical patterns in Norwegian greenstones (Gale, G. H., et al.) 3: 385-397

Nova Scotia—petrology

intrusions: The Shelburne Dike, an early Mesozoic diabase dike in Nova Scotia; mineralogy, chemistry, and regional significance [discussion and reply]
(Smith, T. E., et al.)

8: 1707-1709

Nova Scotia—stratigraphy

Holocene: Holocene history of Bedford Basin, Nova Scotia;
foraminifera, dinoflagellate, and pollen records
(Miller, A. A. L., et al.)

12: 2342-2367

oil see petroleum

oil and gas fields see also petroleum oil sands see also under economic geology under Alberta

Oman-geochemistry

isotopes: The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman [discussions and replies]
(Thorpe, R. I., et al.)

8: 1710-1726

Oman—structural geology

tectonics: The upper Batinah Complex, Oman; allochthonous sediment sheets above the Semail Ophiolite (Woodcock, N. H., et al.) 8: 1635-1656

Oman-tectonophysics

plate tectonics: The upper Batinah Complex, Oman; allochthonous sediment sheets above the Semail Ophiolite (Woodcock, N. H., et al.) 8: 1635-1656

Ontario-engineering geology

rock mechanics: Stress-relief buckles in the McFarland Quarry, Ottawa (Adams, John) 10: 1883-1887

waste disposal: Fractures and fracture infillings of the Eye-Dashwa Lakes Pluton, Atikokan, Ontario
(Stone, Denver, et al.)
4: 789-803

Seismological studies in a rock body at Chalk River, Ontario and their relation to fractures
(Wright, C.)

8: 1535-1547

Ontario-geochemistry

isotopes: The protocontinental nature and regional variability of the Central Metasedimentary Belt of the Grenville Province; lead isotope evidence (Fletcher, I. R., et al.) 2: 239-253

(Fletcher, I. R., et al.) 2: 239-253

metals: Biogeochemical expression of a classic dispersal train
of metalliferous till near Hopetown, Ontario

(DiLabio, R. N. W., et al.)

12: 2297-2305

trace elements: Isotopic and trace element study of the Loon

Lake Pluton, Grenville Province, Ontario

(Heaman, Larry M., et al.)

5: 1045-1054

Ontario-geochronology

Archean: Rb-Sr and U-Pb ages of volcanism and granite emplacement in the Michipicoten Belt; Wawa, Ontario (Turek, A., et al.) 8: 1608-1626

Zircon U-Pb ages from the Kakagi Lake area, Wabigoon

Subprovince, Northwest Ontario

(Davis, Donald W., et al.) 6: 1235-1245

Zircon U-Pb ages from the Wabigoon-Manitou Lakes region, Wabigoon Subprovince, Northwest Ontario
 (Davis, D. W., et al.)

2: 254-266

Pleistocene: The age of the Hartman Moraine and the Campbell Beach of Lake Agassiz in northwestern Ontario (Nielsen, Erik, et al.) 10: 1933-1937

Precambrian: Precise U-Pb zircon ages from the Gamitagama greenstone belt, southern Superior Province (Krogh, T. E., et al.) 4: 859-867

 U-Pb zircon ages from the eastern Savant Lake-Crow Lake metavolcanic-metasedimentary belt, Northwest Ontario

(Davis, D. W., et al.)

4: 868-877

Proterozoic: Geology and age of the Precambrian basement in the Windsor, Chatham, and Sarnia area, southwestern Ontario

(Turek, A., et al.) 8: 1627-1634

— Rb-Sr geochronology of the Coldwell Complex, northwestern Ontario, Canada

(Platt, R. Garth, et al.) 9: 1796-1801

— Two high precision U-Pb zircon ages for the Sudbury

Nickel Irruptive (Krogh, T. E., et al.) 4: 723-728

Ontario-geomorphology

glacial features: The depositonal history of an esker near Ottawa, Canada (Cheel, R. J.) 7: 1417-1427

Ontario-geophysical surveys

seismic surveys: Seismological studies in a rock body at Chalk River, Ontario and their relation to fractures (Wright, C.) 8: 1535-1547

surveys: Overview of regional geophysical studies in Manitoba and northwestern Ontario (Hall, D. H., et al.) 11: 2049-2059

(Hall, D. H., et al.) Ontario—hydrogeology

ground water: The chemistry and isotopic composition of saline groundwaters from the Sudbury Basin, Ontario (Frape, S. K., et al.) 4: 645-661

Ontario—paleontology

ichnofossils: The macroboring ichnofossil Trypanites in colonies of the Middle Ordovician bryozoan Prasopora; population behaviour and reaction to environmental influences (Kobluk, David R., et al.)

4: 679-688

Ontario-petrology

igneous rocks: Transitional basalts in the Keweenawan Rift (Massey, N. W. D.) 6: 1326-1329

intrusions: Emplacement and differentiation of an Archean subvolcanic metapyroxenite-metagabbro sill in the Favourable Lake area, northwestern Ontario (Raudsepp. M., et al.) 4: 837-858

(Raudsepp, M., et al.) 4: 837-858

— Evidence for a genetic link between Sudbury breccias and fenite breccias

(Dupuis, L., et al.) 6: 1174-1184

SI-18 metasomatic rocks: A pseudo-tactite assemblage in the footwall of a massive sulfide occurrence, Savant Lake - Sturgeon Lake greenstone terrains, Ontario (Kissin, S. A., et al.) Ontario-seismology crust: A study of slowness anomalies around London, Ontario from University of Western Ontario seismic array observations (Mok. K. H., et al.) 9: 1810-1816 Ontario-soils Paleosols: Late Quaternary inter-till Paleosol and biota at Guelph, Ontario (Karrow, P. F., et al.) 9: 1857-1872 Ontario-stratigraphy Archean: Paleomagnetism and structural history of the Ghost Range intrusive complex, central Abitibi Belt, Ontario; further evidence for the late Archean geomagnetic field of North America (Geissman, John W., et al.) 11: 2085-2099 - Paleomagnetism of late Archean metavolcanics and metasediments, Abitibi Orogen, Canada; volcanics of the Timiskaming Group (Tasillo-Hirt, Ann M., et al.) sin, James Bay Lowland, Ontario (Legault, Jocelyne A., et al.)

Blake River Group and sediments and volcanics of the 11: 2100-2113 Cretaceous: Palynological evidence for recycling of Upper Devonian into Lower Cretaceous of the Moose River ba-Devonian: Palynological evidence for recycling of Upper Devonian into Lower Cretaceous of the Moose River basin, James Bay Lowland, Ontario (Legault, Jocelyne A., et al.) Proterozoic: Paleomagnetism of the Sutton Lake Proterozoic inlier, Ontario, Canada

(Karrow, P. F., et al.) 9: 1857-1872 - Quaternary sequences along the north shore of Lake Ontario; Oshawa-Port Hope (Brookfield, M. E., et al.) 9: 1836-1850 - The late Quaternary geology of the Chalk River region, Ontario and Quebec

Quaternary: Late Quaternary inter-till Paleosol and biota at

(Schwarz, E. J., et al.)

Guelph, Ontario

(Catto, N. R., et al.) 6: 1218-1231 Silurian: Correlation of sea-level curves for the Lower Silurian of the Bruce Peninsula and Lake Timiskaming District

(Colville, Valerie R., et al.) 5: 962-974 - Observations on the Attawapiskat Formation (Silurian) trilobites of Ontario, with description of a new encrinurine (Gass, Kenneth C., et al.)

Ontario-structural geology deformation: Quartz deformation and the recognition of recrystallization regimes in the Flinton Group conglomerates, Ontario (White, Joseph C.) 1:81-93 faults: Redefinition of the Quetico Fault near Atikokan, On-

6: 1330-1332

(Fumerton, S. L.) 1: 222-224 Ontario-tectonophysics

paleomagnetism: Extent of Grenvillian remanence components in rocks of the Southern Province (Stupavsky, M., et al.)

- Isolation of early Paleohelikian remanence in Grenville anorthosites of the French River area, Ontario (Stupavsky, M., et al.)

ophiolite see under ultramafics under igneous rocks

Ordovician see also under stratigraphy under Atlantic Ocean; Missouri; Newfoundland; North America; Quebec; Yukon Territory

ore guides see under mineral exploration organic materials see also petroleum

orogeny-absolute age

Acadian Phase: Ages of some intrusive rocks of southwestern Maine, U.S.A. (Gaudette, Henri E., et al.) 7: 1350-1357

Grenvillian Orogeny: Geology and age of the Precambrian basement in the Windsor, Chatham, and Sarnia area, southwestern Ontario (Turek, A., et al.) 8: 1627-1634

orogeny-evolution

East Kootenay Orogeny: Erratum: Superimposed low-grade metamorphism in the Mount Fisher area, southeastern British Columbia; implications for the East Kootenay Orogeny

(McMechan, M. E., et al.) - Superimposed low-grade metamorphism in the Mount Fisher area, southeastern British Columbia; implications for the East Kootenay Orogeny

(McMechan, M. E., et al.) Grenvillian Orogenv: Extent of Grenvillian remanence components in rocks of the Southern Province

(Stupavsky, M., et al.) 4: 698-708 - Isolation of early Paleohelikian remanence in Grenville

anorthosites of the French River area, Ontario (Stupavsky, M., et al.)

Penokean Orogeny: Evidence for multiple deformation during the Penokean Orogeny in the middle Precambrian Thomson Formation, Minnesota (Holst, T. B.) 10: 2043-2047

ostracods-biostratigraphy

Devonian: A new Late Devonian ostracode fauna and its bearing on the Frasnian-Famennian boundary in western Canada

(Braun, W. K., et al.) 10: 1953-1962 Pleistocene: Quaternary interglacial and associated deposits in Southwest Newfoundland

3: 410-423

(Brookes, Ian A., et al.)

Lanoraie, Quebec

oxygen-isotopes O-18/O-16: History of Holocene climate and vegetation at

(Comtois, Paul) 10: 1938-1952 - Isotope geochemistry of dissolved, precipitated, airborne, and fallout sulfur species associated with springs near Paige Mountain, Norman Range, N.W.T.

(van Everdingen, Robert O., et al.) 7: 1395-1407 - Isotope hydrogeology and geothermometry of the Mount Meager geothermal area (Clark, I. D., et al.) 7: 1454-1473 6: 1255-1263

12: 2247-2257

2: 343-356

Newfoundland: Ouaternary interglacial and

Alberta: Late Quaternary paleoenvironments of the Morley Flats and Kananaskis Valley of southwestern Alberta

Canada: Pollen distribution in Recent marine sediments,

Ontario: Late Quaternary inter-till Paleosol and biota at

Quebec: Evolution of initial stages of superficial geochemical

weathering of anorthosites; case of the Chateau-Richer

deposits in Southwest Newfoundland

(Brookes, Ian A., et al.)

(MacDonald, Glen M.)

eastern Canada

Guelph, Ontario

(Karrow, P. F., et al.)

(Mudie, P. J.)

paleoclimatology-Quaternary

- Isotopic and trace element study of the Loon Lake Pluton,

- Isotopic characterization (O-18, 13CO2,H-3) of drainage

- Progressive 18O depletion during CO<sub>2</sub> separation from a

carbon dioxide-rich hydrothermal fluid; evidence from the

- Rb-Sr isochron ages, magmatic 87Sr/86Sr initial ratios,

and oxygen isotope geochemistry of the Proterozoic lava

flows and intrusions of the East Arm of Great Slave Lake,

Grenville Province, Ontario

water from peat on permafrost, Ungava

Grey River tungsten deposit, Newfoundland

(Heaman, Larry M., et al.)

(Dever, Laurent, et al.)

(Higgins, N. C., et al.)

Northwest Territories, Canada (Goff, S. P., et al.)

associated

3: 410-423

4: 729-747

9: 1857-1872

— 34S and 18O abundances differentiate Upper Cambrian	profile, Quebec
and Lower Devonian gypsum-bearing units, District of	(Dejou, J., et al.) 8: 1697-1706
Mackenzie, N.W.T.; an update	paleoecology—angiosperms
(van Everdingen, Robert O., et al.) 6: 1246-1254	Holocene: History of Holocene climate and vegetation at
Pacific Ocean—geophysical surveys	Lanoraie, Quebec
surveys: The Winona Basin; structure and tectonics	(Comtois, Paul) 10: 1938-1952
(Davis, E. E., et al.) 4: 767-788	paleoecology-Arthropoda
Pacific Ocean—tectonophysics	Mississippian: Peracarids (Crustacea) from Mississippian stra-
plate tectonics: Queen Charlotte fault zone; heat flow meas-	ta of western Newfoundland
urements	(Dewey, Christopher P., et al.) 4: 666-670
(Hyndman, R. D., et al.) 8: 1657-1669	paleoecology—Coelenterata
— The Winona Basin; structure and tectonics	Mesozoic: Study of some Coelenterata from the base of the
(Davis, E. E., et al.) 4: 767-788	Mesozoic in western Canada
paleoclimatology—Carboniferous	(Beauvais, Louise) 10: 1963-1973
New Brunswick: The Upper Carboniferous Clifton Formation	Ordovician: Paleoecology and biostratinomy of solitary
of northern New Brunswick; coal-bearing deposits of a	rugose corals in the Stony Mountain Formation (Upper
semi-arid alluvial plain	Ordovician), Stony Mountain, Manitoba
(Legun, Andrew S., <i>et al.</i> ) 9: 1775-1785	(Elias, Robert J.) 8: 1582-1598
paleoclimatology—Devonian	paleoecology—Holocene
China: Devonian calcrete from China; its significance as the	British Columbia: Holocene vegetation and climatic change
first Devonian calcrete from Asia	in the Peace River District, Canada
	(White, James M., et al.) 3: 555-570
(Boucot, A. J., et al.) 7: 1532-1534	Northwest Territories: A 1100 year paleoclimatic record from
paleoclimatology—Holocene	
British Columbia: Holocene vegetation and climatic change	Burton Bay-Tarr Inlet, Baffin Island
in the Peace River District, Canada	(Short, Susan K., et al.) 3: 398-409
(White, James M., et al.) 3: 555-570	paleoecology—ichnofossils
Northwest Territories: A 1100 year paleoclimatic record from	Ordovician: The macroboring ichnofossil Trypanites in colo-
Burton Bay-Tarr Inlet, Baffin Island	nies of the Middle Ordovician bryozoan Prasopora; popu-
(Short, Susan K., et al.) 3: 398-409	lation behaviour and reaction to environmental influences
Nova Scotia: Holocene history of Bedford Basin, Nova Scotia;	(Kobluk, David R., et al.) 4: 679-688
foraminifera, dinoflagellate, and pollen records	paleoecology-Mammalia
(Miller, A. A. L., et al.) 12: 2342-2367	Pleistocene: Late Pleistocene proboscideans and early Fraser
Quebec: History of Holocene climate and vegetation at Lano-	glacial sedimentation in eastern Fraser Lowland, British
raie, Quebec	Columbia
(Comtois, Paul) 10: 1938-1952	(Hicock, Stephen R., et al.) 5: 899-906
paleoclimatology—Pleistocene	paleoecology—palynomorphs
Alberta: An 18,000 year palynological record from the south-	Holocene: Holocene history of Bedford Basin, Nova Scotia
ern Alberta segment of the classical Wisconsinan "ice-free	foraminifera, dinoflagellate, and pollen records
corridor"	(Miller, A. A. L., et al.) 12: 2342-2367
(Mott, R. J., et al.) 3: 504-513	Quaternary: Pollen distribution in Recent marine sediments
British Columbia: Lag of the Fraser glacial maximum in the	eastern Canada
Pacific Northwest; pollen and macrofossil evidence from	(Mudie, P. J.) 4: 729-747
western Fraser Lowland, British Columbia	paleoecology-Plantae
(Hicock, Stephen R., et al.) 12: 2288-2296	Pleistocene: Lag of the Fraser glacial maximum in the Pacific
	Northwest; pollen and macrofossil evidence from western
<ul> <li>Late Pleistocene proboscideans and early Fraser glacial</li> </ul>	
<ul> <li>Late Pleistocene proboscideans and early Fraser glacial sedimentation in eastern Fraser Lowland, British Columbia</li> </ul>	Fraser Lowland, British Columbia

paleoecology-Pleistocene

Alberta: An 18,000 year palynological record from the southern Alberta segment of the classical Wisconsinan "ice-free corridor'

(Mott. R. J., et al.)

3: 504-513

Newfoundland: Quaternary interglacial and associated deposits in Southwest Newfoundland (Brookes, Ian A., et al.) 3: 410-423

paleoecology-Quaternary

Alberta: Late Quaternary paleoenvironments of the Morley Flats and Kananaskis Valley of southwestern Alberta (MacDonald, Glen M.)

paleoecology-Silurian

Ontario: Correlation of sea-level curves for the Lower Silurian of the Bruce Peninsula and Lake Timiskaming District (Colville, Valerie R., et al.) 5: 962-974

paleoecology-Spermatophyta

Pleistocene: Stratigraphic relationships and paleoecology of a late-glacial peat bed from the Queen Charlotte Islands, British Columbia (Mathewes, Rolf W., et al.) 6: 1185-1195

paleogeography-Archean

Quebec: Evolution of the south-central part of the Archean Abitibi Belt, Quebec; Part I, Stratigraphy and paleogeographic model (Dimroth, Erich, et al.) 9: 1729-1758

paleogeography—Cambrian

Newfoundland: Tidal deposits of the Lower Cambrian Random Formation, eastern Newfoundland; facies and paleoenvironments (Hiscott, Richard N.) 10: 2028-2042

paleogeography-Paleozoic

Canada: Ordovician to Devonian sea-level changes in western and northern Canada (Lenz. A. C.) 10: 1919-1932

paleogeography-Pleistocene

Manitoba: Relict ice-scour marks and late phases of Lake Agassiz in northernmost Manitoba (Dredge, L. A.) 5: 1079-1087

paleogeography-Silurian

Ontario: Correlation of sea-level curves for the Lower Silurian of the Bruce Peninsula and Lake Timiskaming District (Ontario) (Colville, Valerie R., et al.) 5: 962-974

paleomagnetism-Archean

Canadian Shield: Paleomagnetism and structural history of the Ghost Range intrusive complex, central Abitibi Belt, Ontario; further evidence for the late Archean geomagnetic field of North America (Geissman, John W., et al.) 11: 2085-2099

- Paleomagnetism of late Archean metavolcanics and metasediments, Abitibi Orogen, Canada; volcanics of the Blake River Group and sediments and volcanics of the Timiskaming Group

(Tasillo-Hirt, Ann M., et al.)

11: 2100-2113 paleomagnetism-Devonian Northwest Territories: Implications of Early Devonian poles from the Canadian Arctic Archipelago for the North

American apparent polar wander path (Dankers, Peter) 9: 1802-1809 paleomagnetism-experimental studies

magnetic hysteresis: Magnetic hysteresis as a function of low temperature for deep-sea basalts containing large titanomagnetite grains; inference of domain state and controls on coercivity (Hodych, J. P.) 1: 144-152

paleomagnetism-Holocene

British Columbia: The paleomagnetism and U-Th dating of three Canadian speleothems; evidence for the westward

drift, 5.4-2.1 ka BP 10-1085-1005 (Latham, A., et al.)

paleomagnetism-Mesozoic

Labrador: Paleomagnetism of drill cores from Labrador offshore wells (Patzold, Raymund R., et al.) 11: 2210-2214

paleomagnetism-Ordovician

Newfoundland: Paleomagnetic reexamination of the Lower Ordovician Wabana and Bell Island groups of the Avalon Peninsula of Newfoundland (Buchan, K. L., et al.) 5: 1055-1069

paleomagnetism—Paleozoic

Maine: Paleomagnetism of Siluro-Devonian rocks from eastern Maine [discussion and reply] (Roy, Jean L., et al.) 1: 225-237

paleomagnetism-Pleistocene

Yukon Territory: Magnetic reversal history of Pleistocene sediments at Old Crow, northwestern Yukon Territory (Pearce, G. W., et al.) 5: 919-929

paleomagnetism-Proterozoic

Canadian Shield: Extent of Grenvillian remanence components in rocks of the Southern Province (Stupavsky, M., et al.) 4: 698-708

- Isolation of early Paleohelikian remanence in Grenville anorthosites of the French River area, Ontario 4: 819-828 (Stupavsky, M., et al.)

Northwest Territories: Paleomagnetism of the Little Dal lavas, Mackenzie Mountains, Northwest Territories, Canada (Morris, W. A., et al.) 10: 2020-2027

Ontario: Paleomagnetism of the Sutton Lake Proterozoic inlier, Ontario, Canada (Schwarz, E. J., et al.) 6: 1330-1332

paleomagnetism-Quaternary

France: Paleomagnetic infidelity observed in a Quaternary varved lacustrine formation; the Eybens clays, Grenoble, France

(Biquand, Daniel) 6: 1196-1217

North America: Construction of type curves of geomagnetic secular variation for dating lake sediments from East central North America (Creer, K. M., et al.) 6: 1106-1115

Paleosols see under soils under Ontario

Paleozoic see also under geochronology under Maine; see also under stratigraphy under Canada

palynomorphs-biostratigraphy

Holocene: Holocene history of Bedford Basin, Nova Scotia; foraminifera, dinoflagellate, and pollen records

(Miller, A. A. L., et al.) 12: 2342-2367 Ordovician: First report of Ordovician (Caradoc-Ashgill) palynomorphs from Orphan Knoll, Labrador Sea (Legault, J. A.) 9: 1851-1856 3: 398-409

palynomorphs-Chitinozoa

Ordovician: Chitinozoans from the upper Arenigian (Zone D) of the Levis Formation, Quebec, Canada (Achab, A.) 6: 1295-1307

palvnomorphs-Dinoflagellata

Holocene: Holocene history of Bedford Basin, Nova Scotia; foraminifera, dinoflagellate, and pollen records (Miller, A. A. L., et al.) 12: 2342-2367

palynomorphs-miospores

Devonian: Palynological evidence for recycling of Upper Devonian into Lower Cretaceous of the Moose River basin, James Bay Lowland, Ontario (Legault, Jocelyne A., et al.)

1: 1-7

Holocene: A 1100 year paleoclimatic record from Burton Bay-Tarr Inlet, Baffin Island

(Short, Susan K., et al.)

Historic changes in an urban watershed determined by pollen and geochemical analyses of lake sediment (Mathewes, Rolf W., et al.)

11: 2114-2125

History of Holocene climate and vegetation at Lanoraie,
Quebec
(Comtois, Paul) 10: 1938-1952

 Holocene vegetation and climatic change in the Peace River District, Canada
(White, James M., et al.)
3: 555-570

Permian: Upper Permian and Lower Triassic palynomorphs from eastern Yunnan, China

(Ouyang Shu)

1: 68-80

Pleistocene: An 18,000 year palynological record from the southern Alberta segment of the classical Wisconsinan

"ice-free corridor"
(Mott, R. J., et al.)
3: 504-513

 Lag of the Fraser glacial maximum in the Pacific Northwest; pollen and macrofossil evidence from western Fraser Lowland, British Columbia

(Hicock, Stephen R., et al.) 12: 2288-2296

— Quaternary interglacial and associated deposits in South-

west Newfoundland (Brookes, Ian A., et al.) 3: 410-423

 Stratigraphic relationships and paleoecology of a late-glacial peat bed from the Queen Charlotte Islands, British Columbia

(Mathewes, Rolf W., et al.) 6: 1185-1195 Quaternary: Late Quaternary inter-till Paleosol and biota at Guelph, Ontario

(Karrow, P. F., et al.) 9: 1857-1872

 Late Quaternary paleoenvironments of the Morley Flats and Kananaskis Valley of southwestern Alberta (MacDonald, Glen M.)
 1: 23-35

Pollen distribution in Recent marine sediments, eastern
Canada
(Mudie, P. J.)
4: 729-747

periglacial features see under glacial geology

Permian see also under stratigraphy under China

petroleum-genesis

source rocks: Thermal diagenesis in the Swiss molasse basin; implications for oil generation
(Monnier, F.) 2: 328-342

phase equilibria-copper ores

mathematical models: A thermodynamic approach to the understanding of the supergene alteration at the Afton copper mine, South-central British Columbia (Kwong, Y. T. J., et al.) 12: 2378-2386

phase equilibria-mineral assemblages

P-T conditions: A pseudo-tactite assemblage in the footwall of a massive sulfide occurrence, Savant Lake - Sturgeon Lake greenstone terrains, Ontario

(Kissin, S. A., et al.)
 Metamorphism of the pelitic rocks of the Snyder Group in the contact aureole of the Kiglapait layered intrusion, Labrador; effects of buffering partial pressures of water (Speer, J. Alexander)
 10: 1888-1909

Pisces—Osteichthyes

Devonian: Eusthenopteron foordi, a predator on Homalacanthus concinnus from the Escuminac Formation, Miguasha, Quebec

(Arsenault, Marius) 11: 2214-2217

Plantae see also algae; angiosperms; bryophytes; fungi; gymnosperms; ichnofossils; palynomorphs; problematic fossils

plate tectonics see also under tectonophysics under Oman; Pacific Ocean

Pleistocene see also under geochronology under Alaska; British Columbia; Ontario; Yukon Territory; see also under stratigraphy under Alberta; British Columbia; Newfoundland

plutons see under intrusions
pollution see also under environmental geology under Quebec
potash see also under economic geology under Saskatchewan

potassium-geochemistry

granites: Na-K-Li geochemistry of the Prestige Pluton in the Slave Province of the Canadian Shield (Kretz, Ralph, et al.) 3: 540-554

(Kretz, Ralph, et al.) 3: 540-554 **Precambrian** see also under geochronology under Canadian Shield: Manitoba; Ontario

problematic fossils—biogeography

Cambrian: First record of Labyrinthus soraufi Kobluk from the Southern Appalachians; Lower Cambrian Shady Dolomite, Virginia (Kobluk, David R.) 5: 1094-1098

problematic fossils-problematic microfossils

Paleozoic: Microcodium (algae, incertae sedis?) from the upper Paleozoic of the Canadian Arctic (Mamet, B. L., et al.) 2: 357-363

Proterozoic see also under geochronology under Canadian Shield; Labrador; New Brunswick; Northwest Territories; Ontario; Yukon Territory; see also under stratigraphy under Northwest Territories; Ontario

pyroclastics see under igneous rocks

Quaternary see also under geochronology under Alberta; British Columbia; France; Great Lakes region; Labrador; North America; Northwest Territories; see also under stratigraphy under Alberta; Atlantic Ocean; British Columbia; Canada; Great Lakes region; Ontario; Quebec

Quebec-economic geology

copper ores: Geochemistry of the alteration pipe at the Amulet Upper A Deposit, Noranda, Quebec (Hall, B. V.) 11: 2060-2084

Patapedia; an Appalachian calc-silicate-hosted copper prospect of porphyry affinity
(Williams-Jones, Anthony E.) 3: 438-455

southern Quebec

metamorphism: Thermometry and barometry of some am-

phibolite-granulite facies rocks from the Otter Lake area,

igneous rocks: Rare earth elements in the bimodal Mount

derived magma

(Strong, D. F., et al.)

Peyton Batholith; evidence of crustal anatexis by mantle-

2: 308-315

gold ores: Manganiferous garnet underlying the Bousquet

ment as a guide to gold ore

gold orebody, Quebec; metamorphosed manganese sedi-

Noranda, Quebec; fragmentation mechanism and emplace-

7: 1337-1349

ment during felsic volcanism

(Tasse, Normand, et al.)

(Valliant, R. I., et al.) 5: 993-1010 (Perkins, Dexter, III, et al.) 9: 1759-1774 zinc ores: Geochemistry of the alteration pipe at the Amulet Quebec-sedimentary petrology Upper A Deposit, Noranda, Quebec sedimentation: Depositional mechanisms of deep-sea coarse (Hall, B. V.) 11: 2060-2084 clastic sediments, Cap Enrage Formation, Quebec - Grenville iron-formations and associated stratiform zinc (Hein, Frances J.) - Erratum; Depositional mechanisms of deep-sea coarse mineralization, Roddick Lake area, Mount Laurier Basin, Quebec clastic sediments, Cap Enrage Formation, Quebec (Brown, Alex C.) 8: 1670-1679 (Hein, Frances J.) Ouebec-environmental geology Ouebec-stratigraphy pollution: Geology and geochemistry of the Saint Lawrence Archean: Evolution of the South-central part of the Archean River, Estuary and Gulf, Canada Abitibi Belt, Quebec; Part I, Stratigraphy and paleogeo-(Couillard, Denis) 7: 1492-1506 graphic model Quebec-geochemistry (Dimroth, Erich, et al.) isotopes: Isotopic characterization (O-18, 13CO2, H-3) of - Paleomagnetism of late Archean metavolcanics and drainage water from peat on permafrost, Ungava metasediments, Abitibi Orogen, Canada; volcanics of the (Dever, Laurent, et al.) 6: 1255-1263 Blake River Group and sediments and volcanics of the trace elements: Archean metavolcanics from the Rouyn-Timiskaming Group Noranda District, Abitibi greenstone belt, Quebec; 2, Mo-(Tasillo-Hirt, Ann M., et al.) 11: 2100-2113 bility of trace elements and petrogenetic constraints Holocene: History of Holocene climate and vegetation at (Ludden, John, et al.) 12: 2276-2287 Lanoraie, Ouebec Discharge of metals from the St. Lawrence River (Comtois, Paul) 10: 1938-1952 (Yeats, P. A., et al.) 5: 982-992 Ordovician: Chitinozoans from the upper Arenigian (Zone D) - Geochemistry of the alteration pipe at the Amulet Upper of the Levis Formation, Quebec, Canada A Deposit, Noranda, Quebec (Achab, A.) (Hall, B. V.) 11: 2060-2084 - Conodonts and the position of the Ordovician-Silurian - Sr, Y, Zr, Nb, Ti, and REE in Grenville amphibolites at boundary at the eastern end of Anticosti Island, Quebec, Montauban-les-Mines, Quebec Canada (MacLean, W. H., et al.) 4: 633-644 (Nowlan, Godfrey S.) 6: 1332-1335 weathering: Evolution of initial stages of superficial geo-- The biostratigraphy of the Nicolet River Formation in chemical weathering of anorthosites; case of the Chateau-Quebec and intra-North American correlations in Middle Richer profile, Quebec and Upper Ordovician strata (Dejou, J., et al.) (Walters, Martin, et al.) Quebec-paleontology Quaternary: The late Quaternary geology of the Chalk River Pisces: Eusthenopteron foordi, a predator on Homalacanthus region, Ontario and Quebec (Catto, N. R., et al.) concinnus from the Escuminac Formation, Miguasha, 6: 1218-1231 Silurian: Conodonts and the position of the Ordovician-(Arsenault, Marius) 11: 2214-2217 Silurian boundary at the eastern end of Anticosti Island, worms: A possible annelid from the Trenton Limestone (Or-Quebec, Canada dovician) of Quebec, with a review of fossil oligochaetes (Nowlan, Godfrey S.) 6: 1332-1335 radioactive dating see absolute age and other annulate worms (Morris, S. Conway, et al.) 11: 2150-2157 rare earths-abundance Quebec-petrology amphibolites: Sr, Y, Zr, Nb, Ti, and REE in Grenville amphibolites at Montauban-les-Mines, Quebec intrusions: The Ile Bizard Intrusion, Montreal, Quebec; kimb-(MacLean, W. H., et al.) erlite or lamprophyre? 4: 633-644 metavolcanic rocks: Volcanism of shoshonite to high-K ande-(Raeside, Robert P., et al.) 10: 1996-2011 metamorphic rocks: Archean mafic metavolcanics from the site affinity in an Archean arc environment, Oxford Lake, Rouyn-Noranda District, Abitibi greenstone belt, Quebec; Manitoba 1, Mobility of the major elements (Brooks, C., et al.) 1: 55-67 (Gelinas, Leopold, et al.) 12: 2258-2275 volcanic rocks: Rare earth elements in volcanic rocks associat-- Archean metavolcanics from the Rouyn-Noranda Dised with Cu-Zn massive sulphide mineralization; a prelimitrict, Abitibi greenstone belt, Quebec; 2, Mobility of trace nary report elements and petrogenetic constraints (Campbell, I. H., et al.) 3: 619-623 (Ludden, John, et al.) 12: 2276-2287 rare earths-geochemistry Volcaniclastites from the rhyolitic Cap d'Ours Complex,

metavolcanic rocks: Archean metavolcanics from the Rouyn-Noranda District, Abitibi greenstone belt, Quebec: 2, Mobility of trace elements and petrogenetic constraints (Ludden, John, et al.) 12: 2276-2287 ophiolite: The South Lake igneous complex, Newfoundland; a marginal basin-island arc association (Lorenz, Brenna E., et al.) 3: 490-503

plutonic rocks: Isotopic and trace element study of the Loon Lake Pluton, Grenville Province, Ontario (Heaman, Larry M., et al.) 5: 1045-1054

regional geology see areal geology under the appropriate area

remote sensing see also geophysical methods

Reptilia-Captorhinomorpha Permian: Bayloria morei Olson 1941 identified as an imma-

ture specimen of the Permian reptile Captorhinus aguti (Cope, 1882) (Reisz, R. R., et al.) 6: 1232-1234

Reptilia-Ornithischia

Cretaceous: Skeletal and dermal armor reconstruction of Euoplocephalus tutus (Ornithischia; Ankylosauridae) from the Late Cretaceous Oldman Formation of Alberta (Carpenter, Kenneth) 4: 689-697

Reptilia-Pterosauria

Cretaceous: A giant pterosaur (Reptilia; Archosauria) from the Judith River (Oldman) Formation of Alberta (Currie, Philip J., et al.) 4: 894-897

rock mechanics see also soil mechanics

rock mechanics-deformation

stress: Stress orientations from borehole wall fractures with examples from Colorado, East Texas, and northern Canada (Gough, D. I., et al.) 7: 1358-1370 - Stress-relief buckles in the McFarland Quarry, Ottawa (Adams, John) 10: 1883-1887

rock mechanics-materials, properties

elastic properties: Seismological studies in a rock body at Chalk River, Ontario and their relation to fractures 8: 1535-1547 (Wright, C.) electrical properties: Petrofabric and dielectric anisotropy in rock

(Nowina, S., et al.) 1: 36-54 sandstone: The influence of diagenetic microfabric on oil sands behaviour

(Barnes, Deborah J., et al.) Rocky Mountains-geomorphology

mass movements: The Brazcau Lake slide, Jasper National Park, Alberta (Cruden, D. M.) 5: 975-981

Rocky Mountains-seismology

earthquakes: Source parameters from shallow events in the Rocky Mountain House earthquake swarm (Rebollar, C. J., et al.) 5: 907-918

Rocky Mountains-structural geology

tectonics: Transverse folding and superposed deformation, Mount Fisher area, southern Canadian Rocky Mountain thrust and fold belt (McMechan, M. E., et al.) 5: 1011-1024

Rocky Mountains-tectonophysics

heat flow: Geothermal gradients in the Hinton area of Westcentral Alberta (Lam, H. L., et al.) 4: 755-766 Saskatchewan-economic geology

potash: Mineralogy of clay marker seams in some Saskatchewan potash mines (Mossman, D. J., et al.) 11: 2126-2140

Saskatchewan-engineering geology

earthquakes: Induced earthquakes at a potash mine near Saskatoon, Canada (Gendzwill, D. J., et al.) 3: 466-475

geologic hazards: Induced earthquakes at a potash mine near Saskatoon, Canada (Gendzwill, D. J., et al.) 3: 466-475

Saskatchewan-geomorphology

lacustrine features: Howe Lake; a hydrodynamic blowout structure (Christiansen, E. A., et al.) 6: 1122-1139

Saskatchewan-stratigraphy

Devonian: Mineralogy of clay marker seams in some Saskatchewan potash mines (Mossman, D. J., et al.) 11: 2126-2140

sedimentary rocks see also sedimentary structures; sedimentation; sediments

sedimentary rocks—carbonate rocks

calcrete: Devonian calcrete from China; its significance as the first Devonian calcrete from Asia (Boucot, A. J., et al.) 7: 1532-1534

sedimentary rocks-chemically precipitated rocks

evaporites: 34S and 18O abundances differentiate Upper Cambrian and Lower Devonian gypsum-bearing units, District of Mackenzie, N.W.T.; an update (van Everdingen, Robert O., et al.) 6: 1246-1254

sedimentary rocks—clastic rocks

breccia: Evidence for a genetic link between Sudbury breccias and fenite breccias (Dupuis, L., et al.) 6: 1174-1184

lithofacies: Depositional mechanisms of deep-sea coarse clastic sediments, Cap Enrage Formation, Quebec (Hein, Frances J.)

- Erratum; Depositional mechanisms of deep-sea coarse clastic sediments, Cap Enrage Formation, Quebec (Hein, Frances J.)

pyroclastics: Volcaniclastic rocks and volcaniclastic facies in the middle Precambrian (Aphebian) Belcher Group, Northwest Territories, Canada (Ricketts, B. D., et al.) 6: 1275-1294

sedimentary rocks-environmental analysis

fluvial environment: The Upper Carboniferous Clifton Formation of northern New Brunswick; coal-bearing deposits of a semi-arid alluvial plain (Legun, Andrew S., et al.) 9: 1775-1785

intertidal sedimentation: Tidal deposits of the Lower Cambrian Random Formation, eastern Newfoundland; facies and paleoenvironments (Hiscott, Richard N.) 10: 2028-2042

sedimentary rocks-organic residues

coal: In situ gasification of coal, a natural example; history, petrology, and mechanics of combustion (Bustin, R. M., et al.) 3. 514-523

sedimentary structures see also sedimentary rocks; sediments

(Legun, Andrew S., et al.)

berta, Canada

(Shaw, John)

glacier basin

(Eyles, N., et al.)

glacial sedimentation: Melt-out till in the Edmonton area, Al-

glaciofluvial sedimentation: Geochemical denudation rates

and solute transport mechanisms in a maritime temperate

sedimentary structures—biogenic structures - The depositonal history of an esker near Ottawa, Canada lebensspuren: Description and ecology of Recent endolithic (Cheel, R. J.) 7: 1417-1427 biota from the Gulf Islands and banks in the Strait of Juan glaciolacustrine sedimentation: Late Pleistocene probosde Fuca, British Columbia cideans and early Fraser glacial sedimentation in eastern (Henderson, C. M., et al.) Fraser Lowland, British Columbia sedimentary structures-environmental analysis (Hicock, Stephen R., et al.) deep-sea environment: Depositional mechanisms of deep-sea glaciomarine sedimentation: Acoustic interpretation of Quatcoarse clastic sediments, Cap Enrage Formation, Quebec ernary sedimentation and erosion on the channelled upper (Hein. Frances J.) Laurentian Fan, Atlantic margin of Canada intertidal environment: Tidal deposits of the Lower Cambrian (Piper, David J. W., et al.) 10: 1974-1984 Random Formation, eastern Newfoundland; facies and - Northern Labrador Shelf glacial chronology and deposipaleoenvironments tional environments (Hiscott, Richard N.) 10: 2028-2042 (Fillon, Richard H., et al.) 1: 162-192 sedimentation—controls - The Broughton Trough on the continental shelf of eastern tectonic controls: The upper Batinah Complex, Oman; alloch-Baffin Island, Northwest Territories thonous sediment sheets above the Semail Ophiolite (Gilbert, R.) 8: 1599-1607 (Woodcock, N. H., et al.) 8: 1635-1656 sedimentation-provenance - The Winona Basin; structure and tectonics indicators: Investigation of the Archaean crust by single-grain (Davis, E. E., et al.) 4: 767-788 dating of detrital zircon; a graywacke of the Slave Provsedimentation—cyclic processes ince. Canada marine sedimentation: Correlation of sea-level curves for the (Scharer, Urs, et al.) 10: 1910-1918 Lower Silurian of the Bruce Peninsula and Lake Timiskamsedimentation—sedimentation rates ing District (Ontario) lacustrine sedimentation: Historic changes in an urban water-(Colville, Valerie R., et al.) 5: 962-974 shed determined by pollen and geochemical analyses of Ordovician to Devonian sea-level changes in western and lake sediment northern Canada (Mathewes, Rolf W., et al.) 11: 2114-2125 (Lenz, A. C.) 10: 1919-1932 paludal sedimentation: Holocene vegetation and climatic sedimentation-environment change in the Peace River District, Canada glacial environment: Late Quaternary geology of eastern Gra-(White, James M., et al.) 3: 555-570 ham Island, Queen Charlotte Islands, British Columbia sedimentation-transport (Clague, John J., et al.) 9: 1786-1795 ice rafting: The movement of isolated boulders on tidal flats glaciolacustrine environment: Neoglacial Lake Alsek by ice floes (Clague, John J., et al.) 1: 94-117 (Drake, John J., et al.) 4.748-754 sedimentation-processes marine transport: Lagrangian sediment motion in a crescentic bioturbation: Description and ecology of Recent endolithic nearshore bar under storm-induced waves and currents biota from the Gulf Islands and banks in the Strait of Juan (Greenwood, Brian, et al.) 3: 424-433 de Fuca, British Columbia sediments see also sedimentary rocks; sedimentary structures; (Henderson, C. M., et al.) sedimentation deep-sea sedimentation: Depositional mechanisms of deep-sea sediments-clastic sediments coarse clastic sediments, Cap Enrage Formation, Quebec gravel: Paraglacial origin for terraced river sediments in Bow (Hein, Frances J.) 2: 267-287 Valley, Alberta - Erratum; Depositional mechanisms of deep-sea coarse (Jackson, Lionel E., Jr., et al.) 12: 2219-2231 clastic sediments, Cap Enrage Formation, Quebec till: Late Quaternary geology of eastern Graham Island, (Hein, Frances J.) Queen Charlotte Islands, British Columbia estuarine sedimentation: Sediment character and provenance (Clague, John J., et al.) 9: 1786-1795 in a complex fjord; Howe Sound, British Columbia - Melt-out till in the Edmonton area, Alberta, Canada (Syvitski, James P. M., et al.) 5: 1025-1044 (Shaw, John) 8: 1548-1569 fluvial sedimentation: Geology and geochemistry of the Saint - Quaternary sequences along the north shore of Lake On-Lawrence River, Estuary and Gulf, Canada tario; Oshawa-Port Hope (Couillard, Denis) (Brookfield, M. E., et al.) 9: 1836-1850 - The Upper Carboniferous Clifton Formation of northern New Brunswick; coal-bearing deposits of a semi-arid alsediments-composition mineral composition: A brief description of calcite spheres luvial plain

9: 1775-1785

8: 1570-1581

Beaufort Sea, Arctic Canada (Dixon, J., et al.) sediments—environmental analysis

lacustrine environment: Historic changes in an urban watershed determined by pollen and geochemical analyses of lake sediment (Mathewes, Rolf W., et al.) 11: 2114-2125

from Pliocene strata in the Dome Gulf et al. C-50 well,

3: 623-628

9: 1810-1816

3: 434-437

sediments-marine sediments

geochemistry: Geochemical factors controlling the accumulation and dispersal of heavy metals in the Bay of Fundy sediments

(Loring, D. H.)

mechanical properties: Significance of some geotechnical properties of continental slope and rise sediments off Northeast Newfoundland (Schafer, Charles T., et al.)

1: 153-161

sediments-provenance

textures: Sediment character and provenance in a complex fjord; Howe Sound, British Columbia (Syvitski, James P. M., et al.) 5: 1025-1044

seismic surveys see under geophysical surveys under Atlantic Ocean; Ontario

seismology-earthquakes

focal mechanism: Source parameters from shallow events in the Rocky Mountain House earthquake swarm (Rebollar, C. J., et al.) 5: 907-918

seismology-elastic waves

P-wares: A study of slowness anomalies around London, Ontario from University of Western Ontario seismic array observations

(Mok, K. H., et al.)

— On PP and SS reflection point anomalies

(Buchbinder, G. G. R.)

velocity: Seismological studies in a rock body at Chalk River,
Ontario and their relation to fractures
(Wright, C.)
8: 1535-1547

seismology-seismicity

monitoring: A seismicity study in northern Baffin Bay (Reid, I., et al.) 7: 1518-153

seismology—theoretical studies

synthetic seismograms: Computation of synthetic seismograms for a thin layered periodic structure (Daley, P. F., et al.) 7: 1449-1453

Senegal—geophysical surveys

magnetotelluric surveys: Regional magnetotelluric study of the electrical conductivity structure along the western border of the West African Craton in Senegal (Ritz, M.) 7: 1408-1416

Senegal—tectonophysics

crust: Regional magnetotelluric study of the electrical conductivity structure along the western border of the West African Craton in Senegal (Ritz, M.) 7: 1408-1416

sills see under intrusions

Silurian see also under stratigraphy under Great Lakes region; Missouri; Ontario; Quebec; Yukon Territory

silver ores see also under economic geology under British Columbia

slope stability see also geomorphology; see also under engineering geology under British Columbia

sodium-geochemistry

granites: Na-K-Li geochemistry of the Prestige Pluton in the Slave Province of the Canadian Shield (Kretz, Ralph, et al.) 3: 540-554

soil mechanics see also rock mechanics

soil mechanics-materials, properties

marine sediments: Significance of some geotechnical properties of continental slope and rise sediments off Northeast Newfoundland (Schafer, Charles T., et al.) 1: 153-161

soils—surveys

Ontario: Late Quaternary inter-till Paleosol and biota at Guelph, Ontario (Karrow, P. F., et al.) 9: 1857-1872

Quebec: Evolution of initial stages of superficial geochemical weathering of anorthosites; case of the Chateau-Richer profile, Quebec (Dejou, J., et al.)

8: 1697-1706

Southern Hemisphere see also Atlantic Ocean; Pacific Ocean

Spermatophyta—paleoecology

refugia: Stratigraphic relationships and paleoecology of a late-glacial peat bed from the Queen Charlotte Islands, British Columbia

(Mathewes, Rolf W., et al.) 6: 1185-1195 springs see also ground water; see also underhydrogeology under

Northwest Territories

strontium-isotopes

Sr-87/Sr-86: Isotopic and trace element study of the Loon Lake Pluton, Grenville Province, Ontario

(Heaman, Larry M., et al.) 5: 1045-1054

— Rb-Sr isochron ages, magmatic 87Sr/86Sr initial ratios, and oxygen isotope geochemistry of the Proterozoic lava flows and intrusions of the East Arm of Great Slave Lake,

Northwest Territories, Canada (Goff, S. P., et al.) 2: 343-356

structural analysis see also folds; foliation

structural analysis—folds

interference patterns: Structural and metamorphic relationships between the Mount Ida and Monashee groups at Mara Lake, British Columbia (Nielsen, Kent C.) 2: 288-307

structural analysis-foliation

petrofabrics: Kinematic interpretation of mylonitic rocks in part of the Columbia River fault zone, Shuswap Terrane, British Columbia
(Brown, Richard L., et al.) 3: 456-465

structural analysis—fractures

orientation: Stress orientations from borehole wall fractures with examples from Colorado, East Texas, and northern Canada

(Gough, D. I., et al.) 7: 1358-1370

plutons: Fractures and fracture infillings of the Eye-Dashwa Lakes Pluton, Atikokan, Ontario (Stone, Denver, et al.) 4: 789-803

structural analysis-interpretation

flow lines: Flow structures in a dike; mechanism of telescopic intrusion and the concept of intrawalls

(Andre, Francis, et al.) 12: 2387-2399 interference patterns: Complex evolution of folds and cleav-

ages in Archean rocks, Yellowknife, N.W.T. (Fyson, W. K.) 4: 878-893

— Structure, petrology, and tectonic history of the Leech River Complex northwest of Victoria, Vancouver Island (Fairchild, Lee H., et al.) 9: 1817-1835 ophiolite: Tectonic structures related to thrusting of ophiolitic

complexes; the White Hills Peridotite, Newfoundland (Girardeau, J.)
4: 709-722

polyphase processes: Evidence for multiple deformation during the Penokean Orogeny in the middle Precambrian Thomson Formation, Minnesota (Holst, T. B.) 10: 2043-2047

structural analysis-preferred orientation

till: Melt-out till in the Edmonton area, Alberta, Canada (Shaw, John) 8: 1548-1569

structural petrology see structural analysis

sulfur-isotopes

3-34/S-32: Isotope geochemistry of dissolved, precipitated, airborne, and fallout sulfur species associated with springs near Paige Mountain, Norman Range, N.W.T.

(van Everdingen, Robert O., et al.) 7: 1395-1407

34S and 18O abundances differentiate Upper Cambrian and Lower Devonian gypsum-bearing units, District of Mackenzie, N.W.T.; an update
(van Everdingen, Robert O., et al.) 6: 1246-1254

sulphur see sulfur

Switzerland-sedimentary petrology

diagenesis: Thermal diagenesis in the Swiss molasse basin; implications for oil generation
(Monnier, F.) 2: 328-342

Syria-geochemistry

isotopes: The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman [discussions and replies]

(Thorpe, R. I., et al.)

8: 1710-1726

tectonics see also faults; folds; orogeny; structural analysis; see also under structural geology under British Columbia; Minnesota; Newfoundland; Northwest Territories; Oman; Rocky Mountains

tephrochronology see under geochronology

Texas-paleontology

Reptilia: Bayloria morei Olson 1941 identified as an immature specimen of the Permian reptile Captorhinus aguti (Cope, 1882)
(Reisz, R. R., et al.)
6: 1232-1234

Texas-structural geology

deformation: Stress orientations from borehole wall fractures with examples from Colorado, East Texas, and northern Canada (Gough, D. I., et al.) 7: 1358-1370

thermal waters see also under hydrogeology under British Columbia

thrust faults see under displacements under faults

trace elements see under geochemistry under Atlantic Ocean; British Columbia; Canadian Shield; Manitoba; Newfoundland; Norway; Ontario; Quebec; Yukon Territory

Triassic see also under stratigraphy under China

Trilobita-Phacopida

Ordovician: Ordovician Pterygometopidae (Trilobita) of North America (Ludvigsen, Rolf, et al.) 11: 2179-2206

(Ludvigsen, Rolf, et al.) 11: 2179-2206
Silurian: Observations on the Attawapiskat Formation
(Silurian) trilobites of Ontario, with description of a new encrinurine
(Gass, Kenneth C., et al.) 3: 589-596

trilobites-biostratigraphy

Silurian: Observations on the Attawapiskat Formation (Silurian) trilobites of Ontario, with description of a new encrinurine

(Gass, Kenneth C., et al.)

3: 589-596

tritium see also deuterium; hydrogen

tritium-abundance

water: Isotopic characterization (O-18, <sup>13</sup>CO<sub>2</sub>,H-3) of drainage water from peat on permafrost, Ungava (Dever, Laurent, *et al.*) 6: 1255-1263

tungsten ores see also under economic geology under Newfoundland

underground water see ground water

United States see also the individual states and regions

**uranium ores** see also under economic geology under Northwest Territories

varves see lacustrine features under geomorphology

Vertebrata see also Amphibia; Aves; ichnofossils; Mammalia; Pisces; problematic fossils; Reptilia

Virginia—paleontology

problematic fossils: First record of Labyrinthus soraufi Kobluk from the Southern Appalachians; Lower Cambrian Shady Dolomite, Virginia (Kobluk, David R.) 5: 1094-1098

volcanic features see under geomorphology

volcanic rocks see under igneous rocks

volcanism see under volcanology

volcanoes see under volcanology

volcanology-volcanism

environment: Volcaniclastic rocks and volcaniclastic facies in the middle Precambrian (Aphebian) Belcher Group, Northwest Territories, Canada (Ricketts, B. D., et al.) 6: 1275-1294

island arcs: Sr, Y, Zr, Nb, Ti, and REE in Grenville amphibolites at Montauban-les-Mines, Quebec

(MacLean, W. H., et al.)
4: 633-644
pyroclastic flows: Volcaniclasties from the rhyolitic Cap
d'Ours Complex, Noranda, Quebec; fragmentation mechanism and emplacement during felsic volcanism

(Tasse, Normand, et al.) 7: 1337-1349 volcanoes: Archean volcanoes in southwestern Abitibi Belt, Ontario and Quebec; form, composition, and development (Goodwin, A. M.) 6: 1140-1155

volcanology-volcanoes

Mount Saint Helens: Weighted vector analysis applied to surge deposits from the May 18, 1980 eruption of Mount St. Helens, Washington (Hickson, Catherine J., et al.)

4: 829-836

Washington-paleontology

Amphibia: A new specimen of Taricha (Amphibia; Caudata) from the Oligocene of Washington (Naylor, Bruce G.) 11: 2207-2209

Washington-volcanology

Mount Saint Helens: Weighted vector analysis applied to surge deposits from the May 18, 1980 eruption of Mount St. Helens, Washington (Hickson, Catherine J., et al.) 4: 829-836

waste disposal see also underengineering geology under Ontario water see also ground water; hydrology

weathering see also under geochemistry under British Columbia; Quebec

2: 316-323

well-logging-interpretation

stress: Stress orientations from borehole wall fractures with examples from Colorado, East Texas, and northern Canada (Gough, D. I., et al.)
 Western Hemisphere see also Atlantic Ocean; North America:

Pacific Ocean

worms-miscellanea

Ordovician: A possible annelid from the Trenton Limestone (Ordovician) of Quebec, with a review of fossil oligochaetes and other annulate worms (Morris, S. Conway, et al.) 11: 2150-2157

xenoliths see under inclusions

Yukon Territory—geochemistry

trace elements: Geological setting and tectonic significance of Mississippian felsic metavolcanic rocks in the Pelly Mountains, southeastern Yukon Territory (Mortensen, James K.) 1: 8-22

Yukon Territory—geochronology

Holocene: Neoglacial Lake Alsek (Clague, John J., et al.) 1: 94-117

Mississippian: Geological setting and tectonic significance of Mississippian felsic metavolcanic rocks in the Pelly Mountains, southeastern Yukon Territory (Mortensen, James K.) 1: 8-22

Pleistocene: Fission-track ages of late Cenozoic distal tephra beds in the Yukon Territory and Alaska (Naeser, Nancy D., et al.) 11: 2167-2178  Magnetic reversal history of Pleistocene sediments at Old Crow, northwestern Yukon Territory

(Pearce, G. W., et al.) 5: 919-929
Proterozoic: Age and stratigraphic-tectonic significance of
Proterozoic diabase sheets, Mackenzie Mountains, northwestern Canada

(Armstrong, Richard Lee, et al.)

Yukon Territory—paleobotany

algae: Microcodium (algae, incertae sedis?) from the upper Paleozoic of the Canadian Arctic (Mamet, B. L., et al.) 2: 357-363

Yukon Territory-stratigraphy

Devonian: New data on Late Silurian and Early Devonian brachiopods from the Royal Creek area, Yukon Territory (Lenz, Alfred C.) 2: 364-375

Ordovician: The Ordovician-Silurian boundary, northern Canadian Cordillera; graptolite and conodont correlation (Lenz, A. C., et al.) 6: 1308-1322 Silurian: New data on Late Silurian and Early Devonian bra-

chiopods from the Royal Creek area, Yukon Territory (Lenz, Alfred C.) 2: 364-375


The Ordovician-Silurian boundary, northern Canadian


Cordillera; graptolite and conodont correlation (Lenz, A. C., et al.) 6: 1308-1322

zinc-geochemistry

till: Biogeochemical expression of a classic dispersal train of metalliferous till near Hopetown, Ontario (DiLabio, R. N. W., et al.) 12: 2297-2305 zinc ores see also under economic geology under Ouebec







# Canadian Journal of Earth Sciences

# Journal canadien des sciences de la terre

Volume 19 • 1982

Editor M. E. EVANS Directeur scientifique

Assistants to the Editor P. M. CAMPBELL, S. J. MELNYCHUK Adjointes au directeur scientifique

#### Associate Editors/Directeurs scientifiques associés

L. D. AYRES E. D. GHENT H. MORRIS
W. R. A. BARAGAR M. J. KEEN N. RAST
M. J. BERRY J. W. KRAMERS D. A. RUSSELL
W. G. E. CALDWELL S. B. McCANN D. F. STRONG
H. CHARLESWORTH A. D. MIALL R. O. VAN EVERDINGEN
J. W. H. MONGER

PUBLISHING DEPARTMENT SERVICE DE PUBLICATION at the National Research Council of Canada du Conseil national de recherches du Canada

Assistant Editor-in-chief P. A. REDHEAD Directeur général adjoint
Manager G. H. M. ADAMS Directrice administrative
Publishing Supervisor S. E. JENNESS Préposé de la publication
Senior Publication Officer F. M. KAVCIC Agent supérieur à la publication
Publication Officer S. A. DILABIO Agent à la publication

Published by the National Research Council of Canada Publié par le Conseil national de recherches du Canada



# CONTENTS/SOMMAIRE

# JANUARY/JANVIER

	100
Instructions to authors	iii
Recommandations aux auteurs	V
ARTICLES	
Jocelyne A. Legault and Geoffrey Norris Palynological evidence for recycling of Upper Devonian into Lower Cretaceous of the Moose River Basin, James Bay Lowland, Ontario	1
James K. Mortensen Geological setting and tectonic significance of Mississippian felsic metavolcanic rocks in the Pelly Mountains, southeastern Yukon Territory	8
Glen M. MacDonald Late Quaternary paleoenvironments of the Morley Flats and Kananaskis Valley of southwestern Alberta	23
S. Nowina and D. W. Strangway Petrofabric and dielectric anisotropy in rock	36
C. Brooks, J. Ludden, Y. Pigeon, and J. J. M. W. Hubregtse Volcanism of shoshonite to high-K andesite affinity in an Archean arc environment, Oxford Lake, Manitoba	55
Ouyang Shu Upper Permian and Lower Triassic palynomorphs from eastern Yunnan, China	68
Joseph C. White Quartz deformation and the recognition of recrystallization regimes in the Flinton Group conglomerates, Ontario	81
John J. Clague and V. N. Rampton Neoglacial Lake Alsek	94
Richard C. Fox and Bruce G. Naylor A reconsideration of the relationships of the fossil amphibian Albanerpeton	118
<b>Peter H. Thompson and Jean-Pierre Bard</b> Isograds and mineral assemblages in the eastern axial zone, Montagne Noire (France): implications for temperature gradients and $P-T$ history	129
<b>J. P. Hodych</b> Magnetic hysteresis as a function of low temperature for deep-sea basalts containing large titanomagnetite grains—inference of domain state and controls on coercivity	144
Charles T. Schafer and Kenneth W. Asprey Significance of some geotechnical properties of continental slope and rise sediments off northeast Newfoundland	153
Richard H. Fillon and Robert A. Harmes Northern Labrador Shelf glacial chronology and depositional environments	162
P. H. von Bitter and H. A. Plint-Geberl Conodont biostratigraphy of the Codroy Group (Lower Carboniferous), southwestern Newfoundland, Canada	193
NOTE	
S. L. Fumerton Redefinition of the Quetico Fault near Atikokan, Ontario	222
DISCUSSIONS	
Jean L. Roy Paleomagnetism of Siluro-Devonian rocks from eastern Maine: Discussion	225
Dennis V. Kent and Neil D. Opdyke Paleomagnetism of Siluro-Devonian rocks from eastern Maine: Reply	232
February/Février	
ARTICLES	
I. R. Fletcher and R. M. Farquhar The protocontinental nature and regional variability of the Central Metasedimentary Belt of the Grenville Province: lead isotope evidence	239
D. W. Davis, C. E. Blackburn, and T. E. Krogh Zircon U-Pb ages from the Wabigoon-Manitou Lakes	254

Frances J. Hein Depositional mechanisms of deep-sea coarse clastic sediments, Cap Enragé Formation, Quebec	267
Kent C. Nielsen Structural and metamorphic relationships between the Mount Ida and Monashee Groups at Mara Lake, British Columbia	288
<b>D. F. Strong and C. Dupuy</b> Rare earth elements in the bimodal Mount Peyton batholith: Evidence of crustal anatexis by mantle-derived magma	308
Richard Lee Armstrong, G. H. Eisbacher, and Paul D. Evans Age and stratigraphic-tectonic significance of Proterozoic diabase sheets, Mackenzie Mountains, northwestern Canada	316
Larry D. Martin and J. D. Stewart An ichthyornithiform bird from the Campanian of Canada	324
F. Monnier Thermal diagenesis in the Swiss molasse basin: implications for oil generation	328
S. P. Goff, H. Baadsgaard, K. Muehlenbachs, and C. M. Scarfe Rb-Sr isochron ages, magmatic 87Sr/86Sr initial ratios, and oxygen isotope geochemistry of the Proterozoic lava flows and intrusions of the East Arm of Great Slave Lake, Northwest Territories, Canada	343
B. L. Mamet et A. Roux Sur la présence de <i>Microcodium</i> (Algue?, <i>Incertae sedis?</i> ) dans le Paléozoïque supérieur de l'Arctique canadien	357
Alfred C. Lenz New data on Late Silurian and Early Devonian brachiopods from the Royal Creek area, Yukon Territory	364
NOTES	
Samuel J. Nelson New Pennsylvanian(?) syringoporid coral from Kamloops area, British Columbia	376
H. R. Hudson A field technique to directly measure river bank erosion	381
March/Mars	
ARTICLES	
G. H. Gale and J. A. Pearce Geochemical patterns in Norwegian greenstones	385
Susan K. Short and John D. Jacobs A 1100 year paleoclimatic record from Burton Bay - Tarr Inlet, Baffin Island	398
Ian A. Brookes, John H. McAndrews, and Peter H. von Bitter Quaternary interglacial and associated deposits in southwest Newfoundland	410
Brian Greenwood and Peter B. Hale Lagrangian sediment motion in a crescentic nearshore bar under storm-induced waves and currents	424
G. G. R. Buchbinder On PP and SS reflection point anomalies	434
Anthony E. Williams-Jones Patapedia: an Appalachian calc-silicate-hosted copper prospect of porphyry affinity	438
Richard L. Brown and Donald C. Murphy Kinematic interpretation of mylonitic rocks in part of the Columbia River fault zone, Shuswap terrane, British Columbia	456
D. J. Gendzwill, R. B. Horner, and H. S. Hasegawa Induced earthquakes at a potash mine near Saskatoon, Canada	466
M. E. McMechan and R. A. Price Superimposed low-grade metamorphism in the Mount Fisher area, southeastern British Columbia—implications for the East Kootenay orogeny	476
Brenna E. Lorenz and John C. Fountain The South Lake Igneous Complex, Newfoundland: a marginal basin – island are association	490
R. J. Mott and L. E. Jackson, Jr. An 18 000 year palynological record from the southern Alberta segment of the classical Wisconsinan "Ice-free Corridor"	504
R. M. Bustin and W. H. Mathews In situ gasification of coal, a natural example: history, petrology, and mechanics of combustion	514
J. J. Clague and J. G. Souther The Dusty Creek landslide on Mount Cayley, British Columbia	524

Ralph Kretz, Diane Garrett, and Robert G. Garrett Na-K-Li geochemistry of the Prestige pluton in the Slave Province of the Canadian Shield	540
James M. White and Rolf W. Mathewes Holocene vegetation and climatic change in the Peace River district, Canada	555
Martin Walters, Pierre J. Lespérance, and Claude Hubert The biostratigraphy of the Nicolet River Formation in Quebec and intra-North American correlations in Middle and Upper Ordovician strata	571
Kenneth C. Gass and Donald G. Mikulic Observations on the Attawapiskat Formation (Silurian) trilobites of Ontario, with description of a new encrinurine	589
John Clague, John R. Harper, R. J. Hebda, and D. E. Howes Late Quaternary sea levels and crustal movements, coastal British Columbia	597
NOTES	
I. H. Campbell, P. Coad, J. M. Franklin, M. P. Gorton, S. D. Scott, J. Sowa, and P. C. Thurston Rare earth elements in volcanic rocks associated with Cu–Zn massive sulphide mineralization: a preliminary report	619
J. Dixon, D. H. McNeil, and G. P. Michael A brief description of calcite spheres from Pliocene strata in the Dome Gulf et al. C-50 well, Beaufort Sea, arctic Canada	623
James A. Burns Water vole Microtus richardsoni (Mammalia, Rodentia) from the Late Pleistocene of Alberta	628
April/Avril	
ARTICLES	
W. H. MacLean, K. St. Seymour, and K. M. Prabhu Sr, Y, Zr, Nb, Ti, and REE in Grenville amphibolites at Montauban-les-Mines, Quebec	633
S. K. Frape and P. Fritz The chemistry and isotopic composition of saline groundwaters from the Sudbury Basin, Ontario	645
A. B. Cormie, D. J. Huntley, and D. E. Nelson Identifying tephras by alpha counting	662
Christopher P. Dewey and Lars E. Fåhræus Peracarids (Crustacea) from Mississippian strata of western Newfoundland	666
Brian Jones and Q. H. Goodbody The geological significance of endolithic algae in glass	671
<b>David R. Kobluk and Steven Nemcsok</b> The macroboring ichnofossil <i>Trypanites</i> in colonies of the Middle Ordovician bryozoan <i>Prasopora</i> : population behaviour and reaction to environmental influences	679
<b>Kenneth Carpenter</b> Skeletal and dermal armor reconstruction of <i>Euoplocephalus tutus</i> (Ornithischia: Ankylosauridae) from the Late Cretaceous Oldman Formation of Alberta	689
M. Stupavsky and D. T. A. Symons Extent of Grenvillian remanence components in rocks of the Southern Province	698
J. Girardeau Tectonic structures related to thrusting of ophiolitic complexes: the White Hills Peridotite, Newfoundland	709
T. E. Krogh, R. H. McNutt, and G. L. Davis Two high precision U-Pb zircon ages for the Sudbury Nickel Irruptive	723
P. J. Mudie Pollen distribution in recent marine sediments, eastern Canada	729
John J. Drake and S. B. McCann  The movement of isolated boulders on tidal flats by ice floes	748
H. L. Lam, F. W. Jones, and C. Lambert Geothermal gradients in the Hinton area of west-central Alberta	755
E. E. Davis and R. P. Riddihough The Winona Basin: structure and tectonics	767
<b>Denver Stone and D. Choudari Kamineni</b> Fractures and fracture infillings of the Eye-Dashwa Lakes pluton, Atikokan, Ontario	789

Deborah J. Barnes and Maurice B. Dusseault The influence of diagenetic microfabric on oil sands behaviour	804
M. Stupavsky and D. T. A. Symons Isolation of early Paleohelikian remanence in Grenville anorthosites of the French River area, Ontario	819
Catherine J. Hickson, Paul Hickson, and William C. Barnes Weighted vector analysis applied to surge deposits from the May 18, 1980 eruption of Mount St. Helens, Washington	829
M. Raudsepp and L. D. Ayres Emplacement and differentiation of an Archean subvolcanic metapyroxenite-metagabbro sill in the Favourable Lake area, northwestern Ontario	837
T. E. Krogh and A. Turek Precise U-Pb zircon ages from the Gamitagama greenstone belt, southern Superior Province	859
D. W. Davis and N. F. Trowell U-Pb zircon ages from the eastern Savant Lake - Crow Lake metavolcanic-metasedimentary belt, northwest Ontario	868
W. K. Fyson Complex evolution of folds and cleavages in Archean rocks, Yellowknife, N.W.T.	878
NOTE	
Philip J. Currie and Dale A. Russell A giant pterosaur (Reptilia: Archosauria) from the Judith River (Oldman) Formation of Alberta	894
May/Mai	
ARTICLES	
Stephen R. Hicock, Keith Hobson, and John E. Armstrong Late Pleistocene proboscideans and early Fraser glacial sedimentation in eastern Fraser Lowland, British Columbia	899
C. J. Rebollar, E. R. Kanasewich, and E. Nyland Source parameters from shallow events in the Rocky Mountain House earthquake swarm	907
G. W. Pearce, John A. Westgate, and Susan Robertson Magnetic reversal history of Pleistocene sediments at Old Crow, northwesternYukon Territory	919
D. H. Loring Geochemical factors controlling the accumulation and dispersal of heavy metals in the Bay of Fundy sediments	930
Alan R. Nelson Aminostratigraphy of Quaternary marine and glaciomarine sediments, Qivitu Peninsula, Baffin Island	945
Valerie R. Colville and Markes E. Johnson Correlation of sea-level curves for the Lower Silurian of the Bruce Peninsula and Lake Timiskaming District (Ontario)	962
D. M. Cruden The Brazeau Lake slide, Jasper National Park, Alberta	975
P. A. Yeats and J. M. Bewers Discharge of metals from the St. Lawrence River	982
R. I. Valliant and R. L. Barnett Manganiferous garnet underlying the Bousquet gold orebody, Quebec: metamorphosed manganese sediment as a guide to gold ore	993
M. E. McMechan and R. A. Price Transverse folding and superposed deformation, Mount Fisher area, southern Canadian Rocky Mountain thrust and fold belt	1011
James P. M. Syvitski and Robert D. Macdonald Sediment character and provenance in a complex fjord; Howe Sound, British Columbia	1025
Larry M. Heaman, Yuch-Ning Shieh, Robert H. McNutt, and Denis M. Shaw Isotopic and trace element study of the Loon Lake pluton, Grenville Province, Ontario	1045
K. L. Buchan and J. P. Hodych Paleomagnetic reexamination of the Lower Ordovician Wabana and Bell Island Groups of the Avalon Peninsula of Newfoundland	1055
D. W. Morrow and G. L. Cumming Interpretation of lead isotope data from zinc-lead mineralization in the northern part of the western Canadian Cordillera	1070
L. A. Dredge Relict ice-scour marks and late phases of Lake Agassiz in northernmost Manitoba	1079

#### NOTES

- Peter N. Elias and D. Strong Timing of arrival of the Avalon Zone in the northeastern Appalachians: a new look at the Straddling Granite 1088
- David R. Kobluk First record of Labyrinthus soraufi Kobluk from the southern Appalachians: Lower Cambrian Shady Dolomite, Virginia 1094

#### DISCUSSIONS

- John J. Clague Minimum age of deglaciation of upper Elk Valley, British Columbia: Discussion
- Angus Ferguson and Gerald Osborn Minimum age of deglaciation of upper Elk Valley, British Columbia: Reply 1100

# June/Juin

#### ARTICLES

- G. S. Stockmal and J. H. Spang A method for the distinction of circular conical from cylindrical folds 1101
- K. M. Creer and P. Tucholka Construction of type curves of geomagnetic secular variation for dating lake sediments from east central North America 1106
- R. L. Coles and G. V. Haines Regional patterns in magnetic anomalies over Hudson Bay
- E. A. Christiansen, D. J. Gendzwill, and W. A. Meneley Howe Lake: a hydrodynamic blowout structure 1122
- A. M. Goodwin Archean volcanoes in southwestern Abitibi Belt, Ontario and Quebec: form, composition, and development 1140
- R. L. Wright, Joe Nagel, and K. C. McTaggart Alpine ultramafic rocks of southwestern British Columbia
  1156
- L. Dupuis, R. E. S. Whitehead, and J. F. Davies Evidence for a genetic link between Sudbury breccias and fenite breccias 1174
- Rolf W. Mathewes and John J. Clague Stratigraphic relationships and paleoecology of a late-glacial peat bed from the Queen Charlotte Islands, British Columbia 1185
- Daniel Biquand Infidélité paléomagnétique observée dans une formation lacustre varvée quaternaire dite: "argiles d'Eybens" (Grenoble, France) 1196
- N. R. Catto, R. J. Patterson, and W. A. Gorman The late Quaternary geology of the Chalk River region, Ontario and Quebec 1218
- R. R. Reisz and M. J. Heaton Bayloria morei Olson 1941 identified as an immature specimen of the Permian reptile Captorhinus aguti (Cope, 1882)

  1232
- Donald W. Davis and Garth R. Edwards Zircon U-Pb ages from the Kakagi Lake area, Wabigoon Subprovince, northwest Ontario 1235
- Robert O. van Everdingen, M. Asif Shakur, and H. Roy Krouse 34S and 18O abundances differentiate Upper Cambrian and Lower Devonian gypsum-bearing units, District of Mackenzie, N.W.T.—an update 1246
- Laurent Dever, Michelle Laithier et Claude Hillaire-Marcel Caractéristiques isotopiques (<sup>18</sup>O, <sup>13</sup>CO<sub>2</sub>, <sup>3</sup>H) des écoulements dans une tourbière sur pergélisol au Nouveau-Québec 1255
- P. H. Watson, C. I. Godwin, and P. A. Christopher General geology and genesis of silver and gold veins in the Beaverdell area, south-central British Columbia 1264
- B. D. Ricketts, Michael J. Ware, and J. Allan Donaldson Volcaniclastic rocks and volcaniclastic facies in the Middle Precambrian (Aphebian) Belcher Group, Northwest Territories, Canada 1275
- A. Achab Chitinozoaires de l'Arenig supérieur (Zone D) de la Formation de Lévis, Québec, Canada 1295
- A. C. Lenz and A. D. McCracken The Ordovician-Silurian boundary, northern Canadian Cordillera: graptolite and conodont correlation 1308

#### NOTES

- Ramesh P. Singh and Tarkeshwar Lal Influence of permeability on wave-tilt of EM waves 1323
- N. W. D. Massey Transitional basalts in the Keweenawan Rift 1326
- E. J. Schwarz, K. R. Clark, and Y. Fujiwara Paleomagnetism of the Sutton Lake Proterozoic inlier, Ontario, Canada 1330
- Godfrey S. Nowlan Conodonts and the position of the Ordovician-Silurian boundary at the eastern end of Anticosti Island, Québec, Canada

## JULY/JUILLET

1332

1337

1358

1395

1408

#### ARTICLES

- Normand Tassé, Nicole Gauthier, Jean Lajoie et Léopold Gélinas Les volcaniclastites du complexe rhyolitique du Cap d'Ours, Rouyn-Noranda, Québec: exemples des mécanismes de fragmentation et de mise en place dans le volcanisme felsique
- Henri E. Gaudette, Adam Kovach, and Arthur M. Hussey II Ages of some intrusive rocks of southwestern Maine, U.S.A.
- D. I. Gough and J. S. Bell Stress orientations from borehole wall fractures with examples from Colorado, east Texas, and northern Canada
- H. G. Miller and H. C. Weir The northwest portion of the Gander Zone a geophysical interpretation 1371
- C. M. Henderson and W. B. Styan Description and ecology of Recent endolithic biota from the Gulf Islands and banks in the Strait of Juan de Fuca, British Columbia 1382
- Robert O. van Everdingen, M. Asif Shakur, and H. Roy Krouse Isotope geochemistry of dissolved, precipitated, airborne, and fallout sulfur species associated with springs near Paige Mountain, Norman Range, N.W.T.
- M. Ritz Étude régionale magnéto-tellurique des structures de la conductivité électrique sur la bordure occidentale du craton ouest africain en République du Sénégal
- R. J. Cheel The depositional history of an esker near Ottawa, Canada 1417
- Richard G. Miller The geochronology of uranium deposits in the Great Bear batholith, Northwest
  Territories 1428
- P. F. Daley and F. Hron Computation of synthetic seismograms for a thin layered periodic structure 1449
- I. D. Clark, P. Fritz, F. A. Michel, and J. G. Souther Isotope hydrogeology and geothermometry of the Mount Meager geothermal area 1454
- Alexander D. McCracken and Christopher R. Barnes Restudy of conodonts (Late Ordovician Early Silurian) from the Edgewood Group, Clarksville, Missouri 1474
- E. Zaltsberg Application of statistical methods to forecasting of natural groundwater tables 1486
- Denis Couillard Géologie et géochimie du fleuve, de l'estuaire et du golfe Saint-Laurent (Canada) 1492
- Michel Menvielle et Jean-Claude Rossignol Conséquences tectoniques de l'existence d'une anomalie de conductivité électrique au nord du Maroc 1507
- I. Reid and R. K. H. Falconer A seismicity study in northern Baffin Bay 1518

#### NOTE

A. J. Boucot, Jane Gray, Run-shen Fang, Xue-chang Yang, Zai-ping Li, and Ning Zhang Devonian calcrete from China: its significance as the first Devonian calcrete from Asia 1532

#### AUGUST/AOÛT

#### ARTICLES

- C. Wright Seismological studies in a rock body at Chalk River, Ontario and their relation to fractures 1535
- John Shaw Melt-out till in the Edmonton area, Alberta, Canada 1548

N. Eyles, D. R. Sasseville, R. M. Slatt, and R. J. Rogerson Geochemical denudation rates and solute transport mechanisms in a maritime temperate glacier basin	1570
Robert J. Elias Paleoecology and biostratinomy of solitary rugose corals in the Stony Mountain Formation (Upper Ordovician), Stony Mountain, Manitoba	1582
R. Gilbert The Broughton Trough on the continental shelf of eastern Baffin Island, Northwest Territories	1599
A. Turek, Patrick E. Smith, and W. R. Van Schmus Rb-Sr and U-Pb ages of volcanism and granite emplacement in the Michipicoten belt—Wawa, Ontario	1608
A. Turek and R. N. Robinson Geology and age of the Precambrian basement in the Windsor, Chatham, and Samia area, southwestern Ontario	1627
N. H. Woodcock and A. H. F. Robertson The upper Batinah Complex, Oman: allochthonous sediment sheets above the Semail ophiolite	1635
R. D. Hyndman, T. J. Lewis, J. A. Wright, Margaret Burgess, D. S. Chapman, and M. Yamano Queen Charlotte fault zone: heat flow measurements	1657
Alex C. Brown Grenville iron-formations and associaed stratiform zinc mineralization, Roddick Lake area, Mount Laurier Basin, Quebec	1670
D. I. Gough, D. K. Bingham, M. R. Ingham, and A. O. Alabi Conductive structures in southwestern Canada: a regional magnetometer array study	1680
S. A. Kissin and G. W. Turner A pseudotactite assemblage in the footwall of a massive sulfide occurrence, Savant Lake - Sturgeon Lake Greenstone Terrains, Ontario	1691
J. Dejou, C. R. De Kimpe et P. Lasalle Évolution géochimique superficielle naissante des anorthosites. Cas du profil de Château-Richer (Québec), Canada	1697
DISCUSSIONS	
T. E. Smith and C. H. Huang The Shelburne dike, an early Mesozoic diabase dike in Nova Scotia: mineralogy, chemistry, and regional significance: Discussion	1707
V. S. Papezik and S. M. Barr The Shelburne dike, an early Mesozoic diabase dike in Nova Scotia: mineralogy, chemistry, and regional significance: Reply	1709
<b>R. I. Thorpe</b> The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman: Discussion	1710
E. T. C. Spooner and N. H. Gale The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman: Reply	1715
<b>Bruce R. Doe</b> The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman: Discussion	1720
N. H. Gale and E. T. C. Spooner The lead and strontium isotope geochemistry of metalliferous sediments associated with Upper Cretaceous ophiolitic rocks in Cyprus, Syria, and the Sultanate of Oman: Reply	1724
ERRATA	
Frances J. Hein Erratum: Depositional mechanisms of deep-sea coarse clastic sediments, Cap Enragé Formation, Quebec	1726
M. E. McMechan and R. A. Price Erratum: Superimposed low-grade metamorphism in the Mount Fisher area, southeastern British Columbia—implications for the East Kootenay orogeny	1727

# SEPTEMBER/SEPTEMBRE

## ARTICLES

Erich Dimroth, Laszlo Imreh, Michel Rocheleau, and Normand Goulet Evolution of the south-central part of the Archean Abitibi Belt, Quebec. Part I: Stratigraphy and paleogeographic model

1729

Dexter Perkins III, Eric J. Essene, and Louise Annette Marcotty Thermometry and barometry of some amphibolite-granulite facies rocks from the Otter Lake area, southern Quebec	1759
Andrew S. Legun and Brian R. Rust The Upper Carboniferous Clifton Formation of northern New Brunswick: coal-bearing deposits of a semi-arid alluvial plain	1775
John J. Clague, Rolf W. Mathewes, and Barry G. Warner Late quaternary geology of eastern Graham Island, Queen Charlotte Islands, British Columbia	1786
R. Garth Platt and Roger H. Mitchell Rb-Sr geochronology of the Coldwell Complex, northwestern Ontario, Canada	1796
<b>Peter Dankers</b> Implications of Early Devonian poles from the Canadian Arctic Archipelago for the North American apparent polar wander path	1802
K. H. Mok, R. F. Mereu, and A. P. Yapp A study of slowness anomalies around London, Ontario from University of Western Ontario seismic array observations	1810
Lee H. Fairchild and Darrel S. Cowan Structure, petrology, and tectonic history of the Leech River complex northwest of Victoria, Vancouver Island	1817
M. E. Brookfield, Q. H. J. Gwyn, and I. P. Martini Quaternary sequences along the north shore of Lake Ontario: Oshawa – Port Hope	1836
J. A. Legault First report of Ordovician (Caradoc-Ashgill) palynomorphs from Orphan Knoll, Labrador Sea	1851
P. F. Karrow, R. J. Hebda, E. W. Presant, and G. J. Ross Late Quaternary inter-till paleosol and biota at Guelph, Ontario	1857
NOTES	
M. R. House and R. B. Blodgett The Devonian goniatite genera Pinacites and Foordites from Alaska	1873
R. D. Dallmeyer <sup>40</sup> Ar/ <sup>39</sup> Ar incremental-release age of biotite from a gabbro of the Shabogamo intrusive suite, southwestern Labrador	1877
OCTOBER/OCTOBRE	
ARTICLES	
John Adams Stress-relief buckles in the McFarland quarry, Ottawa	1883
J. Alexander Speer Metamorphism of the pelitic rocks of the Snyder Group in the contact aureole of the Kiglapait layered intrusion, Labrador: effects of buffering partial pressures of water	1888
Urs Schärer and Claude J. Allègre Investigation of the Archaean crust by single-grain dating of detrital zircon: a graywacke of the Slave Province, Canada	1910
A. C. Lenz Ordovician to Devonian sea-level changes in western and northern Canada	1919
Erik Nielsen, W. Brian McKillop, and James P. McCoy  The age of the Hartman moraine and the Campbell beach of Lake Agassiz in northwestern Ontario	1933
Paul Comtois Histoire holocène du climat et de la végétation à Lanoraie (Québec)	1938
W. K. Braun and F. Lethiers A new Late Devonian ostracode fauna and its bearing on the Frasnian-Famennian boundary in western Canada	1953
Louise Beauvais Étude de quelques coelentérés de la base du Mésozoïque du Canada occidental	1963
David J. W. Piper and William R. Normark Acoustic interpretation of Quaternary sedimentation and erosion on the channelled upper Laurentian Fan, Atlantic margin of Canada	1974
Alf. Latham, H. P. Schwarcz, D. C. Ford, and G. W. Pearce The paleomagnetism and U-Th dating of three Canadian speleothems: evidence for the westward drift, 5.4-2.1 ka BP	1985
Robert P. Raeside and Herwart Helmstaedt The Ile Bizard intrusion, Montreal, Quebec—kimberlite or lamprophyre?	1996

R. H. King, M. S. Kingston, and R. L. Barnett A numerical approach toward the classification of magnetites from tephra in southern Alberta	2012
W. A. Morris and J. D. Aitken Paleomagnetism of the Little Dal lavas, Mackenzie Mountains, Northwest Territories, Canada	2020
<b>Richard N. Hiscott</b> Tidal deposits of the Lower Cambrian Random Formation, eastern Newfoundland: facies and paleoenvironments	2028
NOTE	
T. B. Holst Evidence for multiple deformation during the Penokean Orogeny in the Middle Precambrian Thomson Formation, Minnesota	2043
November/Novembre	
ARTICLES	
D. H. Hall and W. C. Brisbin Overview of regional geophysical studies in Manitoba and northwestern Ontario	2049
B. V. Hall Geochemistry of the alteration pipe at the Amulet Upper A deposit, Noranda, Quebec	2060
John Wm. Geissman, David W. Strangway, Ann M. Tasillo-Hirt, and Larry S. Jensen Paleomagnetism and structural history of the Ghost Range intrusive complex, central Abitibi Belt, Ontario: further evidence for the Late Archean geomagnetic field of North America	2085
Ann M. Tasillo-Hirt, John W. Geissman, David W. Strangway, and Larry S. Jensen Paleomagnetism of Late Archean metavolcanics and metasediments, Abitibi orogen, Canada: volcanics of the Blake River Group and sediments and volcanics of the Timiskaming Group	2100
Rolf W. Mathewes and John M. D'Auria Historic changes in an urban watershed determined by pollen and geochemical analyses of lake sediment	2114
D. J. Mossman, R. N. Delabio, and A. D. Mackintosh Mineralogy of clay marker seams in some Saskatchewan potash mines	2126
Donald W. Davis Optimum linear regression and error estimation applied to U-Pb data	2141
S. Conway Morris, R. K. Pickerill, and T. L. Harland A possible annelid from the Trenton Limestone (Ordovician) of Quebec, with a review of fossil oligochaetes and other annulate worms	2150
William J. Olszewski, Jr. and Henri E. Gaudette Age of the Brookville Gneiss and associated rocks, southeastern New Brunswick	2158
Nancy D. Naeser, John A. Westgate, Owen L. Hughes, and Troy L. Péwé Fission-track ages of late Cenozoic distal tephra beds in the Yukon Territory and Alaska	2167
Rolf Ludvigsen and Brian D. E. Chatterton Ordovician Pterygometopidae (Trilobita) of North America	2179
NOTES	
Bruce G. Naylor A new specimen of <i>Taricha</i> (Amphibia: Caudata) from the Oligocene of Washington	2207
Raymund R. Pätzold and Ernst R. Deutsch Paleomagnetism of drill cores from Labrador offshore wells	2210
Marius Arsenault Eusthenopteron foordi, a predator on Homalacanthus concinnus from the Escuminac Formation, Miguasha, Quebec	2214
DECEMBER/DÉCEMBRE	
ARTICLES	
Lionel E. Jackson, Jr., Glen M. MacDonald, and Michael C. Wilson Paraglacial origin for terraced river sediments in Bow Valley, Alberta	2219
Garry Quinlan and Christopher Beaumont The deglaciation of Atlantic Canada as reconstructed from the postglacial relative sea-level record	2232

N. C. Higgins and R. Kerrich Progressive <sup>18</sup> O depletion during CO <sub>2</sub> separation from a carbon dioxide-rich hydrothermal fluid: evidence from the Grey River tungsten deposit, Newfoundland	2247
Léopold Gélinas, Michel Mellinger, and Pierre Trudel Archean mafic metavolcanics from the Rouyn-Noranda district, Abitibi Greenstone Belt, Quebec. 1. Mobility of the major elements	2258
John Ludden, Léopold Gélinas, and Pierre Trudel Archean metavolcanics from the Rouyn-Noranda district, Abitibi Greenstone Belt, Quebec. 2. Mobility of trace elements and petrogenetic constraints	2276
Stephen R. Hicock, Richard J. Hebda, and John E. Armstrong Lag of the Fraser glacial maximum in the Pacific Northwest: pollen and macrofossil evidence from western Fraser Lowland, British Columbia	2288
R. N. W. DiLabio, A. N. Rencz, and P. A. Egginton Biogeochemical expression of a classic dispersal train of metalliferous till near Hopetown, Ontario	2297
G. L. Cumming, O. R. Eckstrand, and W. V. Peredery Geochronologic interpretations of Pb isotope ratios in nickel sulfides of the Thompson Belt, Manitoba	2306
K. E. Karlstrom, B. A. van der Pluijm, and P. F. Williams Structural interpretation of the eastern Notre Dame Bay area, Newfoundland: regional post-Middle Silurian thrusting and asymmetrical folding	2325
A. A. L. Miller, P. J. Mudie, and D. B. Scott Holocene history of Bedford Basin, Nova Scotia: foraminifera, dinoflagellate, and pollen records	2342
Ming-ko Woo and Peter Steer Occurrence of surface flow on arctic slopes, southwestern Cornwallis Island	2368
Y. T. J. Kwong, T. H. Brown, and H. J. Greenwood A thermodynamic approach to the understanding of the supergene alteration at the Afton copper mine, south-central British Columbia	2378
Francis André et Claude Gagny Structures d'écoulement dans une caisse filonienne: le mécanisme d'intrusion télescopique et le concept d'intra-épontes	2387
Note of appreciation/Note de reconnaissance	
Author index for volume 19/Index des auteurs pour volume 19	AI-
Subject index for volume 19/Index des matières pour volume 19	SI-
Contents for volume 19/Sommaire pour volume 19	,

